

**TARA ULTRA Single-lever mixer Pull-down with spray function - Brushed Platinum**

TARA ULTRA

33 870 875 Product version up to 10/30/2024




- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- height of mixer 500 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Platinum	33 870 875-06
	Chrome	33 870 875-00
	Platinum	33 870 875-08
	Dark Chrome	33 870 875-19
	Brushed Durabrass (23kt Gold)	33 870 875-28
	Matte Black	33 870 875-33
	Brushed Dark Brass (PVD)	33 870 875-39
	Brushed Bronze (PVD)	33 870 875-42
	Brushed Dark Bronze (PVD)	33 870 875-43
	Brushed Champagne (22kt Gold)	33 870 875-46
	Champagne (22kt Gold)	33 870 875-47
	Brushed Chrome	33 870 875-93
	Brushed Dark Platinum	33 870 875-99

**Recommended miscellaneous**

	<b>Swivel limitation set -</b>	12 823 970 90
---	--------------------------------	---------------

**Recommended miscellaneous**


	<b>Dispenser without rosette - Brushed Platinum</b>	82 424 970-06
---	---	---------------

**Recommended miscellaneous**


	<b>Strainer waste with control handle - Brushed Platinum</b>	10 712 970-06
---	--	---------------

33 870 875 Product version up to 10/30/2024

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

Executive Order  
no. 1007

ISO 3822

### Ü-Zeichen



TARA ULTRA Single-lever mixer Pull-down with spray function - Brushed  
Platinum

TARA ULTRA

---

33 870 875 Product version up to 10/30/2024

Certificates and sustainability


---

Belgaqua\_21-027-2 GDV\_0400

LGA\_28

EPD-DOR-20230287 Belgaqua\_25-340-2  
-IBA1-EN  
Environmental.prod  
uct-declarat

33 870 875 Product version up to 10/30/2024



33 870 875 Product version up to 10/30/2024

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	09 20 87 020-06	Handle Lever 124 x 23 x 44,5 mm - Brushed Platinum	1.00	20
3	90 28 22 304 00-06	Spout 376 x 265 x 28 mm - Brushed Platinum	1.00	20
13	09 14 10 036 90	O-Ring 36,0 x 4,0 mm -	1.00	14
8	09 14 10 190 90	O-Ring EPDM 70 38,0 x 1,5 mm -	1.00	14
14	04 30 04 101 00 90	High pressure hose M8x1 x 3/8" x 600 mm -	2.00	14
16	04 30 11 040 00 90	Mounting for sink unit deck mounting with spacer M34 x 1 -	1.00	14
6	09 30 11 203 90	Limiting ring Ø 22,7 x 16,5 mm -	1.00	14
4	09 28 10 160 90	Ring 25,63 x 2,8 x 25,95 mm -	2.00	14
19	09 30 03 038 90	Tube slotted Ø 12 x 0,8 x 35 mm -	1.00	14
21	90 30 09 031 00 90	Spanner Cartridge screw connection -	1.00	14
12	90 31 20 087 00-06	Plug with O-ring Ø 7 x 2,1 mm - Brushed Platinum	1.00	20
17	09 20 93 056 90	Hose guide 30 x 22,2 x 25 mm -	1.00	14
15	04 28 20 067 00 90	Pipe -	1.00	14
1	90 12 11 148 00-06	Rinsing spray - Brushed Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
2	04 30 02 120 00-85	Tube M12x1 x M12x1 x 1800 mm - Stainless Steel	1.00	20
9	09 28 30 030-06	Cover Ø 42 x 17 mm - Brushed Platinum	1.00	20
18	90 24 03 253 00 90	Adapter Ø 16 x 35 mm -	1.00	14
5	09 18 40 186 90	Sleeve 27,9 x 11,9 x 27,9 mm -	1.00	14
20	04 21 50 010 00 90	Weight for kitchen spray hoses 220g -	1.00	14
11	90 31 11 063 00 90	Mounting Threaded pin with hexagon socket with cup point M5 x 4 mm -	1.00	14
7	90 15 05 046 05 90	Single-lever mixer cartridge insert 45° with fastening nut and adapter key , torque wrench Ø 35 mm x 58,6 mm -	1.00	14