

Shower system with single-lever shower mixer without hand shower - Brushed Durabronze (23kt Gold) SERIES SPECIFIC

26 024 661 Product version from 10/1/2023



- shower with fixed riser projection 450mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 10 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm
- quick clearing
- WRAS

This article does not include a hand shower!

Water carrying concealed rough parts on lower wall fixing.





Recommended spacing from bottom edge of shower stem to floor 92 mm. Intrinsic protection against back flow.

This article does not include a hand shower!

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.


Intrinsic protection against back flow.

| | | |
|---|--------------------------------|---------------|
|  | Brushed Durabronze (23kt Gold) | 26 024 661-28 |
|  | Chrome | 26 024 661-00 |
|  | Brushed Platinum | 26 024 661-06 |
|  | Platinum | 26 024 661-08 |
|  | Dark Chrome | 26 024 661-19 |
|  | Light Gold (PVD) | 26 024 661-26 |
|  | Brushed Light Gold (PVD) | 26 024 661-27 |
|  | Matte Black | 26 024 661-33 |
|  | Brushed Gold (PVD) | 26 024 661-37 |
|  | Brushed Dark Brass (PVD) | 26 024 661-39 |
|  | Brushed Bronze (PVD) | 26 024 661-42 |
|  | Brushed Dark Bronze (PVD) | 26 024 661-43 |
|  | Brushed Champagne (22kt Gold) | 26 024 661-46 |
|  | Champagne (22kt Gold) | 26 024 661-47 |
|  | Brushed Chrome | 26 024 661-93 |
|  | Brushed Dark Platinum | 26 024 661-99 |

Shower system with single-lever shower mixer without hand shower - Brushed Durabron (23kt Gold) SERIES SPECIFIC

26 024 661 Product version from 10/1/2023


Required miscellaneous

| | | |
|---|---|---------------|
|  | Concealed wall mounting - •min. recess depth 78 mm •max. recess depth 103 mm | 35 003 970 90 |
|---|---|---------------|

Required miscellaneous

| | | |
|---|--|---------------|
|  | Hand shower 100 mm - Brushed Durabron (23kt Gold) | 28 018 979-28 |
|---|--|---------------|

Required miscellaneous

| | | |
|---|---|-----------------------|
|  | Hand shower FlowReduce 130 mm - Brushed Durabron (23kt Gold) | 28 016 979-28 0010 |
|---|---|-----------------------|

Required miscellaneous

| | | |
|---|---|---------------|
|  | Hand shower - Brushed Durabron (23kt Gold) | 28 017 979-28 |
|---|---|---------------|

Required miscellaneous

| | | |
|---|---|---------------|
|  | Hand shower - Brushed Durabron (23kt Gold) | 28 015 979-28 |
|---|---|---------------|


Required miscellaneous

| | | |
|---|---|-----------------------|
|  | SERIES-VARIOUS Hand shower FlowReduce - Brushed Durabron (23kt Gold) | 28 029 979-28 0010 |
|---|---|-----------------------|


Required miscellaneous

| | | |
|---|---|-----------------------|
|  | SERIES-VARIOUS Hand shower FlowReduce - Brushed Durabron (23kt Gold) | 28 027 979-28 0010 |
|---|---|-----------------------|

Required miscellaneous

| | | |
|---|---|-----------------------|
|  | Hand shower FlowReduce 100 mm - Brushed Durabron (23kt Gold) | 28 018 979-28 0010 |
|---|---|-----------------------|

Required miscellaneous

| | | |
|---|---|-----------------------|
|  | Hand shower FlowReduce 120 mm - Brushed Durabron (23kt Gold) | 28 012 979-28 0010 |
|---|---|-----------------------|

Required miscellaneous

| | | |
|---|--|---------------|
|  | Hand shower 130 mm - Brushed Durabron (23kt Gold) | 28 016 979-28 |
|---|--|---------------|

Required miscellaneous

| | | |
|---|---|---------------|
|  | Hand shower 120 mm - Brushed Durabron (23kt Gold) •Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate l/min (at 3 bar) •spray head Ø 120mm •Hand shower see page {PAGE} | 28 012 979-28 |
|---|---|---------------|


Required miscellaneous

| | | |
|---|---|-----------------------|
|  | SERIES-VARIOUS Hand shower FlowReduce - Brushed Durabron (23kt Gold) | 28 025 979-28 0010 |
|---|---|-----------------------|


Shower system with single-lever shower mixer without hand shower - Brushed Durabronz (23kt Gold) SERIES SPECIFIC

26 024 661 Product version from 10/1/2023

mm [inch]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower system with single-lever shower mixer without hand shower - Brushed Durabronze (23kt Gold) SERIES SPECIFIC

26 024 661 Product version from 10/1/2023

Certificates and sustainability


Belgaqua_21-023-2 WRAS_2212

LGA_29

EPD-DOR-20230287 Belgaqua_25-345-2
-IBA1-EN
Environmental.prod
uct-declarat

Shower system with single-lever shower mixer without hand shower - Brushed Durabron (23kt Gold) SERIES SPECIFIC

26 024 661 Product version from 10/1/2023



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|-----------------------|--|---------------|---------------|
| | 35 09 31 20 027 10-00 | Plug M8 x 1 - Chrome | 1.00 | 20 |
| | 22 09 24 03 162 20 90 | Nipple Ø 25 x 30 mm - | 1.00 | 14 |
| | 32 09 21 34 081 20-28 | Diverter Ø 30 x 56 mm - Brushed Durabron (23kt Gold) | 1.00 | 40 |
| | 27 09 24 04 341 90 | nut | 1.00 | 82 |
| | 51 90 23 01 141 00 90 | Back-flow preventer - | 1.00 | 14 |
| | 16 09 27 88 010-28 | Rosette Ø 78 x Ø 30,3 x 18 mm - Brushed Durabron (23kt Gold) | 1.00 | 40 |
| | 42 09 17 11 024 20 90 | Connection Distributor, shower pipe Ø 42 x 55 mm - | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 10 09 11 10 083-28 | Connection Ø 18 x 70 mm - Brushed Durabron (23kt Gold) | 1.00 | 40 |
| | 38 09 14 10 139 90 | O-Ring EPDM 70 9,0 x 2,0 mm - | 6.00 | 14 |
| | 31 09 14 10 112 90 | O-Ring 24,0 x 2,0 mm - | 1.00 | 14 |
| | 12 90 14 10 077 00 90 | O-Ring EPDM 70 12,0 x 2,0 mm - | 1.00 | 14 |
| | 55 90 30 02 072 00-28 | Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Durabron (23kt Gold) | 1.00 | 40 |
| | 29 90 16 02 023 00 90 | Diverter Repair kit, bath deck mounting 15 x 50 x 15 mm - | 1.00 | 14 |
| | 48 09 24 04 210 10 90 | Nipple Ø 33 x 105 mm - | 1.00 | 14 |
| | 7 09 27 89 000-28 | Rosette Ø 57 x Ø 19 x 18 mm - Brushed Durabron (23kt Gold) | 1.00 | 40 |
| | 34 09 14 10 132 90 | O-Ring EPDM 70 6,0 x 1,5 mm - | 1.00 | 14 |
| | 37 09 30 30 111 90 | Mounting Cylinder head screw with hexagon socket M8 x 50 mm - | 1.00 | 14 |



Shower system with single-lever shower mixer without hand shower - Brushed Durabass (23kt Gold) SERIES SPECIFIC

| | | | | |
|--|--------------------------------|---|------|----|
| 26 024 661 | Product version from 10/1/2023 | | | |
| 18 | 09 31 11 061 90 | Mounting Threaded pin with hexagon socket with cup point M4 x 10 mm - | 2.00 | 14 |
| 53 | 90 21 02 069 00-28 | Cover/sleeve M20 x 1 - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 40 | 04 31 20 034 00 90 | Plug Cover with threaded pin - | 1.00 | 14 |
| 6 | 09 30 11 103 90 | Holder Ø 53 x 19 mm - | 2.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 4 | 90 28 22 082 00-28 | spout | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 14 | 04 28 22 134 20-28 | Spout Ø 25 x 800 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 45 | 09 24 04 215 20 90 | Nipple Ø 28,5 x 60 mm - | 1.00 | 14 |
| 19 | 09 11 10 081 20-28 | Connection with shower outlet Ø 30 x 69 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 30 | 09 31 09 102 20-28 | Pull rod for diverter Ø 12 x 70 mm - Brushed Durabass (23kt Gold) | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 17 | 09 14 10 101 90 | O-Ring EPDM 70 30,0 x 2,5 mm - | 1.00 | 14 |
| 5 | 05 30 31 025 00 90 | Mounting Bolt Round head 4,5 x 60 mm - | 2.00 | 14 |
| 2 | 09 24 03 163 20-28 | Connection Ø 25 x 32 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 9 | 90 31 11 030 00 90 | Mounting Threaded pin with hexagon socket with cup point M5 x 5 mm - | 1.00 | 14 |
| 36 | 09 24 03 149 10-28 | Connection Ø 41,9 x 40 mm - Brushed Durabass (23kt Gold) | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 44 | 90 14 10 063 00 90 | O-Ring EPDM 70 26,0 x 2,0 mm - | 3.00 | 14 |
| 49 | 09 21 02 128 90 | Cover/sleeve Clamp sleeve Ø 50 x 46 mm - | 1.00 | 14 |
| 26 | 09 28 30 042-28 | cover | 1.00 | 82 |
| 52 | 09 24 03 115 20-28 | Nipple Ø 22 x 33 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 47 | 09 27 88 008-28 | Rosette Ø 78 x 18 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 43 | 09 21 02 132-28 | Cover Ø 44 x 8 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 11 | 09 17 11 049-28 | Connection T-piece Ø 25 x 75 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 28 | 90 15 05 064 00 90 | Single-lever mixer cartridge Ø 35 mm x 58,6 mm - | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 9015050460090 | | Single-lever mixer cartridge Ø 35 mm x 58,6 mm - | | |
| 24 | 09 31 11 024 90 | Mounting Threaded pin with hexagon socket with cup point M5 x 12 mm - | 1.00 | 14 |
| 39 | 04 28 22 038 00 90 | Holder Spray holder for deck-mounted fittings - | 2.00 | 14 |
| 3 | 09 23 01 039 90 | Sieve seal Ø 19 x 5,5 mm - | 1.00 | 14 |
| 20 | 09 31 11 049 90 | Mounting Threaded pin with hexagon socket with cup point M6 x 6 mm - | 3.00 | 14 |
| 41 | 04 28 22 034 00-28 | Pipe Ø 46 x 955 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 8 | 09 14 10 006 90 | O-Ring 18,0 x 3,5 mm - | 1.00 | 14 |
| 46 | 09 11 10 080 20-28 | Connection Ø 40 x 68 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 1 | 04 12 05 091 00-28 | Rainshower round Ø 300 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 50 | 09 24 77 002 90 | Mounting Clamp nut Ø 40 x 6 mm - | 1.00 | 14 |
| 23 | 90 14 10 032 00 90 | O-Ring 18,1 x 1,6 mm - | 2.00 | 14 |
| 25 | 90 20 66 017 00-28 | handle | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 13 | 09 14 10 122 90 | O-Ring EPDM 70 18,6 x 2,0 mm - | 1.00 | 14 |
| 15 | 90 14 10 055 00 90 | O-Ring EPDM 70 15,0 x 2,0 mm - | 2.00 | 14 |
| 33 | 09 20 88 002-28 | Pull button Ø 30 x 20 mm - Brushed Durabass (23kt Gold) | 1.00 | 40 |
| 54 | 28 050 920-28 | CIRCLE Wall bracket - Brushed Durabass (23kt Gold) | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |



Shower system with single-lever shower mixer without hand shower - Brushed Durabronz (23kt Gold) SERIES SPECIFIC

26 024 661 Product version from 10/1/2023
21 90 14 10 010 00 90

O-Ring EPDM 70 17,0 x 2,0 mm -

2.00

14
