

MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

MEM

13 800 782 Product version from 3/10/2014



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Durabrass (23kt Gold)	13 800 782-28
	Chrome	13 800 782-00
	Brushed Platinum	13 800 782-06
	Platinum	13 800 782-08
	Dark Chrome	13 800 782-19
	Brushed Light Gold (PVD)	13 800 782-27
	Brushed Gold (PVD)	13 800 782-37
	Brushed Dark Brass (PVD)	13 800 782-39
	Brushed Bronze (PVD)	13 800 782-42
	Brushed Dark Bronze (PVD)	13 800 782-43
	Brushed Champagne (22kt Gold)	13 800 782-46
	Champagne (22kt Gold)	13 800 782-47
	Brushed Dark Platinum	13 800 782-99

Recommended miscellaneous

Concealed wall elbow -

35 085 970 90




- min. recess depth 90 mm
- max. recess depth 163 mm


MEM Wall-mounted basin spout without pop-up waste - Brushed Durabronz (23kt Gold)

MEM

13 800 782 Product version from 3/10/2014
mm [inches]



Flow rate chart



Codes & Standards

Scottish Water
Byelaws

UK Water Supply
Regulations



MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

MEM

13 800 782 Product version from 3/10/2014


Certificates and sustainability

WRAS_2203	EPD-DOR-20230287
	-IBA1-EN
	Environmental.prod
	uct-declarat

MEM Wall-mounted basin spout without pop-up waste - Brushed Durabronz (23kt Gold)

MEM

13 800 782 Product version from 3/10/2014



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 27 78 035 00-28	Cover 60 x 60 x 9 mm - Brushed Durabronz (23kt Gold)	1.00	40
3	90 29 03 109 00 90	Aerator insert 5,7 l/min. -	1.00	14
1	09 24 03 081 10 90	Extension 1/2" x 50 mm -	1.00	14