Product End of Life Instructions

SpaceLogic MG900 Globe Valve Actuator







Potential disassembly risks

AWARNING


HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.



End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|-----------------------|---------------|---------------------|
| To be depolluted | 1 | Electronic components | 31.118556 | PCBA |
| To be depolluted | 2 | Capacitors | 10.2 | Aluminium capacitor |
| To be depolluted | 3 | Flame retardants | 15.55 | |

Product description

| Manufacturer identification | Schneider Electric Industries SAS |
|-----------------------------------|--|
| Brand name | Schneider Electric |
| Product function | The MG900 SR is a linear eletro-mechanicl actuator with spring return operation for the control of two-way and three way globe valves. |
| Product reference | MG900-SU |
| Total representative product mass | 3186 g |
| Representative product dimensions | 245 mm x 194 mm x 171 mm |
| Accessories | No |
| Date of information release | 01-2025 |

ি Additional information

| Legal information | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | | |
|--|--|--|--|
| In case of special transportation: transportation method | No | | |
| Recyclability potential | The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). | | |

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI2501011_V1 © 2023 - Schneider Electric – All rights reserved

01-2025