




Color: ■ silver-colored Similar to illustration

Technical data	
Suitable	for Siemens push-button frame
Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	1000 markers/reel; 1 line
Printing device	Smart Printer (thermal transfer printer)

Physical data	
Height	22 mm
Width	22 mm
Depth	0.05 mm
Marking surface	22 x 22 mm

Mechanical data	
Mounting type	Securing with cover (210-859)
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material data	
Color	silver-colored
Material	Polyester
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	89 g
Fire load	0 MJ



Environmental requirements		
Ambient temperature (storage)		≥+22 °C
Ambient temperature (operation)		-30 ... +130 °C
Relative humidity		40 ... 50 %

Commercial data		
Product Group		2 (Terminal Block Accessories)
eCl@ss 10.0		27-40-06-29
eCl@ss 9.0		27-40-06-29
ETIM 9.0		EC001288
ETIM 8.0		EC001288
PU (SPU)		1 pcs
Packaging type		Box
Country of origin		DE
GTIN		4050821856405
Customs tariff number		39191080888

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 210-858	

Documentation

Operating Instructions			
210-852 Information on handling print material	1 28.08.2020	pdf 1004.72 KB	

1 Compatible Products

1.1 System counterpart

1.1.1 Cover



Item No.: 210-859
Cover; For push-button label (210-858) mounting; halogen-free; transparent



1.2 Required Accessories
1.2.1 Marking
1.2.1.1 Cover



[Item No.: 210-859](#)
Cover; For push-button label (210-858)
mounting; halogen-free; transparent

1.3 Optional Accessories
1.3.1 Marking
1.3.1.1 Marking device



[Item No.: 258-5000](#)
Thermal transfer printer; Smart Printer; for
complete control cabinet marking; 300
dpi; With marking material