

Data Sheet | Item Number: 282-883

Locking cover; mechanically locks multiple links; 3-pole; transparent

<https://www.wago.com/282-883>



Color: transparent

Similar to illustration

Physical data

Width	23.2 mm / 0.913 inches
-------	------------------------

Material data

Note (material data)	Information on material specifications can be found here
Color	transparent
Material group	IIIa
Insulation material (main housing)	Polycarbonate (PC)
Flammability class per UL94	V2
Fire load	0.082 MJ
Weight	1.6 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332283199
Customs tariff number	39269097900

Product Classification	
UNSPSC	39121702
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 10.0	EC002848
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 282-883	↓

Documentation

Bid Text			
282-883	19.02.2019	xml 2.57 KB	↓
282-883	03.03.2017	doc 23.50 KB	↓

CAD/CAE-Data

CAD data	
2D/3D Models 282-883	↓

CAE data	
EPLAN Data Portal 282-883	↓
WSCAD Universe 282-883	↓
ZUKEN Portal 282-883	↓

Installation Notes

Locking system



Snapping transparent locking cover onto 1-8 disconnect links:
 a) Mechanically lock several links for multi-pole switching applications
 b) Protect markers

Snapping transparent locking cover onto 1-8 disconnect links:
 a) Mechanically lock several links for multi-pole switching applications
 b) Protect markers

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com