



LULU Concealed thermostat with three function volume control - Brushed Platinum

LULU


36 427 710 Product version from 3/13/2017 to 3/21/2019



- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

	Brushed Platinum	36 427 710-06
	Chrome	36 427 710-00


Recommended miscellaneous

	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90
---	--	---------------


Required miscellaneous

	xGRID Installation track 555 mm -	12 360 970 90
---	--	---------------


Required miscellaneous

	Concealed thermostat with built-in isolators -	35 428 970 90
	<ul style="list-style-type: none"> •min. recess depth 80 mm •max. recess depth 136 mm 	


Required miscellaneous

	Concealed thermostat -	35 427 970 90
	<ul style="list-style-type: none"> •min. recess depth 80 mm •max. recess depth 136 mm 	

36 427 710 Product version from 3/13/2017 to 3/21/2019
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



LULU Concealed thermostat with three function volume control - Brushed
Platinum

LULU

36 427 710 Product version from 3/13/2017 to 3/21/2019

Certificates and sustainability

LGA_29

DVGW_DW-
6512DN0


WRAS_250402

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat

LULU Concealed thermostat with three function volume control - Brushed Platinum

LULU

36 427 710 Product version from 3/13/2017 to 3/21/2019





LULU Concealed thermostat with three function volume control - Brushed Platinum

LULU

36 427 710 Product version from 3/13/2017 to 3/21/2019

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 20 67 006-06	Handle for thermostat 41 x 40 x 53 mm - Brushed Platinum	1.00	82
11	90 31 20 049 00-13	Plug - black	1.00	40
23	90 23 01 124 00 90	Sleeve -	2.00	14
2	09 12 12 053-06	Fixing cap mount Ø 34,5 x 15 mm - Brushed Platinum	1.00	20
16	04 29 06 024 01-00	Spindle with double toothing Ø 12,15 x 30 mm - Chrome	1.00	20
28	09 28 10 151 90	Insert up to 42°C Ø 38 x 8 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
09281018990 Temperature limitation ring Thermostat, black -				
13	90 12 12 052 00 90	Retainer -	1.00	14
3	04 29 06 111 01-00	Spindle with double toothing Ø 12,15 x 37,2 mm - Chrome	1.00	20
26	90 15 02 012 00 90	Thermostat cartridge Ø 27 x 82 mm, 16-18 l/min. -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
9015020130090 Thermostat cartridge Ø 27 x 82 mm, 16-18 l/min. -				
1	90 90 03 170 00 90	Diverter 360° Lifetime Ø 29 x 57 mm -	1.00	14
14	09 12 12 054 90	Handle mount Ø 28,50 x 16 mm -	1.00	14
20	09 30 30 157 90	Mounting Countersunk screw with hexagon socket M3 x 6 mm -	4.00	14
10	90 30 30 136 00 90	Bolt -	1.00	14
12	90 30 30 124 00 90	Mounting Countersunk screw with hexagon socket M4 x 10 mm -	1.00	14
17	09 12 12 051-06	Fixing cap mount Ø 35 x 26,5 mm - Brushed Platinum	1.00	20
7	90 17 33 004 00-06	Handle for thermostat Ø 46 x 48 mm - Brushed Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
90173302000-06 Handle for thermostat Ø 46 x 48 mm - Brushed Platinum				
18	09 31 11 134 90	Mounting Threaded pin with hexagon socket with point M4 x 10 mm -	1.00	14
8	90 21 33 011 00-13	Repair kit for thermostat handle - black	1.00	14
27	09 28 10 150 90	Limiting ring up to 38°C Ø 38 x 8 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
09281018890 Temperature limitation ring Thermostat, 38° stop -				
4	90 23 30 023 00 90	Cap nut -	2.00	14
24	90 18 40 077 01 90	Sleeve -	2.00	14
22	90 30 01 190 00 90	Connection Ø 55 x 9 mm -	1.00	14
25	09 24 04 257 90	Mounting Nut Ø 32 x 19,5 mm -	2.00	14
21	09 30 01 296 90	Shaft M24x1 Ø52 external -	1.00	14
5	90 12 12 002 00 90	Fixing cap white Ø 15 x 12 mm -	1.00	14
19	09 11 02 315-06	Rosette for thermostat 3-way 150 x90 x 9 mm - Brushed Platinum	1.00	20
9	90 16 02 027 00 90	Spring Ø 4,5 x 7,5 mm -	1.00	14
15	09 28 10 143 90	Limiting ring Ø 38 x 8 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
09281018790 Temperature limitation ring Thermostat -				