



PRESTATIEVERKLARING

DoP 0328

voor fischer Zykon FZEA II (mechanisch anker voor gebruik in beton)

NL

1. Unieke identificatiecode van het producttype: **DoP 0328**
2. Beoogd(e) gebruik(en): **Bevestigingen in gescheurd of ongescheurd beton, zie bijlage, met name de bijlagen B1 - B3.**
3. Fabrikant: **fischerwerke GmbH & Co. KG, Klaus-Fischer-Str. 1, 72178 Waldachtal, Duitsland**
4. Gemachtigde: **-**
5. Het systeem of de systemen voor de beoordeling en verificatie van de prestatiebestendigheid: **1**
6. Europees beoordelingsdocument: **EAD 330232-01-0601, Edition 05/2021**
Europese technische beoordeling: **ETA-06/0271; 2023-03-23**
Technische beoordelingsinstantie: **DIBt- Deutsches Institut für Bautechnik**
Aangemelde instantie(s): **2873 TU Darmstadt**
7. Aangegeven prestatie(s):
Mechanische weerstand en stabiliteit (BWR 1)
Kenmerkende weerstand tegen spanningsbelasting (statische en quasi-statische belasting) Methode A:
Weerstand tegen staalbreuk: Bijlage C1
Weerstand tegen uittrekken: Bijlage C1
Weerstand tegen betonnen kegelbreuk: Bijlage C1
Robuustheid Bijlages C1, C2
Minimale rand- en hartafstand: Bijlages B2, C1
Randafstand om spleetbreuk onder belasting te voorkomen: Bijlage C1

Kenmerkende weerstand tegen schuifbelasting (statische en quasi-statische belasting), methode A:
Weerstand tegen staalbreuk (afschuifbelasting): Bijlage C2
Weerstand tegen uitbreken (pryout): Bijlage C2

Kenmerkende weerstand voor een vereenvoudigd ontwerp:
Methode B: NPD
Methode C: NPD

Verplaatsingen:
Verplaatsingen onder statische en quasi-statische belasting: Bijlage C4

Kenmerkende weerstand en verplaatsingen voor de seismische prestatiecategorieën C1 en C2:
Trekkrachtweerstand, verplaatsingen categorie C1: NPD
Trekkrachtweerstand, verplaatsingen categorie C2: NPD
Weerstands afschuifbelasting, verplaatsingen categorie C1: NPD
Weerstands afschuifbelasting, verplaatsingen categorie C2: NPD
Factor ringvormige opening: NPD
8. Geëigende technische documentatie en/of specifieke technische documentatie: **-**



De prestaties van het hierboven omschreven product zijn conform de aangegeven prestaties. Deze prestatieverklaring wordt in overeenstemming met Verordening (EU) nr. 305/2011 onder de exclusieve verantwoordelijkheid van de hierboven vermelde fabrikant verstrekt.

Ondertekend voor en namens de fabrikant door:

Dr.-Ing. Oliver Geibig, Directeur Business Units & Engineering
Tumlingen, 2023-03-31

Jürgen Grün, Directeur Chemie & Kwaliteit

Deze DoP is opgesteld in meerdere talen. In het geval van geschillen over de interpretatie zal de Engelse tekst altijd prevaleren.

Het aanhangsel bevat vrijwillige en aanvullende informatie in het Engels die de (taal-neutraal gespecificeerde) wettelijke vereisten overschrijdt.

Specific Part

1 Technical description of the product

The fischer Zykron-Hammerset anchor FZEA II is an anchor made of galvanised or stainless or high corrosion resistant steel which is placed in an undercut hole and anchored by mechanical interlock with displacement-controlled installation.

The product description is given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the fastener is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fastener of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance to tension load (static and quasi static loading) Method A	See Annex B2 and C1
Characteristic resistance to shear load (static and quasi static loading)	See Annex C2
Displacements	See Annex C4
Characteristic resistance and displacements for seismic performance categories C1 and C2	No performance assessed

3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Class A1
Resistance to fire	See Annex C3


3.3 Aspects of durability

Essential characteristic	Performance
Durability	See Annex B1


4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with the European Assessment Document EAD 330232-01-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1



- ① Expansion sleeve
- ② Expansion pin
- ③ Plastic cap
- ④ Safety disk



(Fig. not to scale)

fischer Zykron-Hammerset anchor FZEA II

Product description
Installed condition

Annex A 1

Appendix 3 / 11

Marking e.g.:



FZEA II 12x40
FZEA II 12x40 R
FZEA II 12x40 HCR

(galvanised steel)
(stainless steel)
(high corrosion resistant steel)






Table A2.1: Dimensions [mm]

Anchor type	thread	a [mm]	Øb [mm]	Øc [mm]	d [mm]	Øe [mm]
FZEA II 10 x 40 M8	M8	39	10	9,5	11	6,5
FZEA II 12 x 40 M10	M10		12	11,5		6,5
FZEA II 14 x 40 M12	M12		14	13,5		9,5




Table A2.2: Materials

Part	Designation	Material	Material	
		FZEA II	Corrosion resistance class acc. to EN 1993-1-4:2006+A1:2015 CRC III FZEA II R	CRC V FZEA II HCR
1	Expansion sleeve	Steel, EN 10277:2018 EN ISO 4042:2022 $\geq 5 \mu\text{m}$	Stainless steel, EN 10088:2014	High corrosion resistant steel EN 10088:2014
2	Expansion pin	Steel, EN 10277:2018 or EN 10263-1:2017 EN ISO 4042:2022 $\geq 5 \mu\text{m}$	Stainless steel, EN 10088:2014	High corrosion resistant steel EN 10088:2014
3	Plastic cap	Plastic		
4	Safety disk	Foil		
Requirements for the fastening screw / threaded rod ¹⁾		Steel, EN ISO 898-1:2013 EN ISO 4042:2022 $\geq 5 \mu\text{m}$	Stainless steel EN ISO 3506-1:2010 1.4401, 1.4404, 1.4578, 1.4571, 1.4439, 1.4362 strength class ≥ 50	High corrosion resistant steel EN ISO 3506-1:2020 1.4529, 1.4565 strength class ≥ 50

¹⁾ The length of the fastening screw shall be determined depending on the thickness of the fixture t_{fix} , admissible tolerances, existing thread length (= maximum screwing depth) and minimum screwing depth (according to Table B2). Washers and screws or threaded rods with hexagon nuts are not included in the scope of delivery

(Fig. not to scale)

fischer Zyon-Hammerset anchor FZEA II

Product description
Anchor types and dimensions
Materials

Annex A 2

Specifications of intended use

Anchorage subject to:

- Static and quasi-static loads
- Fire exposure

Base materials:

- Compacted reinforced or unreinforced normal weight concrete without fibres (cracked and uncracked) of strength classes C20/25 to C50/60 according to EN 206:2013+A2:2021

Use conditions (Environmental conditions):

- Structures subject to dry internal conditions: **FZEA II**
- For all other conditions according to EN 1993-1-4:2006+A1:2015 corresponding to corrosion resistance class:
 - CRC III FZEA II R
 - CRC V FZEA II HCR

Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work.
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports, etc.)
- Design of fastenings according to EN 1992-4:2018 and EOTA Technical Report TR 055, Edition February 2018

Installation:

- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site
- Correct installation is ensured when front face of sleeve is approximately 1 mm below the concrete surface and the control mark on the sleeve is visible as illustrated in Annex B2



fischer Zykron-Hammerset anchor FZEA II

Intended Use
Specifications

Annex B 1

Appendix 5 / 11

Description installation control plan view A-A



h_{ef} = Effective anchorage depth
 l_s = Screw-in depth
 h_1 = Drill hole depth
 T_{inst} = Max. installation torque

1) By setting the anchor with the machine setting tool stop the rotation, otherwise a round flange is formed instead of the notch

Table B2.1: Installation tools

Anchor type	FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12
Zykon-Universal drill 	FZUB 10x40	FZUB 12x40	FZUB 14x40
Zykon Impact thorn 	FZED 10 plus	FZED 12 plus	FZED 14 plus
Machine setting tool 	FZEM 10x40	FZEM 12x40	FZEM 14x40

Table B2.2: Installation parameters

Anchor type	Drill hole depth h_1 [mm]	Anchorage depth h_{ef} [mm]	Fastening screw or threaded rod			
			Max. installation torque $T_{inst.}$ [Nm]	FZEA II	FZEA II R FZEA II HCR	Screw-in depth l_s [mm]
FZEA II 10 x 40 M8	43	40	≤ 10	≤ 15	17	11
FZEA II 12 x 40 M10	43	40	≤ 15	≤ 20	19	13
FZEA II 14 x 40 M12	43	40	≤ 20	≤ 40	21	15

Table B2.3: Minimum thickness of concrete members, minimum spacing and minimum edge distance

Anchor type and size	h_{min}	s_{min}	c_{min}	FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12
Minimum thickness of concrete member	h_{min}			80	80	80
Minimum spacing		[mm]		40	45	50
Minimum edge distance				40	45	50

(Fig. not to scale)

fischer Zykon-Hammerset anchor FZEA II

Intended Use


Installation tools, Installation and anchor parameters

Minimum thickness of concrete members, minimum spacing and minimum edge distance

Annex B 2

Appendix 6 / 11

Installation instructions



No.	Description
1	Drill a hole perpendicular ($+/- 5^\circ$) to the surface of the anchor base with a hammer drill, using the corresponding Zykron universal drill bit FZUB. The required drill depth is reached once the FZUB depth stop meets the concrete.
2	Once the FZUB depth stop meets the concrete, create the drill hole undercut by making circular swiveling movements with the hammer drill while the hammer mechanism is engaged. Press the hammer drill firmly against the anchor base: 2-3 swiveling movements are sufficient
3	Clean bore hole
4	Drive in the pin with the setting tool FZED
5	Check if the sleeve is under the concrete surface ($U \approx 1\text{mm}$)
6	Check of the setting notch for correct installation
7	Apply T_{inst}

fischer Zykron-Hammerset anchor FZEA II

Intended Use
Installation instructions

Annex B 3

Appendix 7 / 11

Table C1.1: Characteristic values of **tension** resistance under static and quasi-static action

Type of anchor	FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12		
Steel failure – decisive values of sleeve and screw / threaded rod					
Characteristic resistance FZEA II Strength class $\geq 5,8$ ¹⁾	N _{Rk,s} [kN]	9,6	17,0		
Partial factor	γ_{Ms} [-]	1,5			
Characteristic resistance FZEA II R, FZEA II HCR Strength class 50 ¹⁾	N _{Rk,s} [kN]	18,3	29,0		
Partial factor	γ_{Ms} [-]	2,86			
Characteristic resistance FZEA II R, FZEA II HCR Strength class ≥ 70 ¹⁾	N _{Rk,s} [kN]	12,2	21,6		
Partial factor	γ_{Ms} [-]	1,5			
Pullout failure					
Characteristic resistance in cracked concrete C20/25	N _{Rk,p} [kN]	4,0	7,5		
Characteristic resistance in uncracked concrete C20/25	N _{Rk,p}	9,0	9,0		
Increasing factors for N _{Rk,p} $N_{Rk,p} = \psi_c \cdot N_{Rk,p} (\text{C20/25})$	C25/30	1,12			
	C30/37	1,22			
	C35/45	1,32			
	C40/50	1,41			
	C45/55	1,50			
	C50/60	1,58			
Installation safety factor	γ_{inst} [-]	1,2			
Concrete cone failure					
Effective anchorage depth	h _{ef} [mm]	40	40		
Factor for uncracked concrete	k _{ucr}	11,0			
Factor for cracked concrete	k _{cr}	7,7			
Minimal member thickness	h _{min}	80	80		
Spacing	s _{cr,N}	120	120		
Edge distance	c _{cr,N}	60	60		
Spacing (splitting)	s _{cr,sp}	170	170		
Edge distance (splitting)	c _{cr,sp}	85	85		
Characteristic resistance to splitting	N ⁰ _{Rk,sp} [kN]	min {N ⁰ _{Rk,c} ; N _{Rk,p} } ²⁾			
1) Strength class of the screw / threaded rod					
2) N ⁰ _{Rk,c} acc. to EN 1992-4:2018					
fischer Zykron-Hammerset anchor FZEA II					
Performances Characteristic values of tension resistance			Annex C 1		
			Appendix 8 / 11		

Table C2.1: Characteristic values of **shear** resistance under static and quasi-static action

Type of anchor	FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12
Steel failure without lever arm - decisive values of sleeve and screw / threaded rod			
Characteristic resistance FZEA II Strength class ≥ 5.8 ¹⁾	$V^0_{Rk,s}$ [kN]	8,3	13,6
Partial factor	γ_{Ms} [-]	1,25	
Characteristic resistance FZEA II R, FZEA II HCR Strength class 50 ¹⁾	$V^0_{Rk,s}$ [kN]	9,2	14,5
Partial factor	γ_{Ms} [-]	2,38	
Characteristic resistance FZEA II R, FZEA II HCR Strength class ≥ 70 ¹⁾	$V^0_{Rk,s}$ [kN]	10,0	15,0
Partial factor	γ_{Ms} [-]	1,25	
Factor for ductility	k_7 [-]	1,0	
Steel failure with lever arm - decisive values of sleeve and screw / threaded rod			
Characteristic resistance FZEA II Strength class ≥ 5.8 ¹⁾	$M^0_{Rk,s}$ [Nm]	15,0	23,0
Partial factor	γ_{Ms} [-]	1,25	
Characteristic resistance FZEA II C, FZEA II HCR ¹⁾ Strength class 50 ¹⁾	$M^0_{Rk,s}$ [Nm]	18,7	37,4
Partial factor	γ_{Ms} [-]	2,38	
Characteristic resistance FZEA II C, FZEA II HCR Strength class ≥ 70 ¹⁾	$M^0_{Rk,s}$ [Nm]	19,0	29,0
Partial factor	γ_{Ms} [-]	1,25	
Factor for ductility	k_7 [-]	1,0	
Concrete prayout failure			
Factor for prayout failure	k_8 [-]	1,3	
Concrete edge failure			
Effective length of anchor for shear loading	l_f [mm]	40	40
Effective diameter of anchor	d_{nom}	10	12
Installation safety factor	γ_{inst} [-]	1,0	

¹⁾ Strength class of the screw / threaded rod

fischer Zykron-Hammerset anchor FZEA II

Performances

Characteristic values of resistance under shear loads

Annex C 2

Table C3.1: Characteristic values of tension resistance under fire exposure

	R30 Fire resistance 30 minutes			R60 Fire resistance 60 minutes		
	$N_{Rk,s,fi,30}$ [kN]	$N_{Rk,p,fi,30}$ [kN]	$N^0_{Rk,c,fi,30}$ [kN]	$N_{Rk,s,fi,60}$ [kN]	$N_{Rk,p,fi,60}$ [kN]	$N^0_{Rk,c,fi,60}$ [kN]
FZEA II 10x40 M8, R, HCR	1,1	1,0	1,8	0,9	1,0	1,8
FZEA II 12x40 M10, R, HCR	3,2	1,9	1,8	2,4	1,9	1,8
FZEA II 14x40 M12, R, HCR	4,7	2,3	1,8	3,5	2,3	1,8

	R90 Fire resistance 90 minutes			R120 Fire resistance 120 minutes		
	$N_{Rk,s,fi,90}$ [kN]	$N_{Rk,p,fi,90}$ [kN]	$N^0_{Rk,c,fi,90}$ [kN]	$N_{Rk,s,fi,120}$ [kN]	$N_{Rk,p,fi,120}$ [kN]	$N^0_{Rk,c,fi,120}$ [kN]
FZEA II 10x40 M8, R, HCR	0,8	1,0	1,8	0,7	0,8	1,5
FZEA II 12x40 M10, R, HCR	1,6	1,9	1,8	1,2	1,5	1,5
FZEA II 14x40 M12, R, HCR	2,3	2,3	1,8	1,8	1,8	1,5

Table C3.2: Characteristic values of shear resistance under fire exposure

	R30 Fire resistance 30 minutes		R60 Fire resistance 60 minutes	
	$V_{Rk,s,fi,30}$ [kN]	$M^0_{Rk,s,fi,30}$ [Nm]	$V_{Rk,s,fi,60}$ [kN]	$M^0_{Rk,s,fi,60}$ [Nm]
FZEA II 10x40 M8, R, HCR	0,9	1,1	0,8	0,9
FZEA II 12x40 M10, R, HCR	2,3	4,1	1,7	3,1
FZEA II 14x40 M12, R, HCR	2,8	7,3	2,1	5,4

	R90 Fire resistance 90 minutes		R120 Fire resistance 120 minutes	
	$V_{Rk,s,fi,90}$ [kN]	$M^0_{Rk,s,fi,90}$ [Nm]	$V_{Rk,s,fi,120}$ [kN]	$M^0_{Rk,s,fi,120}$ [Nm]
FZEA II 10x40 M8, R, HCR	0,7	0,8	0,6	0,7
FZEA II 12x40 M10, R, HCR	1,1	2,1	0,9	1,5
FZEA II 14x40 M12, R, HCR	1,4	3,6	1,0	2,7

Concrete prout failure according to EN 1992-4:2018

Table C3.3: Minimum spacings and minimum edge distances under fire exposure

Type of anchor	FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12
Edge distance ¹⁾	$c_{cr,fi}$	$2 h_{ef}$	
	$c_{min,fi}$	40	45
Spacing	$s_{cr,fi}$	$2 c_{cr,fi}$	
	$s_{min,fi}$	40	45

¹⁾ For fire exposure from more than one side $c_{min} \geq 300$ mm

fischer Zyon-Hammerset anchor FZEA II
Performances

Characteristic values of resistance under tension and shear loads under fire exposure

Annex C 3

Table C4.1: Displacements under tension load

Type of anchor		FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12
Tension load in cracked concrete	N [kN]	1,56	2,93	3,50
Displacement	$\frac{\delta_{N0}}{\delta_{N\infty}}$ [mm]		1,3 1,4	
Tension load in uncracked concrete	N [kN]		3,52	
Displacement	$\frac{\delta_{N0}}{\delta_{N\infty}}$ [mm]		1,3 1,4	

Table C4.2: Displacements under shear load

Type of anchor		FZEA II 10x40 M8	FZEA II 12x40 M10	FZEA II 14x40 M12
Shear load in cracked an uncracked concrete, FZEA II	V [kN]	4,7	7,6	10,7
Displacement	$\frac{\delta_{V0}}{\delta_{V\infty}}$ [mm]	1,3 1,9	1,8 2,6	2,0 3,0
Shear load in cracked an uncracked concrete, FZEA II R, FZEA II HCR	V [kN]	5,6	8,4	11,6
Displacement	$\frac{\delta_{V0}}{\delta_{V\infty}}$ [mm]	1,8 2,7	2,0 3,0	2,0 3,0

fischer Zykron-Hammerset anchor FZEA II

Performances
Displacements under tension and shear loads

Annex C 4

Appendix 11 / 11