

xTOOL Concealed thermostat without volume control 1/2" - Brushed Durabronze SERIES SPECIFIC (23kt Gold)


36 501 985 Product version up to 2/2/2021




- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

	Brushed Durabronze (23kt Gold)	36 501 985-28
	Chrome	36 501 985-00
	Brushed Platinum	36 501 985-06
	Platinum	36 501 985-08
	Dark Chrome	36 501 985-19
	Brushed Light Gold (PVD)	36 501 985-27
	Matte Black	36 501 985-33
	Brushed Gold (PVD)	36 501 985-37
	Brushed Dark Brass (PVD)	36 501 985-39
	Brushed Bronze (PVD)	36 501 985-42
	Brushed Dark Bronze (PVD)	36 501 985-43
	Brushed Champagne (22kt Gold)	36 501 985-46
	Champagne (22kt Gold)	36 501 985-47
	Brushed Chrome	36 501 985-93
	Brushed Dark Platinum	36 501 985-99

Recommended miscellaneous

	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90
---	--	---------------

Required miscellaneous

	xTOOL Concealed thermostat module without volume control -	35 503 970 90
	• min. recess depth 95 mm	
	• max. recess depth 160 mm	


Required miscellaneous

	xGRID Installation track 555 mm -	12 360 970 90
---	--	---------------




xTOOL Concealed thermostat without volume control 1/2" - Brushed Durabronze (23kt Gold) SERIES SPECIFIC

36 501 985 Product version up to 2/2/2021
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



xTOOL Concealed thermostat without volume control 1/2" - Brushed Durabronze SERIES SPECIFIC
(23kt Gold)

36 501 985 Product version up to 2/2/2021

Certificates and sustainability

WRAS_2011

DVGW_DW-
6512DN0

LGA_29

LGA_29

LGA_29


EPD-DOR-20230287

-IBA1-EN

Environmental.prod
uct-declarat

xTOOL Concealed thermostat without volume control 1/2" - Brushed Durabross SERIES SPECIFIC (23kt Gold)

36 501 985 Product version up to 2/2/2021



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	09 30 30 159-28	Mounting Countersunk screw with slot M4 x 20 mm - Brushed Durabross (23kt Gold)	1.00	40
5	90 21 02 112 00-28	Sleeve - Brushed Durabross (23kt Gold)	1.00	40
4	90 14 10 049 00 90	O-Ring 45,69 x 2,62 mm -	1.00	14
3	09 11 02 196-28	xTOOL Rosette 120 x 120 x 8,5 mm - Brushed Durabross (23kt Gold)	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	091102533-28	Cover for xTOOL - Brushed Durabross (23kt Gold)		
7	90 21 33 011 00-13	Repair kit for thermostat handle - black	1.00	14
9	09 20 33 006-28	Handle Ø 58 x 23 mm - Brushed Durabross (23kt Gold)	1.00	40
1	90 15 02 065 00 90	Thermostat cartridge with control unit Ø 44 x 147 mm -	1.00	14
12	12 178 970 90	Extension 46 mm -	1.00	14
6	04 17 33 006 00-28	Handle for thermostat 48 x 50 x 46 mm - Brushed Durabross (23kt Gold)	1.00	-
Spare part can no longer be ordered, please order the replacement item				
8	90 16 02 027 00 90	Spring Ø 4,5 x 7,5 mm -	1.00	14
11	09 30 30 160-28	Mounting Countersunk screw with slot M4 x 25 mm - Brushed Durabross (23kt Gold)	2.00	40
2	90 31 09 095 00 90	Rod -	1.00	14