

36 060 660

- Abdeckplatte Ø 78 mm



	Gold gebürstet (PVD)	36 060 660-37
	Chrom	36 060 660-00
	Platin gebürstet	36 060 660-06
	Platin	36 060 660-08
	Dark Chrome	36 060 660-19
	Light Gold (PVD)	36 060 660-26
	Light Gold gebürstet (PVD)	36 060 660-27
	Messing gebürstet (23kt Gold)	36 060 660-28
	Schwarz matt	36 060 660-33
	Dark Brass gebürstet (PVD)	36 060 660-39
	Bronze gebürstet (PVD)	36 060 660-42
	Dark Bronze gebürstet (PVD)	36 060 660-43
	Champagne gebürstet (22kt Gold)	36 060 660-46
	Champagne (22kt Gold)	36 060 660-47
	Chrom gebürstet	36 060 660-93
	Dark Platinum gebürstet	36 060 660-99


Benötigtes Zubehör




- UP-Wand-Einhandbatterie -** 35 860 970 90
- Min. Einbautiefe 75 mm
 - Max. Einbautiefe 95 mm

36 060 660

mm [inches]



Durchflussdiagramm



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



UP-Einhandbatterie mit Abdeckplatte - Gold gebürstet (PVD)

SERIENSPEZIFISC

36 060 660

Zertifikate und Nachhaltigkeit

LGA_29	EPD-DOR-20230287 -IBA-DE Umwelt- Produktdeklaration
--------	---

