




Color: ■ black



Dimensions in mm

Empty housings WINSTA®

The empty housings from the WINSTA® product line guarantees you the greatest possible flexibility in electrical installation. You can rely on the level of quality of WINSTA® components from WAGO for your electrical installation accessories too.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

WINSTA® is the pluggable connection system that is perfectly tailored to the strict requirements of electrical installation. It offers error-free installation of cables and components, quickly and reliably. Now you can also reduce installation expenses without compromising safety and quality: with protection against mismatching eliminates the need for servicing and prevents unnecessary downtime.

- intuitive marking
- products perfectly tailored to your requirements guarantee safe use
- rapid, structured electrical installation

Notes

Note	For easy cable connection, do not arrange the connectors directly next to each other in the distribution box.
------	---

Physical data

Width	190 mm / 7.48 inches
Height	31 mm / 1.22 inches
Depth	145 mm / 5.709 inches

Mechanical data

Use	Self-assembly
Design	Standard
Mounting type	Wall, screw mount Installation on mounting plate

Material data

Note (material data)	Information on material specifications can be found here
Color	black
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	5.564 MJ
Weight	195.4 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143315630
Customs tariff number	85366990990

Product Classification

UNSPSC	39121308
eCl@ss 10.0	27-44-06-03
eCl@ss 9.0	27-44-06-03
ETIM 9.0	EC002567
ETIM 10.0	EC002567
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 899-631



Documentation

Bid Text

899-631	19.02.2019	xml 2.94 KB	↓
899-631	16.03.2015	doc 24.00 KB	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories



Item No.: 770-630
Fixing pin; for distribution boxes; Plastic; gray



Item No.: 890-302
Mounting carrier; 2-pole; for sockets and plugs; Plastic; gray



Item No.: 890-303
Mounting carrier; 3-pole; for sockets and plugs; Plastic; gray



Item No.: 890-304
Mounting carrier; 4-pole; for sockets and plugs; Plastic; gray



Item No.: 890-305
Mounting carrier; 5-pole; for sockets and plugs; Plastic; gray



Item No.: 899-680
Mounting plate; for distribution boxes; gray

Installation Notes

Installation



Application




The set includes: 1 bottom, 1 lid, 2 side-walls and 16 mounting pins.



Remove unrequired sections from the side-walls.



Unassigned slots and spaces are closed by inserting a side wall.



Using mounting pins to secure WINSTA® MIDI connectors in a distribution box .



Using adapters to install WINSTA® MINI connectors in a distribution box