

27 808 809 Product version from 3/13/2017 to 6/3/2020




- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow.
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection


Technical data:

- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- 1/2" wall elbow
- 3/8" shower outlet

Notes:


	Brushed Durabronz (23kt Gold)	27 808 809-28
	Chrome	27 808 809-00
	Brushed Platinum	27 808 809-06
	Platinum	27 808 809-08
	Dark Chrome	27 808 809-19
	Brushed Gold (PVD)	27 808 809-37
	Brushed Dark Brass (PVD)	27 808 809-39
	Brushed Bronze (PVD)	27 808 809-42
	Brushed Dark Bronze (PVD)	27 808 809-43
	Brushed Champagne (22kt Gold)	27 808 809-46
	Champagne (22kt Gold)	27 808 809-47
	Brushed Dark Platinum	27 808 809-99

Recommended miscellaneous


	Concealed wall elbow - •min. recess depth 90 mm •max. recess depth 163 mm	35 085 970 90
---	--	---------------

27 808 809 Product version from 3/13/2017 to 6/3/2020

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



VAIA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

VAIA


27 808 809 Product version from 3/13/2017 to 6/3/2020

Certificates and sustainability

LGA_29

LGA_28

Belgaqua_22_280_2 WRAS_1810



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	28 450 809-28	VAIA Wall elbow - Brushed Durabron (23kt Gold)	1.00	40
1	28 019 979-28	Hand shower - Brushed Durabron (23kt Gold)	1.00	-
Spare part can no longer be ordered, please order the replacement item				
3	28 050 809-28	VAIA Wall bracket - Brushed Durabron (23kt Gold)	1.00	40
4	90 14 20 026 00 90	Washer 14 x 8 x 2 mm Centellen WS 3820 -	1.00	14
5	90 30 02 072 00-28	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Durabron (23kt Gold)	1.00	40