

Shower system with single-lever shower mixer without hand shower - Brushed Dark Platinum SERIES SPECIFIC

26 024 661 Product version from 10/1/2023



- shower with fixed riser projection 450mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 10 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm
- quick clearing
- WRAS

This article does not include a hand shower!
Water carrying concealed rough parts on lower wall fixing.
Recommended spacing from bottom edge of shower stem to floor 92 mm.
Intrinsic protection against back flow.

This article does not include a hand shower!

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.


Intrinsic protection against back flow.

	Brushed Dark Platinum	26 024 661-99
	Chrome	26 024 661-00
	Brushed Platinum	26 024 661-06
	Platinum	26 024 661-08
	Dark Chrome	26 024 661-19
	Light Gold (PVD)	26 024 661-26
	Brushed Light Gold (PVD)	26 024 661-27
	Brushed Durabronze (23kt Gold)	26 024 661-28
	Matte Black	26 024 661-33
	Brushed Gold (PVD)	26 024 661-37
	Brushed Dark Brass (PVD)	26 024 661-39
	Brushed Bronze (PVD)	26 024 661-42
	Brushed Dark Bronze (PVD)	26 024 661-43
	Brushed Champagne (22kt Gold)	26 024 661-46
	Champagne (22kt Gold)	26 024 661-47
	Brushed Chrome	26 024 661-93

Shower system with single-lever shower mixer without hand shower - Brushed Dark Platinum SERIES SPECIFIC

26 024 661 Product version from 10/1/2023


Required miscellaneous

	Concealed wall mounting - •min. recess depth 78 mm •max. recess depth 103 mm	35 003 970 90
---	---	---------------

Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Dark Platinum	28 029 979-99 0010
---	--	-----------------------


Required miscellaneous

	Hand shower 120 mm - Brushed Dark Platinum •Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate l/min (at 3 bar) •spray head Ø 120mm •Hand shower see page {PAGE}	28 012 979-99
---	--	---------------


Required miscellaneous

	Hand shower - Brushed Dark Platinum	28 017 979-99
---	--	---------------

Required miscellaneous

	Hand shower 130 mm - Brushed Dark Platinum	28 016 979-99
---	---	---------------

Required miscellaneous

	Hand shower FlowReduce 100 mm - Brushed Dark Platinum	28 018 979-99 0010
---	--	-----------------------


Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Dark Platinum	28 025 979-99 0010
---	--	-----------------------

Required miscellaneous

	Hand shower - Brushed Dark Platinum	28 015 979-99
---	--	---------------

Required miscellaneous

	Hand shower 100 mm - Brushed Dark Platinum	28 018 979-99
---	---	---------------

Required miscellaneous

	Hand shower FlowReduce 120 mm - Brushed Dark Platinum	28 012 979-99 0010
---	--	-----------------------

Required miscellaneous

	Hand shower FlowReduce 130 mm - Brushed Dark Platinum	28 016 979-99 0010
---	--	-----------------------


Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Dark Platinum	28 027 979-99 0010
---	--	-----------------------


Shower system with single-lever shower mixer without hand shower - Brushed Dark Platinum SERIES SPECIFIC

26 024 661 Product version from 10/1/2023

mm [inch]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower system with single-lever shower mixer without hand shower - Brushed Dark Platinum SERIES SPECIFIC

26 024 661 Product version from 10/1/2023

Certificates and sustainability


Belgaqua_21-023-2 WRAS_2212

LGA_29

EPD-DOR-20230287 Belgaqua_25-345-2
-IBA1-EN
Environmental.prod
uct-declarat

Shower system with single-lever shower mixer without hand shower - Brushed Dark Platinum SERIES SPECIFIC

26 024 661 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	32	09 20 88 002-99	Pull button Ø 30 x 20 mm - Brushed Dark Platinum	1.00 40
	22	09 24 03 162 20 90	Nipple Ø 25 x 30 mm -	1.00 14
	27	90 15 05 064 00 90	Single-lever mixer cartridge Ø 35 mm x 58,6 mm -	1.00 -
Spare part can no longer be ordered, please order the replacement item				
	9015050460090	Single-lever mixer cartridge Ø 35 mm x 58,6 mm -		
	8	09 14 10 006 90	O-Ring 18,0 x 3,5 mm -	1.00 14
	45	09 11 10 080 20-99	Connection Ø 40 x 68 mm - Brushed Dark Platinum	1.00 40
	11	09 17 11 049-99	Connection T-piece Ø 25 x 75 mm - Brushed Dark Platinum	1.00 40
	23	90 14 10 032 00 90	O-Ring 18,1 x 1,6 mm -	2.00 14
	5	05 30 31 025 00 90	Mounting Bolt Round head 4,5 x 60 mm -	2.00 14
	16	09 27 88 010-99	Rosette Ø 78 x Ø 30,3 x 18 mm - Brushed Dark Platinum	1.00 40
	53	28 050 920-99	CIRCLE Wall bracket - Brushed Dark Platinum	1.00 -
Spare part can no longer be ordered, please order the replacement item				
	18	09 31 11 061 90	Mounting Threaded pin with hexagon socket with cup point M4 x 10 mm -	2.00 14
	52	90 21 02 069 00-99	Cover/sleeve M20 x 1 - Brushed Dark Platinum	1.00 40
	39	04 31 20 034 00 90	Plug Cover with threaded pin -	1.00 14
	30	09 14 10 112 90	O-Ring 24,0 x 2,0 mm -	1.00 14
	33	09 14 10 132 90	O-Ring EPDM 70 6,0 x 1,5 mm -	1.00 14
	28	90 16 02 023 00 90	Diverter Repair kit, bath deck mounting 15 x 50 x 15 mm	1.00 14



Shower system with single-lever shower mixer without hand shower - Brushed Dark Platinum SERIES SPECIFIC

26 024 661	Product version from 10/1/2023			
25	90 20 66 017 00-99	Handle Lever 52 x 117 x 35 mm - Brushed Dark Platinum	1.00	40
50	90 23 01 141 00 90	Back-flow preventer -	1.00	14
41	09 17 11 024 20 90	Connection Distributor, shower pipe Ø 42 x 55 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
36	09 30 30 111 90	Mounting Cylinder head screw with hexagon socket M8 x 50 mm -	1.00	14
3	09 23 01 039 90	Sieve seal Ø 19 x 5,5 mm -	1.00	14
31	09 21 34 081 20-99	Diverter Ø 30 x 56 mm - Brushed Dark Platinum	1.00	40
13	09 14 10 122 90	O-Ring EPDM 70 18,6 x 2,0 mm -	1.00	14
26	09 24 04 341 90	nut	1.00	82
44	09 24 04 215 20 90	Nipple Ø 28,5 x 60 mm -	1.00	14
48	09 21 02 128 90	Cover/sleeve Clamp sleeve Ø 50 x 46 mm -	1.00	14
1	04 12 05 091 00-99	Rainshower round Ø 300 mm - Brushed Dark Platinum	1.00	40
54	90 30 02 072 00-99	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Platinum	1.00	40
49	09 24 77 002 90	Mounting Clamp nut Ø 40 x 6 mm -	1.00	14
37	09 14 10 139 90	O-Ring EPDM 70 9,0 x 2,0 mm -	6.00	14
12	90 14 10 077 00 90	O-Ring EPDM 70 12,0 x 2,0 mm -	1.00	14
43	90 14 10 063 00 90	O-Ring EPDM 70 26,0 x 2,0 mm -	3.00	14
7	09 27 89 000-99	Rosette Ø 57 x Ø 19 x 18 mm - Brushed Dark Platinum	1.00	40
24	09 31 11 024 90	Mounting Threaded pin with hexagon socket with cup point M5 x 12 mm -	1.00	14
40	04 28 22 034 00-99	Pipe Ø 46 x 955 mm - Brushed Dark Platinum	1.00	40
4	90 28 22 082 00-99	spout	1.00	40
14	04 28 22 134 20-99	Spout Ø 25 x 800 mm - Brushed Dark Platinum	1.00	40
34	09 31 20 027 10-00	Plug M8 x 1 - Chrome	1.00	20
17	09 14 10 101 90	O-Ring EPDM 70 30,0 x 2,5 mm -	1.00	14
6	09 30 11 103 90	Holder Ø 53 x 19 mm -	2.00	-
Spare part can no longer be ordered, please order the replacement item				
2	09 24 03 163 20-99	Connection Ø 25 x 32 mm - Brushed Dark Platinum	1.00	40
9	90 31 11 030 00 90	Mounting Threaded pin with hexagon socket with cup point M5 x 5 mm -	1.00	14
29	09 31 09 102 20-99	Pull rod for diverter Ø 12 x 70 mm - Brushed Dark Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
35	09 24 03 149 10-99	Connection Ø 41,9 x 40 mm - Brushed Dark Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
51	09 24 03 115 20-99	Nipple Ø 22 x 33 mm - Brushed Dark Platinum	1.00	40
15	90 14 10 055 00 90	O-Ring EPDM 70 15,0 x 2,0 mm -	2.00	14
19	09 11 10 081 20-99	Connection with shower outlet Ø 30 x 69 mm - Brushed Dark Platinum	1.00	40
46	09 27 88 008-99	Rosette Ø 78 x 18 mm - Brushed Dark Platinum	1.00	40
20	09 31 11 049 90	Mounting Threaded pin with hexagon socket with cup point M6 x 6 mm -	3.00	14
21	90 14 10 010 00 90	O-Ring EPDM 70 17,0 x 2,0 mm -	2.00	14
42	09 21 02 132-99	Cover Ø 44 x 8 mm - Brushed Dark Platinum	1.00	40
38	04 28 22 038 00 90	Holder Spray holder for deck-mounted fittings -	2.00	14
47	09 24 04 210 10 90	Nipple Ø 33 x 105 mm -	1.00	14
10	09 11 10 083-99	Connection Ø 18 x 70 mm - Brushed Dark Platinum	1.00	40