



B39 COMFORTLINE SWITCH CABINET (3FB9R)

PEP ecopassport®

Product Environmental Profile



Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"

ORGANIZATION		CONTACT INFORMATION			
ABB Striebel & John GmbH		Matthias Kratzke: matthias.kratzke@de.abb.com			
ADDRESS		WEBSITE			
Am Fuchsgraben 2-3, D-77880 Sasbach		www.striebelundjohn.com			
STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	1/13



ABB Purpose & Embedding Sustainability

ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow. With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.




General Information

Reference product	Reference product identification: B39 ComfortLine switch cabinet (3FB9R) PSR product category: Unequipped enclosures and cabinets
Description of the product	The function of the ComfortLine switch cabinet is to protect people against electric shocks by direct contact and the equipment it houses against the penetration of solids and liquids and against mechanical shocks.
Functional unit	Protect people from direct contact with live active parts and ensure the grouping of control, command and protection devices in a cabinet having the following dimensions 1400mm x 800mm x 215mm with rated current 250 A, while protecting them against mechanical impacts (IK 07) and the penetration of solid objects and liquids (IP 44), according to the appropriate use scenario, and for the reference service life of the product of 20 years.
Other products covered	The products of the device series ComfortLine B differ in their number of doors and standardized dimensions. Since the dimensions vary also the weight of this product series is different. In total, the device series contains 33 different products.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	2/13



Constituent Materials



Total weight of Reference product incl. packaging:

28066g

Plastics as % of weight		Metals as % of weight		Others as % of weight	
Name and CAS number	Weight%	Name and CAS number	Weight%	Name and CAS number	Weight%
Other plastic	8,8	Steel	79,5	Other nec	5,0
PP	1,6	Copper	0,2	Cardboard	4,0
GFRP	0,2	–	x	Wood	0,7

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	3/13



Additional Environmental Information

Manufacturing	The ComfortLine B series is manufactured in Germany, while some sub-assemblies are produced in Slovenia and France. The production is certified according to ISO 14001.
Distribution	The ComfortLine B series is mainly sold within Germany.
Installation	No energy is required for the installation of the switch cabinet. Only includes disposal of packaging according to PSR.
Use	The usage of the switch cabinet is not considered according to the PSR for unequipped enclosures and cabinets (PEP 2021a, 2023).
End of life	Due to the lack of knowledge of the disposal pathway, the disposal was modelled according to table 7 of the PCR.
Benefits and loads beyond the system boundaries	Not considered

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	4/13

Environmental Impacts


Reference lifetime	20 years
Product category	Electrical switchgear and control gear solutions
Installation elements	Does not require any special installation elements.
Use scenario	Not considered
Geographical representativeness	Europe
Technological representativeness	Represents the production of device series ComfortLine B at ABB Striebel & John in Sasbach, Germany, in 2022.
Software and database used	SimaPro 9.6.0.1, ecoinvent 3.10 and industry data 2.0

Energy model used

Manufacturing	Electricity, medium voltage {DE} market for electricity, medium voltage Cut-off, S
Installation	Global
Use	none
End of life	Global

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	5/13

Common base of mandatory indicators



Environmental impact indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
GWP-total	kg CO₂ eq.	1,16E+02	1,03E+02	3,08E+00	2,39E+00	0,00E+00	7,60E+00
GWP-fossil	kg CO₂ eq.	1,15E+02	1,04E+02	3,08E+00	1,06E-01	0,00E+00	7,28E+00
GWP-biogenic	kg CO₂ eq.	1,50E+00	-1,10E+00	7,37E-04	2,28E+00	0,00E+00	3,17E-01
GWP-luluc	kg CO₂ eq.	6,47E-02	6,21E-02	1,04E-03	4,16E-05	0,00E+00	1,51E-03
GWP-fossil = Global Warming Potential fossil fuels GWP-biogenic = Global Warming Potential biogenic GWP-luluc = Global Warming Potential land use and land use change							
ODP	kg CFC-11 eq.	1,11E-06	9,83E-07	6,05E-08	1,31E-09	0,00E+00	6,77E-08
ODP = Depletion potential of the stratospheric ozone layer							
AP	H⁺ eq.	4,68E-01	4,40E-01	1,19E-02	4,52E-04	0,00E+00	1,54E-02
AP = Acidification potential, Accumulated Exceedance							
EP-freshwater	kg P eq.	4,19E-03	4,12E-03	2,35E-05	1,20E-06	0,00E+00	4,43E-05
EP-marine	kg N eq.	8,75E-02	7,70E-02	4,43E-03	2,86E-04	0,00E+00	5,84E-03
EP-terrestrial	mol N eq.	9,72E-01	8,61E-01	4,86E-02	1,80E-03	0,00E+00	6,05E-02
EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment EP-terrestrial = Eutrophication potential, Accumulated Exceedance							
POCP	kg NMVOC eq.	3,66E-01	3,24E-01	1,88E-02	6,94E-04	0,00E+00	2,24E-02
POCP = Formation potential of tropospheric ozone							
ADP-minerals & metals	kg Sb eq.	6,67E-04	6,43E-04	8,12E-06	3,48E-07	0,00E+00	1,60E-05
ADP-fossil	MJ	6,88E+02	6,79E+02	3,59E+00	1,85E-01	0,00E+00	5,76E+00
ADP-minerals & metals = Abiotic depletion potential for non-fossil resources ADP-fossil = Abiotic depletion for fossil resources potential							
WDP	m³ eq. depr.	3,81E+01	3,74E+01	1,71E-01	1,66E-02	0,00E+00	4,43E-01
WDP = Water Deprivation potential							

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	6/13

Common base of mandatory indicators

Inventory flows indicator – Resource use indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
PERE	MJ	1,10E+02	1,08E+02	6,71E-01	4,14E-02	0,00E+00	1,39E+00
PERM	MJ	1,44E+01	1,44E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,24E+02	1,22E+02	6,71E-01	4,14E-02	0,00E+00	1,39E+00
PENRE	MJ	1,29E+03	1,20E+03	4,36E+01	1,10E+00	0,00E+00	5,00E+01
PENRM	MJ	1,25E+02	1,25E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	1,42E+03	1,32E+03	4,36E+01	1,10E+00	0,00E+00	5,00E+01

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials

PERM = Use of renewable primary energy resources used as raw materials

PERT = Total Use of renewable primary energy resources

PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials

PENRM = Use of non-renewable primary energy resources used as raw materials

PENRT = Total Use of non-renewable primary energy resources

Inventory flows indicator – Indicators describing the use of secondary materials, water, and energy resources

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	N/A	N/A	N/A	N/A	N/A
NRSF	MJ	0,00E+00	N/A	N/A	N/A	N/A	N/A
FW	m ³	9,91E-01	9,73E-01	5,09E-03	4,49E-04	0,00E+00	1,28E-02

SM = Use of secondary material

RSF = Use of renewable secondary fuels

NRSF = Use of non-renewable secondary fuels

FW = Use of net fresh water

Inventory flows indicator – Waste category indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
Hazardous waste disposed	kg	9,26E+00	9,08E+00	4,30E-02	4,79E-03	0,00E+00	1,26E-01
Non- hazardous waste disposed	kg	1,20E+02	1,02E+02	4,20E-01	1,14E+00	0,00E+00	1,62E+01
Radioactive waste disposed	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	7/13

Common base of mandatory indicators

Inventory flows indicator – Output flow indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	2,21E+01	3,18E+00	0,00E+00	9,83E-01	0,00E+00	1,80E+01
Materials for energy recovery	kg	1,76E+00	1,50E-01	0,00E+00	1,66E-01	0,00E+00	1,45E+00
Exported energy	MJ	2,26E+01	4,90E+00	0,00E+00	8,61E-01	0,00E+00	1,69E+01

Inventory flow indicator – other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
Biogenic carbon content of the product	kg of C	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Biogenic carbon content of the associated packaging	kg of C	5,69E-01	5,69E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	8/13

Optional indicators

Environmental indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
Total use of primary energy during the life cycle	MJ	1,54E+03	1,44E+03	4,42E+01	1,14E+00	0,00E+00	5,14E+01
Emissions of fine particles	incidence of diseases	7,62E-06	6,96E-06	3,03E-07	8,64E-09	0,00E+00	3,52E-07
Ionizing radiation, human health	kBq U235 eq.	2,01E+00	1,95E+00	1,92E-02	1,23E-03	0,00E+00	3,84E-02
Ecotoxicity (fresh water)	CTUe	3,55E+03	3,49E+03	1,33E+01	6,80E+00	0,00E+00	3,53E+01
Human toxicity, car-cinogenic effects	CTUh	7,16E-06	7,11E-06	1,86E-08	7,02E-10	0,00E+00	2,43E-08
Human toxicity, non- carcinogenic effects	incidence of diseases	2,22E-06	2,03E-06	3,53E-08	3,74E-08	0,00E+00	1,13E-07
Impact related to land use/soil quality		6,62E+02	5,55E+02	4,39E+01	6,37E-01	0,00E+00	6,26E+01

Other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life
No Other indicators used							

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	9/13

Environmental Impact Indicator Glossary

Impact indicators

Indicator	Description	Distribution
Global warming potential (GWP) - total	Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three sub-categories of climate change. GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change	kg CO ₂ eq.
Ozone depletion (ODP)	Emissions to air that contribute to the destruction of the stratospheric ozone layer	kg CFC-11 eq.
Acidification of soil and water (A)	Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides	H+ eq.
Eutrophication (E)	Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial.	kg P eq., kg N eq., mole N eq.
Photochemical ozone creation (POCP)	Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun.	kg NMVOC eq.
Depletion of abiotic resources – elements (ADPe)	Indicator of the depletion of natural non-fossil resources	kg Sb eq.
Depletion of abiotic resources – fossil fuels (ADPf)	The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste)	MJ (lower heating value)
Water Deprivation potential (WDP)	Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived.	m ³ eq. depr.

Resource use indicators

Indicator	Description	Distribution
Total use of primary energy	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials)	MJ (lower heating value)

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	11/13

References

[1] Bussa et al. 2024

Bussa M., Solin S., Jungbluth N. (2024) Environmental Profile for A39 and B39 ComfortLine switch cabinet, ESU services Ltd., Schaffhausen.

[2] ecoinvent Centre 2023

ecoinvent Centre (2023) ecoinvent data v3.10, Cut-Off model. Swiss Centre for Life Cycle Inventories, Zurich, Switzerland, retrieved from: www.ecoinvent.org.

[3] European Committee for Electrotechnical Standardisation (CENELEC) 2019

European Committee for Electrotechnical Standardisation (CENELEC) (2019) EN 50693 - Product category rules for life cycle assessments of electronic and electrical products and systems. European Committee for Electrotechnical Standardisation (CENELEC), Brussels.

[4] European Committee for Standardisation (CEN) 2022

European Committee for Standardisation (CEN) (2022) EN 15804+A2:2020/AC2021 - Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products (includes Corrigendum :2021). European Committee for Standardisation (CEN), Brussels, retrieved from: <https://www.en-standard.eu/din-en-15804-sustainability-of-construction-works-environmental-product-declarations-core-rules-for-the-product-category-of-construction-products-includes-corrigendum-2021/>.

[5] International Organization for Standardization (ISO) 2006a

International Organization for Standardization (ISO) (2006a) Environmental management - Life cycle assessment - Principles and framework. ISO 14040:2006; Amd 1:2020, Geneva.

[6] International Organization for Standardization (ISO) 2006b

International Organization for Standardization (ISO) (2006b) Environmental management - Life cycle assessment - Requirements and guidelines. ISO 14044:2006; Amd 1: 2017; Amd 2: 2020, Geneva.

[7] PEP 2021

PEP (2021) Product Category Rules for Electrical, Electronic and HVAC-R Products - PCR-ed4-EN-2021 09 06. P.E.P. Association retrieved from: <http://www.pep-ecopassport.org>.

[8] PEP 2023

PEP (2023) SPECIFIC RULES FOR Electrical switchgear and control gear solutions - PSR-0005-ed3-EN-2023 12 08. Association P.E.P., retrieved from: <http://www.pep-ecopassport.org>.

[9] SimaPro 2024

SimaPro (2023) SimaPro 9.6 LCA software package. PRé Sustainability, Amersfoort, NL, retrieved from: www.simapro.ch.

[10] Sonderegger & Stoikou 2023

Sonderegger T. and Stoikou N. (2023) Implementation of life cycle impact assessment methods in the ecoinvent database v3.10.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	12/13

Registration number:	ABBG-00669-V01.01-EN	Drafting Rules:	PCR-ed4-EN-2021 09 06
		Supplemented by:	PSR-0005-ed3.1-EN-2023 12 08
Verifier accreditation number:	VH51	Information and reference documents:	www.pep-ecopassport.org
Date of issue:	10-2024	Validity period:	5 years
Independent verification of the declaration and data, in compliance with ISO 14025: 2006			
Internal: ☐ External: ☒			
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1 :2016 or EN 50693:2019 The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"			

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00669-V01.01-EN	1	en	13/13