

27 802 892



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:

- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2" wall elbow
- 1/2" shower outlet

Notes:

	Brushed Platinum	27 802 892-06
	Chrome	27 802 892-00
	Platinum	27 802 892-08
	Dark Chrome	27 802 892-19
	Brushed Durabronze (23kt Gold)	27 802 892-28
	Matte Black	27 802 892-33
	Brushed Gold (PVD)	27 802 892-37
	Brushed Dark Brass (PVD)	27 802 892-39
	Brushed Bronze (PVD)	27 802 892-42
	Brushed Dark Bronze (PVD)	27 802 892-43
	Brushed Champagne (22kt Gold)	27 802 892-46
	Champagne (22kt Gold)	27 802 892-47
	Brushed Chrome	27 802 892-93
	Brushed Dark Platinum	27 802 892-99


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
 - max. recess depth 163 mm



27 802 892

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Hand shower set with individual rosettes - Brushed Platinum

TARA

27 802 892


Certificates and sustainability

WRAS_2307

Belgaqua_21-024-2 LGA_29

Belgaqua_25-344-2

27 802 892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	28 104 970-06	Metal shower hose 1/2" x 1/2" x 1250 mm - Brushed Platinum	1.00	14
1	28 450 892-06	TARA Wall elbow - Brushed Platinum	1.00	-
	Spare part can no longer be ordered, please order the replacement item			
	28450625-06	Wall elbow - Brushed Platinum		
2	28 050 892-06	TARA Wall bracket - Brushed Platinum	1.00	20
4	28 029 979-06	SERIES-VARIOUS Hand shower - Brushed Platinum	1.00	20