

## Data Sheet | Item Number: 282-884

Locking cover; mechanically locks multiple links; 4-pole; transparent

<https://www.wago.com/282-884>



Color:  transparent

### Physical data

Width	31.2 mm / 1.228 inches
-------	------------------------

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	transparent
Material group	IIIa
Insulation material (main housing)	Polycarbonate (PC)
Flammability class per UL94	V2
Fire load	0.099 MJ
Weight	2.2 g

### Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332283205
Customs tariff number	39269097900

Product Classification	
UNSPSC	39121703
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 8.0	EC002848
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

## Downloads

### Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 282-884	<a href="#">↓</a>

## Documentation

Bid Text			
282-884	19.02.2019	xml 2.57 KB	<a href="#">↓</a>
282-884	03.03.2017	doc 23.50 KB	<a href="#">↓</a>

## CAD/CAE-Data

CAD data	
2D/3D Models 282-884	<a href="#">↓</a>

CAE data	
EPLAN Data Portal 282-884	<a href="#">↓</a>
WSCAD Universe 282-884	<a href="#">↓</a>
ZUKEN Portal 282-884	<a href="#">↓</a>

## Installation Notes

### Locking system



Snapping transparent locking cover onto 1-8 disconnect links:  
 a) Mechanically lock several links for multi-pole switching applications  
 b) Protect markers

Snapping transparent locking cover onto 1-8 disconnect links:  
 a) Mechanically lock several links for multi-pole switching applications  
 b) Protect markers

Subject to changes. Please also observe the further product documentation!

---

Current addresses can be found at: [www.wago.com](http://www.wago.com)