


VanLien/ABB Noodverlichting


Spacingtabellen



Spacingtabellen

SER-(C/D)SI - 5 LUX

Middelpunt object - plafond (C)	Armatuur tot muur (L)
0.5	0.8
1.0	1.2
1.5	1.7
2.0	2.0



DIB 325/140B/1

DIB B - 0.5 LUX

Hoogte (m)				
2.8	4.1	10.5	3.3	8.2
3.0	4.2	10.7	3.4	8.4
3.5	4.4	11.2	3.5	8.9
4.0	4.4	11.7	3.6	9.4
6.0	4.2	12.6	2.9	10.2
8.0	-	12.4	-	8.8
10.0	-	6.8	-	4.7

DIB B - 1 LUX

Hoogte (m)				
2.8	3.1	8.3	2.6	6.6
3.0	3.2	8.5	2.6	6.8
3.5	3.3	8.7	2.5	7.1
4.0	3.1	8.8	2.2	7.3
6.0	-	8.3	-	5.7

DIB 325/140A/1

DIB A - 0.5 LUX

Hoogte (m)				
2.8	3.7	9.8	3.3	8.4
3.0	3.8	9.9	3.4	8.6
3.5	3.9	10.2	3.6	9.0
4.0	4.0	10.5	3.7	9.5
6.0	3.4	11.3	3.1	10.6
8.0	0.4	10.2	0.4	9.4
10.0	-	6.3	-	6.4

DIB A - 1 LUX

Hoogte (m)				
2.8	2.8	7.4	2.6	6.7
3.0	2.8	7.5	2.6	6.9
3.5	2.8	7.8	2.6	7.2
4.0	2.5	8.0	2.4	7.4
6.0	-	6.8	-	6.2
8.0	-	0.8	-	0.8

CIB-TL 325/140/HF

CIB 325/140/HF - 0.5 LUX

Hoogte (m)				
2.8	4.2	10.7	3.4	8.3
3.0	4.3	10.9	3.5	8.5
3.5	4.5	11.4	3.6	9.0
4.0	4.5	12.0	3.7	9.5
6.0	4.4	12.9	3.1	10.6
8.0	-	13.0	-	9.3
10.0	-	7.9	-	5.5

CIB 325/140/HF - 1 LUX

Hoogte (m)				
2.8	3.2	8.4	2.6	6.7
3.0	3.2	8.6	2.6	6.9
3.5	3.3	8.9	2.6	7.2
4.0	3.2	9.1	2.3	7.4
6.0	-	8.9	-	6.1

Spacingtabellen

CIB-TL 325/140/24

CIB 325/140/24 - 0.5 LUX

Hoogte (m)				
2.8	4.3	11.1	3.4	8.6
3.0	4.4	11.3	3.5	8.8
3.5	4.6	11.8	3.7	9.3
4.0	4.7	12.3	3.8	9.8
6.0	4.8	13.4	3.4	11.0
8.0	2.1	13.9	0.8	10.1
10.0	-	9.9	-	6.7

CIB 325/140/24 - 1 LUX

Hoogte (m)				
2.8	3.3	8.7	2.7	6.9
3.0	3.4	8.9	2.8	7.1
3.5	3.4	9.3	2.7	7.5
4.0	3.5	9.4	2.5	7.7
6.0	-	9.5	-	6.8
8.0	-	4.1	-	1.5

NBN

NBN - 0.5 LUX

Hoogte (m)				
2.5	3.9	10.9	3.1	7.8
3.0	3.8	11.2	3.4	8.4
3.5	3.9	11.2	3.5	8.9
4.0	4.0	10.7	3.7	9.3
4.5	4.1	10.8	3.7	9.8
5.0	3.9	11.0	3.6	10.0
5.5	3.7	11.1	3.5	10.3

NBN - 1 LUX

Hoogte (m)				
2.5	2.7	7.8	2.5	6.3
3.0	2.8	7.6	2.6	6.8
3.5	2.8	7.7	2.6	7.1
4.0	2.6	7.9	2.4	7.4
4.5	2.3	8.1	2.1	7.4
5.0	1.7	7.8	1.7	7.3
5.5	1.2	7.5	1.2	6.9

NB

NB - 0.5 LUX

Hoogte (m)				
2.5	4.7	12.5	3.1	7.6
3.0	4.6	13.0	3.3	8.1
3.5	4.3	13.4	3.5	8.6
4.0	4.2	13.6	3.6	9.2
4.5	4.3	12.4	3.5	9.6
5.0	4.4	12.0	3.4	9.9
5.5	4.3	11.9	3.2	10.1

NB - 1 LUX

Hoogte (m)				
2.5	3.0	9.5	2.5	6.1
2.5	3.0	9.5	2.5	6.1
3.5	3.1	8.5	2.4	6.9
4.0	3.0	8.4	2.2	7.2
4.5	2.6	8.6	1.7	7.1
5.0	1.6	8.7	1.2	6.8

NB 08/24

NB 08/24 - 0.5 LUX

Hoogte (m)				
2.5	4.3	11.5	3.3	8.1
3.0	4.0	11.9	3.5	8.7
3.5	4.1	12.3	3.7	9.3
4.0	4.2	11.6	3.9	9.7
4.5	4.3	11.5	4.0	10.2
5.0	4.3	11.7	3.9	10.6
5.5	4.2	11.8	3.9	10.9

NB 08/24 - 1 LUX

Hoogte (m)				
2.5	2.9	8.7	2.6	6.6
3.0	3.0	8.1	2.8	6.1
3.5	3.1	8.2	2.8	7.5
4.0	2.9	8.4	2.7	7.7
4.5	2.7	8.6	2.5	8.0
5.0	2.3	8.6	2.1	7.9
5.5	1.7	8.4	1.7	7.7

NB 08/HF

NB 08/HF - 0.5 LUX

Hoogte (m)				
2.5	5.1	11.2	3.2	7.9
3.0	4.9	11.5	3.4	8.5
3.5	4.0	11.6	3.6	9.0
4.0	4.1	10.9	3.8	9.5
4.5	4.1	11.1	3.8	10.0
5.0	4.1	11.2	3.8	10.2
5.5	3.9	11.4	3.6	10.5

NB 08/HF - 1 LUX

Hoogte (m)				
2.5	2.8	8.2	2.6	6.4
3.0	2.9	7.8	2.7	6.9
3.5	2.9	7.9	2.7	7.2
4.0	2.7	8.1	2.5	7.5
4.5	2.4	8.3	2.2	7.6
5.0	1.9	8.1	1.9	7.5
5.5	1.4	7.8	1.4	7.2

Spacingtabellen

(I/O)LN

(I/O)LN-1 - 0.5 LUX

Hoogte (m)				
2.5	6.4	16.3	2.9	7.2
3.0	6.7	17.4	3.1	7.8
3.5	6.7	18.0	3.3	8.3
4.0	6.7	18.6	3.3	8.8
4.5	6.5	18.9	3.2	9.0
5.0	6.2	19.0	3.1	9.3
5.5	5.8	19.0	2.8	9.3

(I/O)LN - 1 LUX

Hoogte (m)				
2.5	4.7	12.7	2.3	5.9
3.0	4.7	13.3	2.3	6.3
3.5	4.4	13.4	2.2	6.5
4.0	4.0	13.4	1.9	6.6
4.5	1.6	13.1	1.4	6.5
5.0	0.3	12.4	0.1	6.1
5.5	-	11.5	-	5.6

(I/O)LN-1 + PPL - 0.5 LUX

Hoogte (m)				
2.5	6.2	15.5	2.2	5.9
3.0	6.5	16.6	2.2	6.1
3.5	6.7	17.5	2.2	6.2
4.0	6.7	18.2	1.9	6.2
4.5	6.7	18.6	1.5	6.1
5.0	6.6	19.0	0.7	5.9
5.5	6.4	19.2	-	5.5

(I/O)LN-1 + PPL - 1 LUX

Hoogte (m)				
2.5	4.8	12.4	1.5	4.4
3.0	4.7	13.0	1.2	4.4
3.5	4.7	13.5	0.6	4.2
4.0	4.5	13.5	-	3.8
4.5	-	13.3	-	3.0

(I/O)LN

(I/O)L - 0.5 LUX

Hoogte (m)				
2.5	6.5	16.6	3.0	7.3
3.0	6.8	17.8	3.2	7.9
3.5	6.9	18.4	3.3	8.4
4.0	6.9	19.0	3.4	8.9
4.5	6.8	19.4	3.4	9.2
5.0	6.5	19.5	3.2	9.5
5.5	6.1	19.6	3.0	9.6

(I/O)L - 1 LUX

Hoogte (m)				
2.5	4.9	13.0	2.4	6.0
3.0	4.8	13.6	2.4	6.4
3.5	4.6	13.8	2.3	6.7
4.0	4.2	13.9	2.0	6.8
4.5	2.2	13.5	1.6	6.7
5.0	0.9	13.1	0.7	6.4
5.5	-	12.2	-	6.0

(I/O)L-230HF**(I/O)L-230HF - 0.5 LUX**

Hoogte (m)					
2.5	6.7	16.8	3.0	7.5	
3.0	7.0	18.2	3.3	8.1	
3.5	7.1	18.8	3.4	8.6	
4.0	7.1	19.4	3.5	9.1	
4.5	7.0	19.9	3.5	9.4	
5.0	6.8	20.0	3.4	9.7	
5.5	6.4	20.1	3.2	9.9	

(I/O)L-230HF - 1 LUX

Hoogte (m)					
2.5	5.0	13.3	2.4	6.1	
3.0	5.0	13.9	2.5	6.6	
3.5	4.8	14.2	2.4	6.8	
4.0	4.4	14.2	2.2	7.0	
4.5	2.8	14.0	1.8	6.9	
5.0	1.2	13.7	1.1	6.7	
5.5	-	12.8	-	6.3	

(I/O)L-230HF + PPL-0.5

Hoogte (m)					
2.5	6.5	16.0	2.3	6.1	
3.0	6.8	17.2	2.3	6.4	
3.5	7.0	18.2	2.3	6.5	
4.0	7.2	19.0	2.1	6.6	
4.5	7.1	19.5	1.8	6.6	
5.0	7.0	20.0	1.3	6.4	

(I/O)LN-1 + PPL - 1 LUX

Hoogte (m)					
2.5	5.0	12.9	1.6	4.6	
3.0	5.1	13.6	1.4	4.8	
3.5	5.0	14.1	1.0	4.6	
4.0	4.9	14.3	-	4.2	
4.5	4.6	14.2	-	3.6	
5.0	-	14.0	-	2.6	

Spacingtabellen

(I/O)L-24

(I/O)L-24 - 0.5 LUX

Hoogte (m)				
2.5	6.9	17.2	3.1	7.7
3.0	7.2	18.7	3.4	8.3
3.5	7.4	19.4	3.5	8.8
4.0	7.4	20.0	3.6	9.3
4.5	7.4	20.7	3.6	9.7
5.0	7.2	20.9	3.6	10.0
5.5	6.9	21.0	3.4	10.2

(I/O)L-24 - 1 LUX

Hoogte (m)				
2.5	5.2	14.1	2.6	6.6
3.0	5.3	14.4	2.6	6.8
3.5	5.1	14.8	2.5	7.0
4.0	4.8	14.8	2.4	7.3
4.5	4.3	14.8	2.0	7.3
5.0	1.7	14.4	1.5	7.2
5.5	0.6	13.8	0.4	6.8

(I/O)L-24 + PPL - 0.5 LUX

Hoogte (m)				
2.5	6.6	16.4	2.4	6.3
3.0	7.0	17.6	2.4	6.6
3.5	7.3	18.7	2.4	6.8
4.0	7.5	19.6	2.3	6.9
4.5	7.5	20.2	2.0	6.9
5.0	7.4	20.7	1.6	6.8
5.5	7.3	21.0	0.8	6.5

(I/O)L-24 + PPL - 1 LUX

Hoogte (m)				
2.5	5.2	13.3	1.7	4.8
3.0	5.3	14.1	1.5	4.9
3.5	5.2	14.6	1.2	4.8
4.0	5.1	14.9	0.2	4.6
4.5	4.9	14.9	-	4.1
5.0	-	14.7	-	3.3

FM-1

FM - 0.5 LUX

Hoogte (m)				
2.8	4.1	10.5	3.3	8.2
3.0	4.2	10.7	3.4	8.4
3.5	4.4	11.2	3.5	8.9
4.0	4.4	11.7	3.6	9.4
6.0	4.2	12.6	2.9	10.2
8.0	-	12.4	-	8.8
10.0	-	6.8	-	4.7

FM - 1 LUX

Hoogte (m)				
2.8	3.1	8.3	2.6	6.6
3.0	3.2	8.5	2.6	6.8
3.5	3.3	8.7	2.5	7.1
4.0	3.1	8.8	2.2	7.3
6.0	-	8.3	-	5.7

FMN-1

FMN - 0.5 LUX

Hoogte (m)				
2.8	3.7	9.8	3.3	8.4
3.0	3.8	9.9	3.4	8.6
3.5	3.9	10.2	3.6	9.0
4.0	4.0	10.5	3.7	9.5
6.0	3.4	11.3	3.1	10.6
8.0	0.4	10.2	0.4	9.4
10.0	-	6.3	-	6.4

FMN - 1 LUX

Hoogte (m)				
2.8	2.8	7.4	2.6	6.7
3.0	2.8	7.5	2.6	6.9
3.5	2.8	7.8	2.6	7.2
4.0	2.5	8.0	2.4	7.4
6.0	-	6.8	-	6.2
8.0	-	0.8	-	0.8

FM 08/HF

FM 08/HF - 0.5 LUX

Hoogte (m)				
2.8	4.2	10.7	3.4	8.3
3.0	4.3	10.9	3.5	8.5
3.5	4.5	11.4	3.6	9.0
4.0	4.5	12.0	3.7	9.5
6.0	4.4	12.9	3.1	10.6
8.0	-	13.0	-	9.3
10.0	-	7.9	-	5.5

FM 08/HF - 1 LUX

Hoogte (m)				
2.8	3.2	8.4	2.6	6.7
3.0	3.2	8.6	2.6	6.9
3.5	3.3	8.9	2.6	7.2
4.0	3.2	9.1	2.3	7.4
6.0	-	8.9	-	6.1

FM 08/24

FM 08/24 - 0.5 LUX

Hoogte (m)				
2.8	4.3	11.1	3.4	8.6
3.0	4.4	11.3	3.5	8.8
3.5	4.6	11.8	3.7	9.3
4.0	4.7	12.3	3.8	9.8
6.0	4.8	13.4	3.4	11.0
8.0	2.1	13.9	0.8	10.1
10.0	-	9.9	-	6.7

FM 08/24 - 1 LUX

Hoogte (m)				
2.8	3.3	8.7	2.7	6.9
3.0	3.4	8.9	2.8	7.1
3.5	3.4	9.3	2.7	7.5
4.0	3.5	9.4	2.5	7.7
6.0	-	9.5	-	6.8
8.0	-	4.1	-	1.5

Spacingtabellen

FIX FOX FCX

F(I/O/C)X - 0.5 LUX

Hoogte (m)				
2.0	2.2	5.2	2.2	4.9
2.5	2.6	5.9	2.6	5.7
3.0	2.8	6.6	2.9	6.5
3.5	3.0	7.2	3.1	7.3
4.0	3.1	7.7	3.1	8.1
4.5	3.1	8.1	2.8	8.5
5.0	2.9	8.5	2.4	8.8

F(I/O/C)X - 1 LUX

Hoogte (m)				
2.0	1.9	4.5	2.0	4.4
2.5	2.1	5.1	2.2	5.2
3.0	2.2	5.6	2.1	5.9
3.5	2.1	6.0	1.7	6.2
4.0	0.4	6.2	0.4	6.1

SER-(C/D)LI

SER-(C/D)LI - 0.5 LUX

Hoogte (m)				
2.0	4.5	10.2	1.3	3.8
2.5	5.2	11.8	1.3	3.7
3.0	5.9	13.3	1.3	3.7
3.5	6.5	14.7	1.3	3.6
4.0	7.0	16.0	1.3	3.6
4.5	7.5	17.3	1.3	3.6
5.0	8.0	18.4	1.2	3.6

SER-(C/D)LI - 1 LUX

Hoogte (m)				
2.0	4.0	9.0	0.9	2.6
2.5	4.6	10.5	0.9	2.6
3.0	5.2	11.8	0.9	2.6
3.5	5.6	12.9	0.9	2.6
4.0	6.0	14.1	0.8	2.6
4.5	6.4	15.1	0.7	2.5
5.0	6.7	16.0	0.5	2.5

SER-(C/W)WI

SER-(C/D)WI - 0.5 LUX

Hoogte (m)				
2.0	3.6	8.9	3.7	9.2
2.5	3.9	9.7	4.1	10.1
3.0	4.1	10.4	4.3	10.8
3.5	4.3	11.0	4.5	11.4
4.0	4.5	11.5	4.6	12.0
4.5	4.5	11.9	4.6	12.4
5.0	4.6	12.2	4.5	12.7

SER-(C/D)WI - 1 LUX

Hoogte (m)				
2.0	2.9	7.2	3.0	7.5
2.5	3.1	7.8	3.2	8.1
3.0	3.2	8.2	3.3	8.6
3.5	3.2	8.6	3.2	9.0
4.0	3.1	8.9	3.0	9.2
4.5	2.9	9.1	2.8	9.2
5.0	2.4	9.1	2.2	9.0

SER-CLO

SER-CLO(/24) - 0.5 LUX

Hoogte (m)				
2.5	5.0	10.7	1.4	3.3
3.0	5.9	12.4	1.6	3.6
3.5	6.7	14.1	1.7	4.0
4.0	7.4	15.8	1.8	4.3
4.5	8.1	17.5	1.9	4.6
5.0	8.9	19.1	2.0	4.9
5.5	9.6	20.5	2.1	5.1

SER-CLO(/24) - 1 LUX

Hoogte (m)				
2.5	4.8	10.0	1.2	2.8
3.0	5.5	11.7	1.3	3.1
3.5	6.2	13.4	1.4	3.4
4.0	6.9	14.8	1.5	3.7
4.5	7.5	16.3	1.5	3.9
5.0	8.1	17.7	1.5	4.1
5.5	8.8	19.1	1.4	4.2

SER-DLO

SER-DLO - 0.5 LUX

Hoogte (m)				
2.5	5.0	10.7	1.4	3.3
3.0	5.9	12.4	1.6	3.6
3.5	6.7	14.1	1.7	3.9
4.0	7.4	15.8	1.8	4.3
4.5	8.1	17.4	1.9	4.6
5.0	8.8	19.1	2.0	4.8
5.5	9.6	20.5	2.1	5.1

SER-DLO - 1 LUX

Hoogte (m)				
2.5	4.8	10.0	1.2	2.8
3.0	5.5	11.7	1.3	3.1
3.5	6.2	13.4	1.4	3.4
4.0	6.9	14.8	1.5	3.7
4.5	7.5	16.2	1.5	3.9
5.0	8.1	17.7	1.5	4.1
5.5	8.8	19.1	1.4	4.2

SER-CWO

SER-CWO(/24) - 0.5 LUX

Hoogte (m)				
2.5	3.7	7.9	3.7	7.9
3.0	4.2	9.2	4.2	9.2
3.5	4.7	10.4	4.6	10.4
4.0	5.0	11.5	4.9	11.5
4.5	4.9	12.4	4.2	12.4
5.0	4.0	13.2	3.6	13.2
5.5	3.7	13.9	3.3	13.8

SER-CWO(/24) - 1 LUX

Hoogte (m)				
2.5	3.3	7.4	3.3	7.4
3.0	3.6	8.5	3.5	8.5
3.5	2.8	9.3	2.6	9.3
4.0	2.6	9.9	2.2	9.9
4.5	-	9.8	-	8.4

Spacingtabellen

SER-DWO

SER-DWO - 0.5 LUX

Hoogte (m)				
2.5	3.7	7.9	3.7	7.9
3.0	4.2	9.2	4.2	9.2
3.5	4.6	10.3	4.6	10.3
4.0	4.9	11.5	4.9	11.5
4.5	4.7	12.4	4.1	12.4
5.0	3.9	13.2	3.5	13.2
5.5	3.7	13.8	3.2	13.7

SER-DWO - 1 LUX

Hoogte (m)				
2.5	3.3	7.4	3.3	7.4
3.0	3.5	8.4	3.5	8.4
3.5	2.8	9.3	2.5	9.3
4.0	2.5	9.9	2.1	9.8
4.5	-	9.4	-	8.1

AQL 02/LED

AQL 02 - 0.5 LUX

Hoogte (m)				
2.5	3.2	8.2	3.2	8.6
3.0	3.3	8.6	3.2	8.8
3.5	3.3	9.0	3.2	8.9
4.0	3.2	9.2	3.0	9.0
4.5	3.1	9.3	2.8	9.0
5.0	2.8	9.3	2.5	8.9
5.5	2.4	9.2	2.0	8.7

AQL 02 - 1 LUX

Hoogte (m)				
2.5	2.3	6.4	2.2	6.3
3.0	2.3	6.6	2.1	6.4
3.5	2.0	6.6	1.8	6.3
4.0	1.6	6.5	1.3	6.1

AQL 03/HF

AQL 03/HF - 0.5 LUX

Hoogte (m)				
2.5	5.3	12.6	2.7	7.1
3.0	5.9	13.8	2.7	7.5
3.5	6.3	14.9	2.6	7.6
4.0	6.5	16.0	2.4	7.6
4.5	6.3	17.1	2.2	7.5
5.0	5.9	17.8	1.9	7.3
5.5	5.7	18.4	1.4	7.0

AQL 03/HF - 1 LUX

Hoogte (m)				
2.5	4.5	10.6	1.8	5.4
3.0	4.6	11.7	1.6	5.3
3.5	4.2	12.6	1.3	5.2
4.0	4.0	13.1	0.8	4.8

AQL 03/1

AQL 03/1 - 0.5 LUX

Hoogte (m)				
2.5	5.0	11.8	2.4	6.5
3.0	5.5	13.0	2.3	6.7
3.5	5.8	14.1	2.1	6.7
4.0	5.5	15.1	1.9	6.6
4.5	5.1	15.9	1.6	6.4
5.0	5.0	16.3	1.0	6.0
5.5	4.9	16.0	-	5.6

AQL 03/1 - 1 LUX

Hoogte (m)				
2.5	4.1	10.0	1.5	4.7
3.0	3.7	10.9	1.2	4.6
3.5	3.6	11.5	0.8	4.3
4.0	3.4	11.1	-	3.8

Spacingtabellen

AQL 04/LED

AQL 04 - 0.5 LUX

Hoogte (m)						
2.00	6.90	15.61	12.49	9.19	3.81	
2.50	7.71	18.10	14.21	10.24	4.20	
3.00	8.15	20.17	15.58	11.05	4.50	
3.50	8.49	21.73	16.47	11.83	4.73	
4.00	8.64	22.66	17.26	12.49	4.91	
4.50	8.61	23.48	17.91	13.00	5.09	
5.00	8.28	24.07	18.35	13.43	5.18	
5.50	7.97	24.40	18.46	13.79	5.28	
6.00	7.58	24.51	18.38	14.17	5.29	
6.50	7.19	24.22	18.31	14.47	4.93	
7.00	6.67	23.52	18.07	14.63	4.54	
7.50	5.96	22.92	17.91	14.82	4.22	
8.00	5.04	22.21	17.62	14.87	3.85	

AQL 04 - 1 LUX

Hoogte (m)						
2.00	5.66	13.80	10.73	7.63	3.12	
2.50	6.01	15.43	11.69	8.40	3.35	
3.00	6.12	16.31	12.45	9.01	3.54	
3.50	5.88	16.98	12.95	9.47	3.65	
4.00	5.55	17.28	13.03	9.83	3.74	
4.50	5.18	17.23	12.96	10.18	3.61	
5.00	4.66	16.57	12.75	10.36	3.18	
5.50	3.85	15.94	12.56	10.56	2.85	
6.00	2.26	15.17	12.15	10.27	2.41	

AQL 04 - 5 LUX

Hoogte (m)						
1.00	2.61	5.24	1.79	3.59	1.45	
1.50	2.66	5.36	2.09	4.19	1.63	
2.00	2.32	7.71	5.80	4.54	1.63	
2.50	1.64	7.07	5.59	4.72	1.24	

AQL 04 - 10 LUX

Hoogte (m)						
1.00	1.91	3.85	1.45	2.91	1.14	
1.50	1.54	3.22	1.63	3.26	1.07	
2.00	0.58	4.65	3.70	3.20	0.64	

AQL 04/HF

AQL 04/HF - 1 LUX

Hoogte (m)						
2.00	6.25	14.08	11.15	8.16	3.36	
2.50	6.87	16.40	12.72	9.03	3.68	
3.00	7.13	18.14	13.85	9.76	3.90	
3.50	7.14	19.37	14.53	10.37	4.07	
4.00	7.00	19.98	14.99	10.85	4.17	
4.50	6.65	20.25	15.15	11.23	4.18	
5.00	6.13	20.18	15.20	11.54	4.04	
5.50	5.69	19.92	14.95	11.76	3.84	
6.00	5.23	19.42	14.62	11.89	3.54	

AQL 04/HF - 0.5 LUX

Hoogte (m)						
2.00	7,04	15,55	12,67	9,71	4,08	
2.50	8,2	18,23	14,64	10,87	4,51	
3.00	9,07	20,75	16,35	11,88	4,88	
3.50	9,68	23,04	17,89	12,72	5,18	
4.00	9,99	25,02	19,1	13,46	5,42	
4.50	10,12	26,31	19,96	14,15	5,61	
5.00	10,09	27,51	20,61	14,73	5,77	
5.50	9,96	28,1	21,1	15,21	5,88	
6.00	9,71	28,54	21,32	15,21	5,94	
6.50	9,26	28,66	21,46	15,21	5,9	
7.00	8,74	28,57	21,5	15,21	5,74	
7.50	8,27	28,31	21,34	15,21	5,56	
8.00	7,86	28,03	20,97	15,21	5,31	

Spacingtabellen

DECO 2D28

DECO 2D28 - 0.5 LUX

Hoogte (m)				
2.5	6.3	15.3	6.3	15.3
3.0	6.9	16.5	6.9	16.5
3.5	7.3	17.7	7.3	17.7
4.0	7.7	18.9	7.7	18.9
4.5	8.1	20.1	8.1	20.1
5.0	8.4	20.8	8.4	20.8
5.5	8.7	21.6	8.7	21.6

DECO 2D28 - 1 LUX

Hoogte (m)				
2.5	5.2	12.6	5.2	12.6
3.0	5.6	13.8	5.6	13.8
3.5	5.9	14.7	5.9	14.7
4.0	6.2	15.4	6.2	15.4
4.5	6.4	16.2	6.4	16.2
5.0	6.6	16.8	6.6	16.8
5.5	6.8	17.3	6.8	17.3

DECO 2D28 - 5 LUX

Hoogte (m)				
2.5	3.0	7.8	3.0	7.8
3.0	3.1	8.3	3.1	8.3
3.5	3.1	8.6	3.1	8.6
4.0	3.1	8.9	3.1	8.9
4.5	2.9	8.9	2.9	8.9
5.0	2.7	8.8	2.7	8.8
5.5	2.3	8.7	2.3	8.7

DECO 2D28 - 15 LUX

Hoogte (m)				
2.5	1.7	5.1	1.7	5.1
3.0	1.5	5.1	1.5	5.1
3.5	0.9	4.9	0.9	4.9

DECO 230

DECO 230 - 0.5 LUX

Hoogte (m)				
2.5	8.3	20.0	8.3	20.0
3.0	9.1	21.7	9.1	21.7
3.5	9.7	23.4	9.7	23.4
4.0	10.3	25.0	10.3	25.0
4.5	10.9	26.4	10.9	26.4
5.0	11.5	27.6	11.5	27.6
5.5	12.0	28.8	12.0	28.8

DECO 230 - 1 LUX

Hoogte (m)				
2.5	6.9	16.6	6.9	16.6
3.0	7.5	18.2	7.5	18.2
3.5	8.1	19.4	8.1	19.4
4.0	8.6	20.6	8.6	20.6
4.5	8.9	21.8	8.9	21.8
5.0	9.3	23.0	9.3	23.0
5.5	9.7	24.0	9.7	24.0

DECO 230 - 5 LUX

Hoogte (m)				
2.5	4.4	10.8	4.4	10.8
3.0	4.6	11.5	4.6	11.5
3.5	4.8	12.3	4.8	12.3
4.0	5.0	12.8	5.0	12.8
4.5	5.2	13.3	5.2	13.3
5.0	5.2	13.8	5.2	13.8
5.5	5.2	14.1	5.2	14.1

DECO 230 - 15 LUX

Hoogte (m)				
2.5	2.9	7.6	2.9	7.6
3.0	3.0	8.6	3.0	8.0
3.5	3.0	8.3	3.0	8.3
4.0	2.9	8.5	2.9	8.5
4.5	2.8	8.5	2.8	8.5
5.0	2.5	8.5	2.5	8.5
5.5	2.0	8.3	2.0	8.3

Spacingtabellen

FMN-1/11

FMN-1/11 - 0.5 LUX

Hoogte (m)				
2.5	5.6	14.1	4.8	11.8
3.0	5.9	15.0	5.1	12.7
3.5	6.3	15.7	5.4	13.5
4.0	6.7	16.4	5.7	14.2
4.5	7.0	17.2	5.9	14.9
5.0	7.2	18.0	6.0	15.4
5.5	7.4	18.7	6.2	15.9

FMN-1/11 - 1 LUX

Hoogte (m)				
2.5	4.5	11.2	3.9	9.6
3.0	4.9	11.9	4.1	10.3
3.5	5.1	12.6	4.3	10.9
3.5	5.1	12.6	4.3	10.9
4.5	5.3	14.1	4.6	11.8
5.0	5.4	14.5	4.7	12.1
5.5	5.4	14.7	4.8	12.4

FMN-1/11 - 5 LUX

Hoogte (m)				
2.5	2.4	6.6	2.1	5.6
3.0	2.5	6.7	2.1	5.8
3.5	2.4	6.9	2.0	6.0
4.0	1.8	7.0	1.6	6.1
4.5	1.0	7.0	0.9	6.0

FMN-1/11 - 10 LUX

Hoogte (m)				
2.5	1.7	5.1	1.7	5.1
3.0	1.5	5.1	1.5	5.1
3.5	0.9	4.9	0.9	4.9

FM 11/24

FM 11/24 - 0.5 LUX

Hoogte (m)				
2.5	5.3	13.4	4.6	11.3
3.0	5.7	14.2	4.9	12.1
3.5	6.1	14.9	5.2	12.9
4.0	6.4	15.6	5.4	13.6
4.5	6.6	16.4	5.6	14.1
5.0	6.8	17.2	5.7	14.
5.5	6.9	17.9	5.9	15.1

FM 11/24 - 1 LUX

Hoogte (m)				
2.5	4.3	10.6	3.7	9.1
3.0	4.6	11.3	3.9	9.8
3.5	4.8	12.1	4.0	10.3
4.0	4.9	12.8	4.2	10.8
4.5	4.9	13.3	4.3	11.1
5.0	5.0	13.6	4.4	11.4
5.5	5.1	13.8	4.5	11.7

FM 11/24 - 5 LUX

Hoogte (m)				
2.5	2.3	6.2	2.0	5.3
3.0	2.3	6.3	1.9	5.5
3.5	2.0	6.4	1.6	5.6
4.0	1.2	6.5	1.1	5.6

FM 11/24 - 10 LUX

Hoogte (m)				
2.5	1.4	4.6	1.1	4.0
3.0	0.6	4.6	0.5	3.9

Spacingtabellen

FM 11/HF

FM 11/HF - 0.5 LUX

Hoogte (m)				
2.5	5.7	14.4	4.9	12.0
3.0	6.1	15.4	5.3	13.0
3.5	6.4	16.1	5.6	13.8
4.0	6.8	16.8	5.8	14.5
4.5	7.2	17.5	6.0	15.2
5.0	7.4	18.3	6.2	15.8
5.5	7.6	19.1	6.4	16.3

FM 11/HF - 0.5 LUX

Hoogte (m)				
2.5	4.6	11.4	3.9	9.8
3.0	4.9	12.1	4.2	10.5
3.5	5.2	12.9	4.4	11.1
4.0	5.4	13.7	4.5	11.6
4.5	5.5	14.4	4.7	12.1
5.0	5.5	14.8	4.8	12.4
5.5	5.6	15.2	4.9	12.7

FM 11/HF - 5 LUX

Hoogte (m)				
2.5	2.5	6.8	2.2	5.7
3.0	2.6	6.9	2.2	6.0
3.5	2.5	7.1	2.1	6.2
4.0	2.1	7.2	1.8	6.3
4.5	1.3	7.3	1.2	6.3

FM 11/HF - 10 LUX

Hoogte (m)				
2.5	1.8	5.0	1.5	4.4
3.0	1.2	5.1	1.1	4.5
3.5	0.4	5.0	-	4.2

DIB 325/140A/CL11

DIB 11 - 0.5 LUX

Hoogte (m)				
2.5	5.6	14.1	4.8	11.8
3.0	5.9	15.0	5.1	12.7
3.5	6.3	15.7	5.4	13.5
4.0	6.7	16.4	5.7	14.2
4.5	7.0	17.2	5.9	14.9
5.0	7.2	18.0	6.0	15.4
5.5	7.4	18.7	6.2	15.9

DIB 11 - 1 LUX

Hoogte (m)				
2.5	4.5	11.2	3.9	9.6
3.0	4.9	11.9	4.1	10.3
3.5	5.1	12.6	4.3	10.9
4.0	5.2	13.4	4.4	11.4
4.5	5.3	14.1	4.6	11.8
5.0	5.4	14.5	4.7	12.1
5.5	5.4	14.7	4.8	12.4

DIB 11 - 5 LUX

Hoogte (m)				
2.5	2.4	6.6	2.1	5.6
3.0	2.5	6.7	2.1	5.8
3.5	2.4	6.9	2.0	6.0
4.0	1.8	7.0	1.6	6.1
4.5	1.0	7.0	0.9	6.0

DIB 11 - 10 LUX

Hoogte (m)				
2.5	1.7	5.1	1.7	5.1
3.0	1.5	5.1	1.5	5.1
3.5	0.9	4.9	0.9	4.9

Spacingtabellen

CIB-TL 325/140/24/CL11

CIB 11/24 - 0.5 LUX

Hoogte (m)				
2.5	5.3	13.4	4.6	11.3
3.0	5.7	14.2	4.9	12.1
3.5	6.1	14.9	5.2	12.9
4.0	6.4	15.6	5.4	13.6
4.5	6.6	16.4	5.6	14.1
5.0	6.8	17.2	5.7	14.7
5.5	6.9	17.9	5.9	15.1

CIB 11/24 - 1 LUX

Hoogte (m)				
2.5	4.3	10.6	3.7	9.1
3.0	4.6	11.3	3.9	9.8
3.5	4.8	12.1	4.0	10.3
4.0	4.9	12.8	4.2	10.8
4.5	4.9	13.3	4.3	11.1
5.0	5.0	13.6	4.4	11.4
5.5	5.1	13.8	4.5	11.7

CIB 11/24 - 5 LUX

Hoogte (m)				
2.5	2.3	6.2	2.0	5.3
3.0	2.3	6.3	1.9	5.5
3.5	2.0	6.4	1.6	5.6
4.0	1.2	6.5	1.1	5.6

CIB 11/24 - 10 LUX

Hoogte (m)				
2.5	1.4	4.6	1.1	4.0
3.0	0.6	4.6	0.5	3.9

CIB-TL 325/140/HF/CL11

CIB 11/HF - 0.5 LUX

Hoogte (m)				
2.5	5.7	14.4	4.9	12.0
3.0	6.1	15.4	5.3	13.0
3.5	6.4	16.1	5.6	13.8
4.0	6.8	16.8	5.8	14.5
4.5	7.2	17.5	6.0	15.2
5.0	7.4	18.3	6.2	15.8
5.5	7.6	19.1	6.4	16.3

CIB 11/HF - 1 LUX

Hoogte (m)				
2.5	4.6	11.4	3.9	9.8
3.0	4.9	12.1	4.2	10.5
3.5	5.2	12.9	4.4	11.1
4.0	5.4	13.7	4.5	11.6
4.5	5.5	14.4	4.7	12.1
5.0	5.5	14.8	4.8	12.4
5.5	5.6	15.2	4.9	12.7

CIB 11/HF - 5 LUX

Hoogte (m)				
2.5	2.5	6.8	2.2	5.7
3.0	2.6	6.9	2.2	6.0
3.5	2.5	7.1	2.1	6.2
4.0	2.1	7.2	1.8	6.3
4.5	1.3	7.3	1.2	6.3

CIB 11/HF - 10 LUX

Hoogte (m)				
2.5	1.8	5.0	1.5	4.4
3.0	1.2	5.1	1.1	4.5
3.5	0.4	5.0	-	4.2

Spacingtabellen

DVA 360A/1

DVA 360A/1 - 0.5 LUX

Hoogte (m)				
2.5	3.9	10.9	3.1	7.8
3.0	3.8	11.2	3.4	8.4
3.5	3.9	11.2	3.5	8.9
4.0	4.0	10.7	3.7	9.3
4.5	4.1	10.8	3.7	9.8
5.0	3.9	11.0	3.6	10.0
5.5	3.7	11.1	3.5	10.3

DVA 360A/1 - 1 LUX

Hoogte (m)				
2.5	2.7	7.8	2.5	6.3
3.0	2.8	7.6	2.6	6.8
3.5	2.8	7.7	2.6	7.1
4.0	2.6	7.9	2.4	7.4
4.5	2.3	8.1	2.1	7.4
5.0	1.7	7.8	1.7	7.3
5.5	1.2	7.5	1.2	6.9

DVA 360B/1

DVA 360B/1 - 0.5 LUX

Hoogte (m)				
2.5	4.7	12.5	3.1	7.6
3.0	4.6	13.0	3.3	8.1
3.5	4.3	13.4	3.5	8.6
4.0	4.2	13.6	3.6	9.2
4.5	4.3	12.4	3.5	9.6
5.0	4.4	12.0	3.4	9.9
5.5	4.3	11.9	3.2	10.1

DVA 360B/1 - 1 LUX

Hoogte (m)				
2.5	3.0	9.5	2.5	6.1
3.0	3.0	9.2	2.5	6.7
3.5	3.1	8.5	2.4	6.9
4.0	3.0	8.4	2.2	7.2
4.5	2.6	8.6	1.7	7.1
5.0	1.6	8.7	1.2	6.8

VA-TL 360/24

VA-TL 360/24 - 0.5 LUX

Hoogte (m)				
2.5	4.3	11.5	3.3	8.1
3.0	4.0	11.9	3.5	8.7
3.5	4.1	12.3	3.7	9.3
4.0	4.2	11.6	3.9	9.7
4.5	4.3	11.5	4.0	10.2
5.0	4.3	11.7	3.9	10.6
5.5	4.2	11.8	3.9	10.9

VA-TL 360/24 - 1 LUX

Hoogte (m)				
2.5	2.9	8.7	2.6	6.6
3.0	3.0	8.1	2.8	6.1
3.5	3.1	8.2	2.8	7.5
4.0	2.9	8.4	2.7	7.7
4.5	2.7	8.6	2.5	8.0
5.0	2.3	8.6	2.1	7.9
5.5	1.7	8.4	1.7	7.7

VA-TL 360/HF

VA-TL 360/HF - 0.5 LUX

Hoogte (m)				
2.5	5.1	11.2	3.2	7.9
3.0	4.9	11.5	3.4	8.5
3.5	4.0	11.6	3.6	9.0
4.0	4.1	10.9	3.8	9.5
4.5	4.1	11.1	3.8	10.0
5.0	4.1	11.2	3.8	10.2
5.5	3.9	11.4	3.6	10.5

VA-TL 360/HF - 1 LUX

Hoogte (m)				
2.5	2.8	8.2	2.6	6.4
3.0	2.9	7.8	2.7	6.9
3.5	2.9	7.9	2.7	7.2
4.0	2.7	8.1	2.5	7.5
4.5	2.4	8.3	2.2	7.6
5.0	1.9	8.1	1.9	7.5
5.5	1.4	7.8	1.4	7.2

PRE-1

PRE-1 - 0.5 LUX

Hoogte (m)				
2.5	4.7	11.7	2.7	7.0
3.0	4.9	12.5	2.7	7.3
3.5	5.0	13.2	2.6	7.6
4.0	4.9	13.7	2.4	7.6
4.5	4.2	14.1	2.1	7.6
5.0	2.2	14.2	1.5	7.4

PRE-1 - 1 LUX

Hoogte (m)				
2.5	3.6	9.3	1.8	5.3
3.0	3.3	9.8	1.6	5.4
3.5	1.7	10.1	1.1	5.2

PRE-24

PRE-24 - 0.5 LUX

Hoogte (m)				
2.5	5.5	13.6	3.2	8.1
3.0	5.8	14.6	3.4	8.7
3.5	6.1	15.5	3.4	9.1
4.0	6.3	16.2	3.4	9.4
4.5	6.4	16.8	3.3	9.6
5.0	6.2	17.4	3.1	9.7
5.5	5.8	17.8	2.9	9.7

PRE-24 - 1 LUX

Hoogte (m)				
2.5	4.3	11.0	2.4	6.5
3.0	4.5	11.7	2.4	6.8
3.5	4.4	12.2	2.2	6.9
4.0	3.9	12.7	1.9	6.8
4.5	2.0	12.8	1.4	6.6

Spacingtabellen

PRE-HF

PRE-HF - 0.5 LUX

Hoogte (m)				
2.5	5.8	14.4	3.5	8.6
3.0	6.2	15.5	3.6	9.2
3.5	6.6	16.5	3.8	9.8
4.0	6.8	17.3	3.8	10.2
4.5	7.0	18.0	3.8	10.4
5.0	7.1	18.6	3.6	10.6
5.5	6.9	19.1	3.5	10.7

PRE-HF - 1 LUX

Hoogte (m)				
2.5	4.7	11.7	2.7	6.9
3.0	4.9	12.5	2.7	7.3
3.5	5.0	13.1	2.6	7.5
4.0	4.8	13.6	2.4	7.6
4.5	3.1	14.0	2.0	7.5
5.0	2.1	14.1	1.4	7.3

PRE-V

PRE-V - 0.5 LUX

Hoogte (m)				
2.5	5.9	12.9	2.7	6.4
3.0	6.6	14.8	2.9	7.1
3.5	7.0	16.6	3.0	7.6
4.0	6.9	18.0	2.8	8.1
4.5	6.5	19.3	2.4	8.4
5.0	6.3	19.8	2.1	8.4
5.5	4.9	19.6	1.8	8.1

PRE-V - 1 LUX

Hoogte (m)				
2.5	4.9	11.8	2.1	5.4
3.0	4.7	13.2	1.8	5.8
3.5	4.5	14.0	1.5	6.0
4.0	3.3	13.7	1.2	5.5
4.5	2.9	13.1	1.0	4.7
5.0	2.5	12.7	0.7	4.1
5.5	2.0	9.9	0.5	3.5

PRE-1/R

PRE-1/R - 0.5 LUX

Hoogte (m)				
2.5	4.3	10.0	2.6	6.7
3.0	4.7	11.2	2.6	7.1
3.5	4.9	12.2	2.5	7.2
4.0	4.9	13.0	2.3	7.3
4.5	4.2	13.5	1.9	7.2
5.0	4.0	13.9	1.2	7.0

PRE-1/R - 1 LUX

Hoogte (m)				
2.5	3.5	8.7	1.7	5.1
3.0	3.3	9.4	1.5	5.1
3.5	2.8	9.8	0.9	5.0

PRE-24/R

PRE-24/R - 0.5 LUX

Hoogte (m)					
2.5	5.0	11.3	3.3	8.4	
3.0	5.6	12.7	3.5	9.0	
3.5	6.1	14.0	3.6	9.4	
4.0	6.4	15.2	3.6	9.8	
4.5	6.7	16.2	3.5	10.0	
5.0	6.8	17.2	3.4	10.1	
5.5	6.8	18.0	3.2	10.2	

PRE-24/R - 1 LUX

Hoogte (m)					
2.5	4.3	10.0	2.5	6.7	
3.0	4.7	11.1	2.5	7.0	
3.5	4.8	12.1	2.4	7.2	
4.0	4.8	12.9	2.2	7.2	
4.5	4.1	13.4	1.8	7.1	
5.0	3.9	13.7	1.1	6.8	

PRE-HF/R

PRE-HF/R - 0.5 LUX

Hoogte (m)					
2.5	5.2	11.8	3.6	9.0	
3.0	5.8	13.3	3.8	9.7	
3.5	6.4	14.6	4.0	10.2	
4.0	6.9	15.9	4.0	10.6	
4.5	7.2	17.1	4.0	11.0	
5.0	7.5	18.1	4.0	11.2	
5.5	7.7	19.2	3.9	11.4	

PRE-HF/R - 1 LUX

Hoogte (m)					
2.5	4.5	10.4	2.8	7.2	
3.0	5.0	11.7	2.9	7.6	
3.5	5.3	12.7	2.8	7.9	
4.0	5.4	13.7	2.7	8.1	
4.5	5.4	14.5	2.5	8.1	
5.0	4.7	15.0	2.1	8.0	
5.5	4.4	15.4	1.4	7.8	

PRE R/LED

PRE R/LED - 0.5 LUX

Hoogte (m)					
2.5	6.4	13.9	2.8	6.6	
3.0	7.3	16.0	3.1	7.3	
3.5	8.0	17.9	3.2	7.9	
4.0	8.6	19.8	3.2	8.4	
4.5	8.3	21.7	2.9	8.8	
5.0	7.7	22.9	2.5	9.1	
5.5	7.5	24.0	2.3	9.2	

PRE R/LED - 1 LUX

Hoogte (m)					
2.5	5.7	12.8	2.3	5.6	
3.0	6.0	14.7	2.2	6.1	
3.5	5.5	16.1	1.8	6.4	
4.0	5.2	17.2	1.5	6.4	
4.5	3.8	16.6	1.3	5.8	
5.0	3.4	15.4	1.1	5.0	
5.5	3.0	15.0	0.9	4.5	

Spacingtabellen

8860-EX-(A/B)

8860-EX-(A/B) - 0.5 LUX



Hoogte (m)	4.6	11.8	3.6	9.7
2.5	4.6	11.8	3.6	9.7
3.0	4.9	12.5	3.9	9.4
3.5	5.0	13.1	4.0	10.1
4.0	5.1	13.6	4.2	10.7
4.5	5.1	13.9	4.2	11.1
5.0	5.1	14.2	4.2	11.5
5.5	5.0	14.4	4.2	11.8

8860-EX- A/B) - 1 LUX



Hoogte (m)	3.5	9.3	2.9	7.2
2.5	3.5	9.3	2.9	7.2
3.0	3.6	9.7	3.0	7.7
3.5	3.6	10.0	3.0	8.1
4.0	3.5	10.2	2.9	8.3
4.5	3.3	10.3	2.8	8.5
5.0	3.0	10.2	2.5	8.5
5.5	2.5	10.0	2.0	8.3

8860-EX-24 - 0.5 LUX



Hoogte (m)	4.9	12.3	3.7	9.0
2.5	4.9	12.3	3.7	9.0
3.0	5.2	13.2	4.1	9.8
3.5	5.3	13.8	4.2	10.5
4.0	5.4	14.3	4.4	11.2
4.5	5.5	14.7	4.5	11.7
5.0	5.5	15.0	4.6	12.1
5.5	5.4	15.3	4.5	12.4

8860-EX-24 - 1 LUX



Hoogte (m)	3.8	9.8	3.0	7.5
2.5	3.8	9.8	3.0	7.5
3.0	3.9	10.3	3.2	8.1
3.5	3.9	10.6	3.2	8.5
4.0	3.8	10.9	3.2	8.9
4.5	3.7	11.0	3.1	9.0
5.0	3.4	11.0	2.9	9.2
5.5	3.1	10.9	2.6	9.1


8860-EX-HF

8860-EX-HF - 0.5 LUX



Hoogte (m)	4.7	12.0	3.6	8.8
2.5	4.7	12.0	3.6	8.8
3.0	5.0	12.8	3.9	9.6
3.5	5.1	13.3	4.1	10.3
4.0	5.2	13.9	4.3	10.9
4.5	5.3	14.2	4.3	11.3
5.0	5.2	14.5	4.4	11.7
5.5	5.2	14.7	4.3	12.0

8860-EX-HF - 1 LUX



Hoogte (m)	3.6	9.5	2.9	7.3
2.5	3.6	9.5	2.9	7.3
3.0	3.7	9.9	3.0	7.9
3.5	3.7	10.2	3.1	8.2
4.0	3.6	10.4	3.0	8.5
4.5	3.4	10.5	3.9	8.7
5.0	3.2	10.5	2.6	8.8
5.5	2.7	10.3	2.2	8.8

DVA-TL 360A

DVA 360A/3 - 0.5 LUX

Hoogte (m)				
2.5	3.1	9.1	2.8	6.9
3.0	3.2	8.8	2.9	7.3
3.5	3.3	8.7	3.0	7.8
4.0	3.2	8.8	2.9	8.1
4.5	3.0	9.0	2.8	8.4
5.0	2.7	9.2	2.5	8.5
5.5	2.2	9.1	2.1	8.4

DVA 360A/3 - 1 LUX

Hoogte (m)				
2.5	2.3	6.2	2.1	5.5
3.0	2.2	6.3	2.0	5.8
3.5	1.9	6.5	1.8	6.0
4.0	1.4	6.4	1.4	5.9
4.5	0.8	6.0	0.8	5.5

DVA-TL 360B

DVA 360B/3 - 0.5 LUX

Hoogte (m)				
2.5	3.6	10.6	2.7	6.6
3.0	3.4	10.9	2.9	7.2
3.5	3.5	10.4	2.9	7.7
4.0	3.5	9.8	2.8	7.9
4.5	3.5	9.6	2.5	8.2
5.0	3.2	9.8	2.1	8.2
5.5	2.4	10.0	1.6	8.0

DVA 360B/3 - 1 LUX

Hoogte (m)				
2.5	2.5	7.3	2.0	5.4
3.0	2.5	6.8	1.9	5.7
3.0	2.5	6.8	1.9	5.7
3.5	2.3	6.9	1.5	5.8
4.0	1.4	7.1	1.0	5.5

Spacingtabellen

NRO 11/HF(/W)

NRO 11/HF - 0.5 LUX

Hoogte (m)				
2.5	6.8	16.3	4.9	11.8
3.0	7.2	17.7	5.3	13.0
3.5	7.7	19.1	5.6	13.8
4.0	8.0	20.0	6.9	14.6
4.5	8.3	20.9	6.1	15.4
5.0	8.5	21.8	6.3	16.0
5.5	8.7	22.4	6.4	16.6

NRO 11/HF - 1 LUX

Hoogte (m)				
2.5	5.4	13.5	4.0	9.8
3.0	5.7	14.4	4.3	10.6
3.5	6.0	15.3	4.4	11.3
4.0	6.2	16.0	4.6	11.9
4.5	6.4	16.5	4.7	12.3
5.0	6.5	17.1	4.7	12.6
5.5	6.7	17.5	4.6	12.9

NRO 11/HF - 5 LUX

Hoogte (m)				
2.5	3.0	7.9	2.1	5.8
3.0	3.0	8.2	1.9	5.9
3.5	2.8	8.4	1.7	5.9
4.0	2.4	8.5	1.1	5.7

NRO 11/24(/W)

NRO 11/24 - 0.5 LUX

Hoogte (m)				
2.5	6.3	15.3	4.6	11.2
3.0	6.7	16.7	5.0	12.2
3.5	7.1	17.7	5.3	13.0
4.0	7.4	18.6	5.5	13.8
4.5	7.7	19.5	5.6	14.3
5.0	7.9	20.1	5.8	14.9
5.5	8.1	20.7	5.9	15.4

NRO 11/24 - 1 LUX

Hoogte (m)				
2.5	5.0	12.6	3.7	9.2
3.0	5.3	13.5	3.9	9.9
3.5	5.5	14.2	4.1	10.5
4.0	5.7	14.8	4.2	11.0
4.5	5.9	15.3	4.2	11.3
5.0	6.0	15.7	4.1	11.5
5.5	6.0	16.1	4.0	11.7

NRO 11/24 - 5 LUX

Hoogte (m)				
2.5	2.7	7.2	1.8	5.3
3.0	2.6	7.5	1.6	5.3
3.5	2.2	7.6	1.1	5.1

Spacingtabellen

NRO 11(A/B)/1(/W)

NRO 11/1- 0.5 LUX

Hoogte (m)				
2.5	7.1	17.0	5.2	12.3
3.0	7.6	18.5	5.6	13.5
3.5	8.0	19.9	5.9	14.5
4.0	8.5	21.1	6.2	15.3
4.5	8.7	21.9	6.5	16.1
5.0	9.0	22.8	6.7	16.8
5.5	9.3	23.7	6.9	17.4

NRO 11/1- 1 LUX

Hoogte (m)				
2.5	5.7	14.1	4.2	10.3
3.0	6.1	15.2	4.5	11.1
3.5	6.4	16.1	4.7	11.9
4.0	6.6	16.9	4.9	12.5
4.5	6.8	17.5	5.0	13.0
5.0	7.0	18.1	5.1	13.4
5.5	7.1	18.6	5.1	13.7

NRO 11/1- 1 LUX


Hoogte (m)				
6.0	7.2	19.0	5.0	14.0
6.5	7.2	19.4	4.9	14.1
7.0	7.3	19.7	4.8	14.3
7.5	7.2	20.0	4.6	14.3
8.0	7.0	20.2	4.3	14.3
8.5	6.8	20.4	4.0	14.2
9.0	6.5	20.5	4.5	14.0

NRO 11/1- 5 LUX


Hoogte (m)				
2.5	3.2	8.3	2.3	6.2
3.0	3.2	8.7	2.2	6.4
3.5	2.2	9.0	2.0	6.4
4.0	2.9	9.2	1.6	6.3
4.5	2.3	9.2	0.8	6.0

NRO 11(A/B)/3(/W)

NRO 11/3 - 0.5 LUX


Hoogte (m)					
2.5	4.9	12.3	3.7	9.0	
3.0	5.2	13.2	3.8	9.7	
3.5	5.4	13.9	4.0	10.3	
4.0	5.6	14.4	4.0	10.7	
4.5	5.7	14.9	4.0	11.0	
5.0	5.8	15.3	4.0	11.2	
5.5	5.8	15.7	3.9	11.4	

NRO 11/3 - 1 LUX


Hoogte (m)					
2.5	3.8	9.8	2.8	7.3	
3.0	4.0	10.4	2.9	7.7	
3.5	4.1	10.8	2.8	7.9	
4.0	4.1	11.2	2.7	8.1	
4.5	4.0	11.4	2.4	8.1	
5.0	3.7	11.5	2.1	7.9	
5.5	3.2	11.6	1.4	7.7	

NB-1/WD

NB-1/WD - 0.5 LUX

Hoogte (m)					
2.5	4.3	13.0	3.6	8.9	
3.0	4.4	13.1	3.8	9.6	
3.5	4.5	12.1	3.9	10.2	
4.0	4.5	12.4	3.9	10.6	
4.5	4.5	12.6	3.9	10.9	
5.0	4.5	12.8	3.9	11.1	
5.5	4.4	12.8	3.9	11.1	

NB-1/WD - 1 LUX

Hoogte (m)					
2.5	3.2	8.6	2.8	7.2	
3.0	3.2	8.8	2.8	7.6	
3.5	3.2	9.0	2.8	7.9	
4.0	3.1	9.1	2.7	7.9	
4.5	2.9	9.1	2.6	7.8	
5.0	2.6	9.0	2.3	7.8	
5.5	2.1	8.8	1.9	7.8	

Spacingtabellen

NBN-1/WD

NBN-1/WD - 0.5 LUX

Hoogte (m)				
2.5	4.1	10.0	3.6	9.0
3.0	4.4	10.8	3.8	9.6
3.5	4.5	11.5	4.0	10.2
4.0	4.5	12.1	4.0	10.7
4.5	4.5	12.6	4.0	11.0
5.0	4.5	12.8	4.0	11.3
5.5	4.4	12.8	4.0	11.4

NBN-1/WD - 1 LUX

Hoogte (m)				
2.5	3.2	8.2	2.8	7.2
3.0	3.2	8.7	2.8	7.7
3.5	3.2	9.1	2.8	8.0
4.0	3.1	9.1	2.8	8.0
4.5	2.9	9.1	2.7	8.0
5.0	2.7	9.0	2.4	8.0
5.5	2.2	8.8	2.0	7.9

IND 08/24

IND 08/24 - 0.5 LUX

Hoogte (m)				
2.5	4.6	12.0	3.3	8.2
3.0	4.8	12.6	3.5	8.9
3.5	4.8	13.0	3.7	9.4
4.0	4.8	13.4	3.7	9.8
4.5	4.7	13.5	3.7	10.1
5.0	4.5	13.6	3.7	10.4
5.5	4.3	13.6	3.5	10.5

IND 08/24 - 1 LUX

Hoogte (m)				
2.5	3.4	9.2	2.6	6.7
3.0	3.4	9.5	2.6	7.1
3.5	3.2	9.6	2.6	7.3
4.0	3.0	9.6	2.4	7.4
4.5	2.6	9.4	2.2	7.5
5.0	2.1	9.1	1.7	7.3
5.5	1.1	8.7	1.0	7.0

IND 08/HF

IND 08/HF - 0.5 LUX

Hoogte (m)				
2.5	4.5	11.7	3.2	8.0
3.0	4.6	12.2	3.4	8.7
3.5	4.6	12.6	3.5	9.1
4.0	4.6	12.9	3.6	9.6
4.5	4.4	13.0	3.5	9.8
5.0	4.3	13.0	3.5	10.0
5.5	4.0	13.0	3.3	10.1

IND 08/HF - 1 LUX

Hoogte (m)				
2.5	3.3	8.9	2.5	6.5
3.0	3.2	9.2	2.5	6.8
3.5	3.0	9.2	2.5	7.1
4.0	2.8	9.1	2.3	7.1
4.5	2.3	8.9	1.9	7.1
5.0	1.7	8.6	1.4	6.9

IND 08(A/B)1

IND 08/1- 0.5 LUX

Hoogte (m)				
2.5	4.1	10.9	3.1	7.6
3.0	4.2	11.4	3.2	8.2
3.5	4.2	11.7	3.3	8.6
4.0	4.1	11.9	3.3	8.9
4.5	3.9	11.9	3.2	9.1
5.0	3.7	11.9	3.0	9.2
5.5	3.3	11.7	2.7	9.3

IND 08/1 - 1 LUX

Hoogte (m)				
2.5	3.0	8.3	2.3	6.1
3.0	2.8	8.4	2.3	6.4
3.5	2.6	8.4	2.1	6.5
4.0	2.3	8.2	1.9	6.5
4.5	1.7	7.9	1.4	6.4

Spacingtabellen

IND 18/24

IND 18/24 - 0.5 LUX

Hoogte (m)	5.3	13.8	4.7	9.0
2.5	5.3	13.8	4.7	9.0
3.0	5.6	14.4	4.0	9.8
3.5	5.7	15.0	4.2	10.5
4.0	5.8	15.5	4.3	11.0
4.5	5.8	15.9	4.4	11.5
5.0	5.8	16.1	4.4	11.9
5.5	5.7	16.3	4.4	12.1

IND 18/24 - 1 LUX

Hoogte (m)	4.0	10.7	3.0	7.4
2.5	4.0	10.7	3.0	7.4
3.0	4.1	11.1	3.1	8.0
3.5	4.1	11.4	3.1	8.4
4.0	4.0	11.6	3.1	8.6
4.5	3.8	11.6	3.0	8.8
5.0	3.6	11.6	2.8	8.8
5.5	3.1	11.5	2.5	8.7

IND 18/24 - 5 LUX

Hoogte (m)	1.4	5.1	1.1	3.9
2.5	1.4	5.1	1.1	3.9
3.0	0.1	4.7	0.1	3.6

IND 18/HF

IND 18/HF - 0.5 LUX

Hoogte (m)				
2.5	10.5	26.0	6.3	14.7
3.0	11.5	27.8	7.0	16.5
3.5	12.1	29.7	7.6	17.8
4.0	12.7	31.5	8.2	19.1
4.5	13.2	33.2	8.6	20.4
5.0	13.8	34.4	9.0	21.8
5.5	14.1	35.5	9.5	22.8

IND 18/HF - 1 LUX

Hoogte (m)				
2.5	8.6	21.1	5.4	12.7
3.0	9.2	22.9	5.9	14.0
3.5	9.7	24.2	6.4	15.3
4.0	10.1	25.4	6.8	16.3
4.5	10.4	26.5	7.1	17.2
5.0	10.7	27.6	7.4	18.1
5.5	10.9	28.3	7.7	18.9

IND 18/HF - 5 LUX

Hoogte (m)				
2.5	4.9	12.7	3.5	8.5
3.0	5.1	13.3	3.7	9.2
3.5	5.2	13.8	3.8	9.8
4.0	5.2	14.2	3.9	10.2
4.5	5.2	14.5	3.9	10.6
5.0	5.1	14.6	3.9	10.9
5.5	5.9	14.7	3.8	11.1

IND 18/HF - 15 LUX

Hoogte (m)				
2.5	3.0	8.3	2.3	6.1
3.0	2.9	8.5	2.2	6.3
3.5	2.7	8.5	2.1	6.4
4.0	2.3	8.4	1.8	6.4
4.5	1.7	8.1	1.3	6.2

Spacingtabellen

IND 18/(A/B)/1

IND 18/1 - 0.5 LUX

Hoogte (m)				
2.5	5.4	14.0	3.8	9.1
3.0	5.6	14.7	4.0	9.9
3.5	5.8	15.3	4.2	10.6
4.0	5.9	15.7	4.4	11.2
4.5	5.9	16.2	4.5	11.6
5.0	5.9	16.4	4.5	12.0
5.5	5.9	16.6	4.5	12.3

IND 18/1 - 1 LUX

Hoogte (m)				
2.5	4.1	10.8	3.0	7.5
3.0	4.2	11.3	3.1	8.1
3.5	4.2	11.5	3.2	8.5
4.0	4.1	11.8	3.1	8.7
4.5	4.0	11.8	3.0	9.0
5.0	3.7	11.9	2.9	9.0
5.5	3.3	11.7	2.6	8.9

IND 36/HF

IND 36/HF - 0.5 LUX

Hoogte (m)				
2.5	13.5	31.5	7.7	18.1
3.0	14.4	35.6	8.6	19.9
3.5	15.3	38.1	9.4	21.7
4.0	16.2	39.9	10.1	23.5
4.5	17.1	41.7	10.7	25.3
5.0	17.8	43.6	11.4	26.8
5.5	18.4	45.4	12.0	28.1

IND 36/HF - 1 LUX

Hoogte (m)				
2.5	10.9	27.0	6.7	15.4
3.0	11.8	28.9	7.4	17.2
3.5	12.6	30.7	8.0	18.9
4.0	13.1	32.5	8.7	20.2
4.5	13.7	34.3	9.1	21.5
5.0	14.2	35.7	9.6	22.8
5.5	14.7	36.8	10.0	24.1

IND 36/HF - 5 LUX

Hoogte (m)				
2.5	6.6	16.5	4.5	10.9
3.0	6.9	17.6	4.9	11.8
3.5	7.2	18.6	5.2	12.7
4.0	7.4	19.2	5.5	13.5
4.5	7.5	19.8	5.7	14.2
5.0	7.7	20.3	5.8	14.8
5.5	7.8	20.7	5.9	15.4

IND 36/HF - 15 LUX

Hoogte (m)				
2.5	4.3	11.3	3.2	8.1
3.0	4.4	11.8	3.4	8.7
3.5	4.5	12.2	3.5	9.2
4.0	4.5	12.5	3.5	9.5
4.5	4.4	12.7	3.4	9.7
5.0	4.2	12.7	3.3	9.9
5.5	3.9	12.7	3.1	9.9

Spacingtabellen

IND 36/(A/B)1

IND 36/1 - 0.5 LUX

Hoogte (m)				
2.5	6.7	16.8	4.6	11.0
3.0	7.0	17.9	5.0	12.0
3.5	7.3	18.9	5.3	12.9
4.0	7.5	19.6	5.6	13.7
4.5	7.7	20.2	5.8	14.4
5.0	7.8	20.7	6.0	15.1
5.5	7.9	21.1	6.1	15.7

IND 36/1 - 1 LUX

Hoogte (m)				
2.5	5.2	13.4	3.8	9.2
3.0	5.4	14.0	4.0	9.9
3.5	5.5	14.6	4.2	10.6
4.0	5.6	15.0	4.3	11.2
4.5	5.6	15.4	4.4	11.6
5.0	5.6	15.6	4.4	11.9
5.5	5.5	15.9	4.3	12.1

IND 36/1 - 5 LUX

Hoogte (m)				
2.5	2.5	7.1	1.9	5.4
3.0	2.2	7.1	1.8	5.5
3.5	1.8	7.0	1.4	5.5
4.0	0.8	6.6	0.7	5.2

TNAT 1x8W

TNAT 1x8W - 0.5 LUX

Hoogte (m)				
2.5	4.3	13.0	3.6	8.9
3.0	4.4	13.1	3.8	9.6
3.5	4.5	12.1	3.9	10.2
4.0	4.5	12.4	3.9	10.6
4.5	4.5	12.6	3.9	10.9
5.0	4.5	12.8	3.9	11.1
5.5	4.4	12.8	3.9	11.1

TNAT 1x8W - 1 LUX

Hoogte (m)				
2.5	3.2	8.6	2.8	7.2
3.0	3.2	8.8	2.8	7.6
3.5	3.2	9.0	2.8	7.9
4.0	3.1	9.1	2.7	7.9
4.5	2.9	9.1	2.6	7.8
5.0	2.6	9.0	2.3	7.8
5.5	2.1	8.8	1.9	7.8

TNAT 2x8W

TNAT 2x8W - 0.5 LUX

Hoogte (m)				
2.5	4.1	10.0	3.6	9.0
3.0	4.4	10.8	3.8	9.6
3.5	4.5	11.5	4.0	10.2
4.0	4.5	12.1	4.0	10.7
4.5	4.5	12.6	4.0	11.0
5.0	4.5	12.8	4.0	11.3
5.5	4.4	12.8	4.0	11.4

TNAT 2x8W - 1 LUX

Hoogte (m)				
2.5	3.2	8.2	2.8	7.2
3.0	3.2	8.7	2.8	7.7
3.5	3.2	9.1	2.8	8.0
4.0	3.1	9.1	2.8	8.0
4.5	2.9	9.1	2.7	8.0
5.0	2.7	9.0	2.4	8.0
5.5	2.2	8.8	2.0	7.9

Spacingtabellen

TNT/24

TNT/24 - 0.5 LUX

Hoogte (m)				
2.5	4.8	13.8	3.8	9.2
3.0	4.7	14.1	4.0	10.0
3.5	4.8	13.6	4.2	10.6
4.0	4.9	13.2	4.2	11.2
4.5	4.9	13.4	4.2	11.5
5.0	4.9	13.7	4.2	11.8
5.5	4.8	13.7	4.2	12.0

TNT/24 - 1 LUX

Hoogte (m)				
2.5	3.4	9.5	2.9	7.5
3.0	3.5	9.4	3.0	8.1
3.5	3.4	9.6	3.0	8.3
4.0	3.4	9.7	3.0	8.5
4.5	3.3	9.8	2.9	8.4
5.0	3.1	9.7	2.7	8.4
5.5	2.7	9.6	2.4	8.4

TNT/HF

TNT/HF - 0.5 LUX

Hoogte (m)				
2.5	4.5	13.3	3.7	9.0
3.0	4.5	13.6	3.9	9.7
3.5	4.6	12.7	4.0	10.3
4.0	4.7	12.7	4.0	10.9
4.5	4.7	12.9	4.0	11.1
5.0	4.6	13.1	4.0	11.4
5.5	4.6	13.2	4.0	11.4

TNT/HF - 1 LUX

Hoogte (m)				
2.5	3.3	8.9	2.8	7.3
3.0	3.3	9.1	2.9	7.8
3.5	3.3	9.3	2.8	8.0
4.0	3.2	9.3	2.8	8.1
4.5	3.1	9.3	2.7	8.1
5.0	2.8	9.3	2.5	8.1
5.5	2.4	9.1	2.1	8.1

XION

—
XN-EX-1/ZT - 1 LUX

Hoogte (m)				
2.0	3.9	9.5	3.8	8.9
2.5	4.3	10.6	4.2	10.0
3.0	4.6	11.4	4.5	11.0
3.5	4.9	12.2	4.8	11.8
4.0	5.1	12.8	5.0	12.5
4.5	5.2	13.4	5.1	13.1
5.0	5.3	13.8	5.2	13.6

—
XN-EX-1/ZT - 1 LUX

Hoogte (m)				
5.5	5.3	14.2	5.3	14.0
6.0	5.3	14.5	5.3	14.4
6.5	5.2	14.7	5.2	14.6
7.0	5.1	14.9	5.1	14.8
7.5	4.9	15.0	4.9	14.9
8.0	4.6	15.0	4.7	15.0
8.5	4.3	14.9	4.4	14.9

—
XN-EX-1/ZT - 5 LUX

Hoogte (m)				
1.5	2.2	5.4	2.1	5.2
2.0	2.3	6.0	2.3	5.8
2.5	2.4	6.4	2.4	6.3
3.0	2.3	6.6	2.3	6.6
3.5	2.1	6.7	2.1	6.7
4.0	1.8	6.6	1.8	6.6
4.5	1.1	6.4	1.1	6.4

—
XN-EX-1/ZT - 10 LUX

Hoogte (m)				
1.0	1.5	3.7	1.5	3.6
1.5	1.7	4.3	1.6	4.2
2.0	1.7	4.6	1.7	4.6
2.5	1.5	4.7	1.5	4.7
3.0	1.1	4.6	1.1	4.6

Spacingtabellen

EVA-.-.L.

EVA-.L. - 1 LUX

Hoogte (m)				
2.0	8.0	21.2	2.2	5.6
2.5	7.7	22.9	2.2	6.1
3.0	7.8	23.2	1.5	6.4
3.5	4.8	21.9	1.2	6.0
4.0	4.4	21.5	1.2	5.0
4.5	3.6	18.8	1.1	4.1
5.0	2.8	13.7	1.0	3.6

EVA-.L.-X - 1 LUX

Hoogte (m)				
5.0	8.3	19.9	1.9	4.9
5.5	8.4	21.1	1.9	5.1
6.0	8.5	22.0	1.9	5.3
6.5	8.6	22.8	1.9	5.4
7.0	8.6	23.5	1.9	5.5
7.5	8.6	24.1	1.9	5.6
8.0	8.5	24.5	1.7	5.6

EVA-.L.-X² - 1 LUX

Hoogte (m)				
9.0	8.1	18.8	2.4	6.7
9.5	8.5	19.5	2.4	6.8
10.0	8.7	20.2	2.5	6.9
10.5	8.8	20.8	2.4	6.9
11.0	8.9	21.5	2.1	7.0
11.5	9.0	22.1	1.8	7.0
12.0	9.0	22.7	1.5	7.1

EVA--.W

EVA--.W. - 1 LUX

Hoogte (m)				
2.0	3.8	8.1	3.8	8.1
2.5	4.6	9.8	4.6	9.8
3.0	5.3	11.4	5.3	11.4
3.5	5.8	13.0	5.8	13.0
4.0	5.8	14.4	5.8	14.4
4.5	3.3	13.4	3.3	13.4
5.0	2.9	13.1	2.9	13.1

EVA--.W.-X - 1 LUX

Hoogte (m)				
4.5	4.7	10.7	4.7	10.7
5.0	4.9	11.5	4.9	11.5
5.5	4.8	12.2	4.8	12.2
6.0	3.5	12.0	3.5	12.0
6.5	3.0	11.9	3.0	11.9
7.0	2.6	12.0	2.6	12.0
7.5	2.2	11.9	2.2	11.9

EVA--.W.-X² - 1 LUX

Hoogte (m)				
6.0	3.7	8.7	3.7	8.7
6.5	3.9	9.1	3.9	9.1
7.0	4.0	9.5	4.0	9.5
7.5	4.1	9.9	4.1	9.9
8.0	4.2	10.2	4.2	10.2
8.5	4.3	10.5	4.3	10.5
9.0	4.4	10.8	4.4	10.8
9.5	4.5	11.1	4.5	11.1
10.0	4.6	11.3	4.6	11.3
10.5	4.6	11.6	4.6	11.6
11.0	4.6	11.8	4.6	11.8

Spacingtabellen

EVA-.SO

EVA-.SO - 1 LUX – 2m breed

Hoogte (m)		
1.5	2.8	6.7
2.0	3.1	7.5
2.5	3.2	8.4
3.0	1.9	8.6
3.5	1.5	8.0
4.0	1.2	4.4
4.5	1.0	3.6
5.0	0.5	3.3

EVA-.SO - 1 LUX – 3m breed

Hoogte (m)		
1.5	3.1	7.1
2.0	3.4	7.5
2.5	3.6	8.4
3.0	3.6	8.9
3.5	3.6	9.2
4.0	3.0	9.2
4.5	1.6	8.5
5.0	1.4	5.8

EVA-.SO - 1 LUX – 4m breed

Hoogte (m)		
1.5	3.5	7.7
2.0	3.7	8.5
2.5	4.0	9.0
3.0	4.1	9.5
3.5	4.1	9.8
4.0	4.1	10.0
4.5	3.7	10.2
5.0	1.3	9.9

KOMPAS

—
EKN - 1 LUX

Hoogte (m)					
2.5	3.3	8.7	2.5	6.6	
3.0	3.3	9.0	2.6	7.0	
3.5	3.2	9.2	2.5	7.2	
4.0	2.9	9.4	2.4	7.3	
4.5	2.5	9.2	2.1	7.3	
5.0	2.4	9.0	1.7	7.1	
5.5	1.2	8.5	1.0	6.9	

—
EK-HF - 1 LUX

Hoogte (m)					
2.5	3.5	9.3	2.7	7.0	
3.0	3.6	9.7	2.8	7.4	
3.5	3.6	10.0	2.8	7.7	
4.0	3.4	10.2	2.7	7.9	
4.5	3.1	10.2	2.6	8.0	
5.0	2.7	10.1	1.3	7.9	
5.5	2.2	9.8	1.9	7.8	

—
EK-24 - 1 LUX

Hoogte (m)					
2.5	3.7	9.6	2.8	7.2	
3.0	3.8	10.1	2.9	7.7	
3.5	3.7	10.4	3.0	8.0	
4.0	3.6	10.6	2.9	8.2	
4.5	3.4	10.7	2.8	8.3	
5.0	3.0	10.6	2.5	8.4	
5.5	2.6	10.4	2.2	8.2	

Spacingtabellen

NP

NP 8(N/H) - 1 LUX

Hoogte (m)				
2.5	3.1	7.6	2.9	7.2
3.0	3.2	8.3	3.0	7.7
3.5	3.1	8.7	2.9	8.1
4.0	3.0	8.9	2.8	8.3
4.5	2.7	9.0	2.5	8.3
5.0	2.4	8.9	2.2	8.2
5.5	2.2	8.6	2.0	7.9

NP 230 - 1 LUX

Hoogte (m)				
2.5	3.1	7.7	2.9	7.3
3.0	3.2	8.5	3.0	7.8
3.5	3.2	8.8	3.0	8.3
4.0	3.1	9.1	2.9	8.5
4.5	2.9	9.2	2.6	8.6
5.0	2.5	9.1	2.4	8.5
5.5	2.3	9.0	2.2	8.3

NP 24 - 1 LUX

Hoogte (m)				
2.5	3.2	7.9	3.0	7.4
3.0	3.4	8.7	3.1	8.0
3.5	3.4	9.1	3.2	8.5
4.0	3.3	9.5	3.1	8.8
4.5	3.2	9.6	2.9	9.0
5.0	2.8	9.6	2.6	8.9
5.5	2.5	9.5	2.4	8.8

NPW

NPW-8N - 1 LUX

Hoogte (m)				
2.5	3.2	8.2	2.8	7.2
3.0	3.2	8.7	2.8	7.7
3.5	3.2	9.1	2.8	8.0
4.0	3.1	9.1	2.8	8.0
4.5	2.9	9.1	2.7	8.0
5.0	2.7	9.0	2.4	8.0
5.5	2.2	8.8	2.0	7.9

NPW-8H - 1 LUX

Hoogte (m)				
2.5	3.2	8.6	2.8	7.2
3.0	3.2	8.8	2.8	7.6
3.5	3.2	9.0	2.8	7.9
4.0	3.1	9.1	2.7	7.9
4.5	2.9	9.1	2.6	7.8
5.0	2.6	9.0	2.3	7.8
5.5	2.1	8.8	1.9	7.8

NPW-HF - 1 LUX

Hoogte (m)				
2.5	3.3	8.9	2.8	7.3
3.0	3.3	9.1	2.9	7.8
3.5	3.3	9.3	2.8	8.0
4.0	3.2	9.3	2.8	8.1
4.5	3.1	9.3	2.7	8.1
5.0	2.8	9.3	2.5	8.1
5.5	2.4	9.1	2.1	8.1

NPW-24 - 1 LUX

Hoogte (m)				
2.5	3.4	9.5	2.9	7.5
3.0	3.5	9.4	3.0	8.1
3.5	3.4	9.6	3.0	8.3
4.0	3.4	9.7	3.0	8.5
4.5	3.3	9.8	2.9	8.4
5.0	3.1	9.7	2.7	8.4
5.5	2.7	9.6	2.4	8.4

Spacingtabellen

KLI

KLI - 1 LUX

Hoogte (m)				
2.5	2.9	7.7	2.8	7.0
3.0	3.1	8.0	3.0	7.5
3.5	3.1	8.3	3.0	7.9
4.0	3.1	8.6	3.0	8.2
4.5	3.0	8.8	2.8	8.4
5.0	2.7	8.9	2.6	8.5
5.5	2.2	8.8	2.2	8.4

KLI 230 - 1 LUX

Hoogte (m)				
2.5	3.0	7.9	2.9	7.2
3.0	3.1	8.2	3.0	7.6
3.5	3.2	8.5	3.1	8.0
4.0	3.2	8.8	3.1	8.4
4.5	3.1	9.1	2.9	8.6
5.0	2.9	9.1	2.7	8.7
5.5	2.5	9.1	2.4	8.7

KLI 24 - 1 LUX

Hoogte (m)				
2.5	3.1	8.2	2.9	7.3
3.0	3.2	8.5	3.1	7.8
3.5	3.4	8.7	3.2	8.3
4.0	3.4	9.0	3.2	8.6
4.5	3.3	9.3	3.1	9.0
5.0	3.1	9.5	2.9	9.1
5.5	2.8	9.5	2.7	9.2

HILED

HIL-.LO - 1 LUX

Hoogte (m)				
2.0	4.0	8.6	2.0	5.7
2.5	5.0	10.8	2.4	7.1
3.0	6.0	12.9	2.9	8.5
3.5	6.9	14.9	3.2	9.4
4.0	7.6	16.6	3.1	9.2
4.5	8.4	18.1	3.1	9.1
5.0	9.2	19.6	3.1	8.9

HIL-.LO - 1 LUX

Hoogte (m)				
5.5	9.9	21.0	3.2	8.7
6.0	10.6	22.7	3.3	8.5
6.5	11.3	24.2	3.4	8.4
7.0	12.0	25.8	3.6	8.7
7.5	12.8	27.2	3.7	8.8
8.0	13.5	28.7	3.9	9.1
8.5	14.2	30.1	4.0	9.3

HIL-.LO - 1 LUX

Hoogte (m)				
9.0	14.9	31.4	4.2	9.6
9.5	15.6	32.8	4.3	9.9
10.0	16.3	34.3	4.4	10.2
10.5	16.9	35.8	4.6	10.5
11.0	17.5	37.3	4.7	10.8
12.0	18.8	40.2	4.8	11.4
13.0	19.9	43.0	4.9	11.9

HIL-.LO - 1 LUX

Hoogte (m)				
14.0	21.0	45.6	5.0	12.5
15.0	22.1	48.2	4.0	12.9
16.0	23.1	50.7	4.8	13.3
17.0	23.9	53.2	4.6	13.7
18.0	24.4	55.5	4.1	13.9
19.0	24.9	57.8	3.4	14.1
20.0	24.3	59.9	2.1	14.0

Spacingtabellen

HILED

HIL-WO - 1 LUX

Hoogte (m)				
2.0	4.0	8.5	4.0	8.5
2.5	4.3	10.1	4.3	10.1
3.0	5.0	11.6	5.0	11.6
3.5	5.6	13.0	5.6	13.0
4.0	6.2	14.2	6.2	14.2
4.5	6.7	15.5	6.7	15.5
5.0	7.0	16.7	7.0	16.7

HIL-WO - 1 LUX

Hoogte (m)				
5.5	7.2	17.8	7.2	17.8
6.0	7.5	18.7	7.5	18.7
6.5	7.7	19.6	7.7	19.6
7.0	7.8	20.4	7.8	20.4
7.5	8.1	21.1	8.1	21.1
8.0	8.2	21.7	8.2	21.7
8.5	8.2	22.4	8.2	22.4

HIL-WO - 1 LUX

Hoogte (m)				
9.0	8.4	22.9	8.4	22.9
9.5	8.6	23.5	8.6	23.5
10.0	8.7	24.1	8.7	24.1
10.5	8.7	24.6	8.7	24.6
11.0	8.7	25.0	8.7	25.0
11.5	8.7	25.5	8.7	25.5
12.0	8.7	25.9	8.7	25.9

HIL-WO - 1 LUX

Hoogte (m)				
12.5	8.6	26.3	8.6	26.3
13.0	8.4	26.6	8.4	26.6
13.5	8.0	26.9	8.0	26.9
14.0	7.3	27.1	7.3	27.1
14.5	3.8	27.4	3.8	27.4
15.0	0.1	28.1	0.1	28.1
15.5	0.3	28.6	0.3	28.6

HILED

HIL-WO - 5 LUX

Hoogte (m)					
1.0	1.8	4.0	1.8	4.0	
1.5	2.5	5.5	2.5	5.5	
2.0	3.0	6.9	3.0	6.9	
2.5	3.4	8.0	3.4	8.0	
3.0	3.7	8.9	3.7	8.9	
3.5	3.9	9.6	3.9	9.6	
4.0	4.1	10.2	4.1	10.2	

HIL-WO - 5 LUX

Hoogte (m)					
4.5	4.2	10.7	4.2	10.7	
5.0	4.2	11.2	4.2	11.2	
5.5	4.1	11.6	4.1	11.6	
6.0	3.7	11.9	3.7	11.9	
6.5	1.5	12.1	1.5	12.1	

HIL-WO - 10 LUX

Hoogte (m)					
1.0	1.7	3.7	1.7	3.7	
1.5	2.2	5.1	2.2	5.1	
2.0	2.5	6.1	2.5	6.1	
2.5	2.8	6.8	2.8	6.8	
3.0	2.9	7.4	2.9	7.4	
3.5	3.0	7.9	3.0	7.9	
4.0	2.8	8.3	2.8	8.3	
4.5	1.8	8.5	1.8	8.5	

HIL-WO - 15 LUX

Hoogte (m)					
1.0	1.6	3.6	1.6	3.6	
1.5	2.0	4.7	2.0	4.7	
2.0	2.2	5.5	2.2	5.5	
2.5	2.4	6.1	2.4	6.1	
3.0	2.4	6.6	2.4	6.6	
3.5	2.0	6.9	2.0	6.9	

Spacingtabellen

HILED

HIL-.LO - 5 LUX

Hoogte (m)				
1.0	1.9	4.3	0.9	2.8
1.5	2.9	6.4	1.4	4.1
2.0	3.7	8.0	1.3	4.0
2.5	4.4	9.5	1.4	3.8
3.0	5.1	11.1	1.5	3.8
3.5	5.9	12.6	1.7	4.0
4.0	6.6	13.9	1.8	4.2

HIL-.LO - 5 LUX

Hoogte (m)				
4.5	7.3	15.4	1.9	4.5
5.0	7.9	16.9	2.0	4.9
5.5	8.5	18.3	2.1	5.1
6.0	9.1	19.7	2.2	5.4
6.5	9.6	21.0	2.2	5.6
7.0	10.1	22.3	2.1	5.9
7.5	10.6	23.5	2.0	6.0

HIL-.LO - 5 LUX

Hoogte (m)				
8.0	10.8	24.7	1.8	6.2
8.5	11.1	25.8	1.5	6.2
9.0	10.7	26.9	0.8	6.2

HILED

HIL-.LO - 10 LUX

Hoogte (m)				
1.0	1.9	4.3	0.9	2.8
1.5	2.7	5.9	0.9	2.8
2.0	3.4	7.4	1.0	2.7
2.5	4.2	8.9	1.2	2.8
3.0	4.9	10.3	1.3	3.1
3.0	5.5	11.8	1.4	3.4
4.0	6.1	13.2	1.5	3.7

HIL-.LO - 10 LUX

Hoogte (m)				
4.5	6.7	14.6	1.5	3.9
5.0	7.2	15.8	1.5	4.1
5.5	7.6	17.1	1.3	4.3
6.0	7.8	18.2	1.0	4.4
6.5	1.0	16.7	0.2	4.3

HIL-.LO - 15 LUX

Hoogte (m)				
1.0	1.9	4.1	0.7	2.3
1.5	2.6	5.6	0.8	2.2
2.0	3.3	7.2	0.9	2.2
2.5	4.0	8.6	1.1	2.5
3.0	4.7	10.0	1.2	2.8
3.0	5.3	11.4	1.2	3.1
4.0	5.8	12.7	1.2	3.3
4.5	6.2	13.9	1.1	3.5
5.0	6.4	15.1	0.7	3.6

Spacingtabellen

EVA-.LO-X

EVA-.LO-X - 5 LUX

Hoogte (m)				
1.0	2.2	4.9	0.7	2.2
1.5	3.0	6.7	0.7	2.0
2.0	3.5	8.3	0.8	2.1
2.5	3.8	9.5	0.8	2.2
3.0	3.9	10.3	0.8	2.4
3.5	3.8	10.9	0.8	2.5
4.0	3.7	11.0	0.7	2.5

EVA-.LO-X - 5 LUX

Hoogte (m)				
4.5	3.4	11.0	0.6	2.4
5.0	2.6	10.9	0.5	2.3

EVA-.LO-X - 10 LUX

Hoogte (m)				
1.0	2.0	4.5	0.5	1.4
1.5	2.5	6.1	0.6	1.5
2.0	2.7	7.1	0.6	1.6
2.5	2.7	7.7	0.5	1.7
3.0	2.5	7.8	0.4	1.7
3.5	1.9	7.7	0.3	1.6

EVA-.LO-X - 15 LUX

Hoogte (m)				
1.0	1.9	4.3	0.4	1.1
1.5	2.2	5.6	0.5	1.3
2.0	2.2	6.2	0.4	1.4
2.5	2.0	6.3	0.3	1.4
3.0	1.1	6.2	0.2	1.3

EVA-.LO-X2

EVA-.LO-X² - 5 LUX

Hoogte (m)				
1.0	1.2	2.8	0.9	2.9
1.5	1.8	3.8	0.9	2.7
2.0	2.2	4.9	0.9	2.7
2.5	2.7	5.8	1.0	2.7
3.0	3.0	6.7	1.0	2.7
3.5	3.4	7.6	1.1	2.8
4.0	3.7	8.3	1.1	2.9

EVA-.LO-X² - 5 LUX

Hoogte (m)				
4.5	3.9	9.0	1.1	3.0
5.0	4.0	9.7	0.9	3.1
5.5	0.5	10.3	0.1	3.1

EVA-.LO-X² - 10 LUX

Hoogte (m)				
1.0	1.1	2.5	0.6	1.9
1.5	1.6	3.6	0.6	1.9
2.0	2.0	4.5	0.7	1.8
2.5	2.4	5.4	0.7	2.0
3.0	2.6	6.1	0.7	2.1
3.5	2.8	6.8	0.6	2.2

EVA-.LO-X² - 15 LUX

Hoogte (m)				
1.0	1.0	2.4	0.5	1.6
1.5	1.6	3.4	0.5	1.5
2.0	1.9	4.3	0.6	1.6
2.5	2.2	5.1	0.6	1.7
3.0	2.3	5.7	0.4	1.8

Spacingtabellen

EVA-.WO-X

EVA-.WO-X - 5 LUX

Hoogte (m)					
1.0	1.2	2.7	1.2	2.7	
1.5	1.7	3.7	1.7	3.7	
2.0	2.0	4.7	2.0	4.7	
2.5	1.9	5.5	1.9	5.5	
3.0	1.2	5.3	1.2	5.3	
3.5	0.8	5.3	0.8	5.3	

EVA-.WO-X - 10 LUX

Hoogte (m)					
1.0	1.1	2.5	1.1	2.5	
1.5	1.5	3.5	1.5	3.5	
2.0	1.0	3.7	1.0	3.7	
2.5	0.5	3.7	0.5	3.7	

EVA-.WO-X - 15 LUX

Hoogte (m)					
1.0	1.1	2.4	1.1	2.4	
1.5	0.9	3.2	0.9	3.2	
2.0	0.5	3.0	0.5	3.0	

EVA-.WO-X2

EVA-.WO-X² - 5 LUX

Hoogte (m)				
1.0	1.0	2.6	1.0	2.6
1.5	1.2	3.0	1.2	3.0
2.0	1.4	3.3	2.4	3.3
2.5	1.6	3.7	1.6	3.7
3.0	1.7	4.1	1.7	4.1
3.5	1.8	4.5	1.8	4.5
4.0	1.9	4.8	1.9	4.8
4.5	2.0	5.0	2.0	5.0

EVA-.WO-X² - 10 LUX

Hoogte (m)				
1.0	0.8	2.1	0.8	2.1
1.5	1.0	2.4	1.0	2.4
2.0	1.2	2.8	1.2	2.8
2.5	1.3	3.2	1.3	3.2
3.0	1.4	3.4	1.4	3.4
3.5	1.4	3.7	1.4	3.7

EVA-.WO-X² - 15 LUX

Hoogte (m)				
1.0	0.7	1.8	0.7	1.8
1.5	0.9	2.2	0.9	2.2
2.0	1.0	2.5	1.0	2.5
2.5	1.1	2.8	1.1	2.8

Spacingtabellen

EVA-.L.-X

EVA-.L.-X - 5 LUX

Hoogte (m)				
1.0	2.2	4.9	0.7	2.2
1.5	3.0	6.7	0.7	2.0
2.0	3.5	8.3	0.8	2.1
2.5	3.8	9.5	0.8	2.2
3.0	3.9	10.3	0.8	2.4
3.5	3.8	10.9	0.8	2.5
4.0	3.7	11.0	0.7	2.5

EVA-.L.-X - 5 LUX

Hoogte (m)				
4.5	3.4	11.0	0.6	2.4
5.0	2.6	10.9	0.5	2.3

EVA-.L.-X - 10 LUX

Hoogte (m)				
1.0	2.0	4.5	0.5	1.4
1.5	2.5	6.1	0.6	1.5
2.0	2.7	7.1	0.6	1.6
2.5	2.7	7.7	0.5	1.7
3.0	2.5	7.8	0.4	1.7
3.5	1.9	7.7	0.3	1.6

EVA-.L.-X - 15 LUX

Hoogte (m)				
1.0	1.9	4.3	0.4	1.1
1.5	2.2	5.6	0.5	1.3
2.0	2.2	6.2	0.4	1.4
2.5	2.0	6.3	0.3	1.4
3.0	1.1	6.2	0.2	1.3

EVA-.L.-X2

EVA-.L.-X² - 5 LUX

Hoogte (m)				
1.0	1.2	2.8	0.9	2.9
1.5	1.8	3.8	0.9	2.7
2.0	2.2	4.9	0.9	2.7
2.5	2.7	5.8	1.0	2.7
3.0	3.0	6.7	1.0	2.7
3.5	3.4	7.6	1.1	2.8
4.0	3.7	8.3	1.1	2.9

EVA-.L.-X² - 5 LUX

Hoogte (m)				
4.5	3.9	9.0	1.1	3.0
5.0	4.0	9.7	0.9	3.1
5.5	0.5	10.3	0.1	3.1

EVA-.L.-X² - 10 LUX

Hoogte (m)				
1.0	1.1	2.5	0.6	1.9
1.5	1.6	3.6	0.6	1.9
2.0	2.0	4.5	0.7	1.8
2.5	2.4	5.4	0.7	2.0
3.0	2.6	6.1	0.7	2.1
3.5	2.8	6.8	0.6	2.2

EVA-.L.-X² - 15 LUX

Hoogte (m)				
1.0	1.0	2.4	0.5	1.6
1.5	1.6	3.4	0.5	1.5
2.0	1.9	4.3	0.6	1.6
2.5	2.2	5.1	0.6	1.7
3.0	2.3	5.7	0.4	1.8

Spacingtabellen

EVA-.W.-X

EVA-.W.-X - 5 LUX

Hoogte (m)				
1.0	1.3	2.7	1.3	2.7
1.5	1.8	3.8	1.8	3.8
2.0	2.1	4.7	2.1	4.7
2.5	1.9	5.5	1.9	5.5
3.0	1.3	5.3	1.3	5.3
3.5	0.9	5.3	0.9	5.3

EVA-.W.-X - 10 LUX

Hoogte (m)				
1.0	1.2	2.5	1.2	2.5
1.5	1.5	3.5	1.5	3.5
2.0	1.0	3.8	1.0	3.8
2.5	0.6	3.8	0.6	3.8

EVA-.W.-X - 15 LUX

Hoogte (m)				
1.0	1.1	2.5	1.1	2.5
1.5	1.0	3.2	1.0	3.2
2.0	0.5	3.1	0.5	3.1

EVA-.W.-X2

EVA-.W.-X² - 5 LUX

Hoogte (m)				
1.0	0.7	1.7	0.7	1.7
1.5	0.9	2.1	0.9	2.1
2.0	1.0	2.4	1.0	2.4
2.5	1.0	2.7	1.0	2.7

EVA-.W.-X² - 10 LUX

Hoogte (m)				
1.0	0.6	1.4	0.6	1.4
1.5	0.7	1.8	0.7	1.8

EVA-.W.-X² - 15 LUX

Hoogte (m)				
1.0	0.5	1.3	0.5	1.3

Spacingtabellen

INDULUX

IND 1X4A/3 - 1 LUX

Hoogte (m)				
2.0	3.7	9.4	3.0	7.5
2.5	3.9	10.0	3.3	8.3
3.0	4.0	10.5	3.4	8.8
3.5	4.0	10.9	3.5	9.3
4.0	4.0	11.1	3.5	9.6
4.5	3.8	11.3	3.4	9.8
5.0	3.6	11.3	3.3	9.9

IND 1X4A/3 - 1 LUX

Hoogte (m)				
5.5	3.4	11.2	3.1	10.0
6.0	3.0	11.1	2.8	9.9
6.5	2.5	10.8	2.3	9.7
7.0	1.7	10.4	1.6	9.4

IND 1X4A/3 - 5 LUX

Hoogte (m)				
1.0	1.7	4.3	1.4	3.6
1.5	1.8	4.8	1.6	4.1
2.0	1.7	5.0	1.5	4.7
2.5	1.5	5.0	1.4	4.7
3.0	1.0	4.8	0.9	4.5

IND 1X4A/3 - 10 LUX

Hoogte (m)				
1.0	1.3	3.4	1.1	2.9
1.5	1.2	3.6	1.1	3.1
2.0	0.8	3.4	0.8	3.1

INDULUX

IND 1X4HF - 1 LUX

Hoogte (m)				
2.0	4.7	11.8	3.7	9.0
2.5	5.0	12.7	4.1	10.1
3.0	5.3	13.5	4.4	10.9
3.5	5.4	14.2	4.6	11.6
4.0	5.6	14.7	4.8	12.2
4.5	5.6	15.1	4.9	12.7
5.0	5.6	15.4	4.9	13.2

IND 1X4HF - 1 LUX

Hoogte (m)				
5.5	5.6	15.7	5.0	13.5
6.0	5.5	15.8	4.9	13.7
6.5	5.4	15.9	4.8	13.9
7.0	5.2	16.0	4.7	14.0
7.5	4.9	15.9	4.5	14.1
8.0	4.6	15.8	4.2	14.1
8.5	4.2	15.6	3.9	14.0

IND 1X4HF - 1 LUX

Hoogte (m)				
9.0	3.7	15.4	3.5	13.8
9.5	3.0	15.0	2.9	13.6
10.0	2.1	14.6	2.1	13.3

IND 1X4HF - 5 LUX

Hoogte (m)				
1.5	2.4	6.2	2.0	5.1
2.0	2.5	6.7	2.2	5.7
2.5	2.5	7.0	2.2	6.1
3.0	2.4	7.1	2.1	6.3
3.5	2.1	7.1	1.9	6.3
4.0	1.7	6.9	1.6	6.2
4.5	0.8	6.5	0.9	5.9

Spacingtabellen

INDULUX

IND 1X4HF - 10 LUX

Hoogte (m)				
1.0	1.7	4.3	1.4	3.6
1.5	1.8	4.8	1.6	4.1
2.0	1.7	5.0	1.5	4.4
2.5	1.5	5.0	1.4	4.5
3.0	1.0	4.8	0.9	4.3

IND 1X4HF - 15 LUX

Hoogte (m)				
1.0	1.4	3.7	1.2	3.1
1.5	1.4	4.1	1.3	3.5
2.0	1.2	4.1	1.1	3.6
2.5	0.7	3.8	0.7	3.5

IND 1X4/24 - 1 LUX

Hoogte (m)				
2.0	4.5	11.3	3.6	8.7
2.5	4.8	12.2	3.9	9.7
3.0	5.0	12.9	4.2	10.5
3.5	5.1	13.5	4.4	11.2
4.0	5.2	14.0	4.5	11.7
4.5	5.3	14.3	4.6	12.2
5.0	5.3	14.6	4.6	12.5

IND 1X4/24 - 1 LUX

Hoogte (m)				
5.5	5.2	14.8	4.6	12.8
6.0	5.1	14.9	4.5	13.0
6.5	4.9	14.9	4.4	13.1
7.0	4.6	14.9	4.2	13.2
7.5	4.3	14.8	4.0	13.2
8.0	3.9	14.6	3.6	13.1
8.5	3.4	14.3	3.2	12.9

INDULUX

IND 1X4/24 - 1 LUX

Hoogte (m)					
9.0	2.7	14.0	2.6	12.7	
9.5	1.5	13.5	1.6	12.3	

IND 1X4/24 - 5 LUX

Hoogte (m)					
1.0	2.1	5.2	1.7	4.1	
1.5	2.3	6.0	2.0	4.9	
2.0	2.4	6.4	2.1	5.4	
2.5	2.3	6.6	2.1	5.7	
3.0	2.1	6.7	1.9	5.9	
3.5	1.8	6.6	1.7	5.9	
4.0	1.2	6.3	1.2	5.7	

IND 1X4/24 - 10 LUX

Hoogte (m)					
1.0	1.6	4.1	1.4	3.4	
1.5	1.7	4.6	1.5	3.9	
2.0	1.6	4.7	1.4	4.1	
2.5	1.3	4.6	1.2	4.1	
3.0	0.5	4.3	0.5	3.9	

IND 1X4/24 - 15 LUX

Hoogte (m)					
1.0	1.3	3.6	1.2	3.0	
1.5	1.3	3.8	1.2	3.4	
2.0	1.1	3.8	1.0	3.4	
2.5	0.2	3.5	0.3	3.1	

Spacingtabellen

LUTIA

LTA-DLO - 1 LUX

Hoogte (m)				
2.0	4.0	8.8	1.2	3.6
2.5	4.6	10.3	1.2	3.5
3.0	5.3	11.7	1.1	3.4
3.5	5.8	13.0	1.2	3.3
4.0	6.1	14.5	1.2	3.2
4.5	6.5	15.5	1.2	3.3
5.0	6.4	16.3	1.2	3.3

LTA-DLO - 1 LUX

Hoogte (m)				
5.5	6.4	17.3	1.1	3.4
6.0	6.4	17.8	1.0	3.4
6.5	6.1	18.2	0.9	3.4
7.0	5.5	18.1	0.8	3.3
7.5	3.4	18.2	0.6	3.2

LTA-CLO - 1 LUX

Hoogte (m)				
2.0	4.5	10.1	1.8	5.0
2.5	5.2	11.6	1.8	5.2
3.0	5.9	13.1	1.7	5.3
3.5	6.6	14.6	1.7	5.1
4.0	7.2	16.0	1.7	5.0
4.5	7.8	17.3	1.7	4.9
5.0	8.3	18.7	1.7	4.9

LTA-CLO - 1 LUX

Hoogte (m)				
5.5	8.8	20.0	1.7	4.7
6.0	9.1	21.3	1.7	4.7
6.5	9.4	22.4	1.7	4.7
7.0	9.4	23.4	1.7	4.8
7.5	9.4	24.4	1.7	4.9
8.0	9.4	25.8	1.6	4.9
8.5	9.3	25.8	1.5	4.9

LUTIA

LTA-CLO - 1 LUX

Hoogte (m)					
9.0	9.1	26.2	1.4	4.9	
9.5	8.8	26.5	1.3	4.9	
10.0	8.2	26.5	1.2	4.8	
10.5	6.1	26.5	1.0	4.7	
11.0	4.7	26.5	0.8	4.6	

LTA-DLO - 5 LUX

Hoogte (m)					
1.0	1.9	4.2	0.5	1.6	
1.5	2.5	5.7	0.5	1.5	
2.0	2.9	6.9	0.5	1.5	
2.5	2.9	7.8	0.5	1.5	
3.0	2.6	8.1	0.4	1.5	
3.5	0.9	8.1	0.2	1.4	

LTA-CLO - 5 LUX

Hoogte (m)					
1.0	2.1	4.8	0.8	2.3	
1.5	2.8	6.3	0.8	2.3	
2.0	3.5	7.7	0.7	2.2	
2.5	4.0	9.1	0.8	2.1	
3.0	4.2	10.2	0.8	2.1	
3.5	4.2	11.2	0.7	2.2	
4.0	4.1	11.7	0.6	2.2	

LTA-CLO - 5 LUX

Hoogte (m)					
4.5	3.7	11.8	0.5	2.2	
5.0	1.8	11.8	0.3	2.0	

Spacingtabellen

LUTIA - MUUR / WALL

LTA-DLO - 1 LUX - 1m

Hoogte (m)		
2.0	3.7	8.2
2.5	4.3	9.6
3.0	4.8	11.0
3.5	5.2	12.0
4.0	5.6	12.8
5.0	5.8	15.2
6.0	5.6	16.0
7.0	2.7	16.0

LTA-DLO - 1 LUX - 2m

Hoogte (m)		
4.0	4.4	13.0
5.0	5.2	15.4
6.0	5.1	16.6
7.0	3.2	17.0

LTA-CLO - 1 LUX - 1m

Hoogte (m)		
2.0	4.1	9.2
3.0	5.5	12.4
4.0	6.7	15.2
5.0	7.7	17.6
6.0	8.2	19.8
7.0	8.2	21.6
8.0	8.1	22.8
9.0	7.4	22.8

LTA-CLO - 1 LUX - 2m

Hoogte (m)		
3.0	5.0	12.0
4.0	6.7	15.4
5.0	7.8	18.0
6.0	8.5	20.4
7.0	8.7	22.4
8.0	8.9	23.6
9.0	8.6	24.0
10.0	7.7	24.2

EVA-.L.-X

EVA-.L. - 0,5 LUX

Hoogte (m)				
2.0	10.6	25.8	2.8	7.0
2.5	11.5	28.9	3.0	7.6
3.0	11.6	30.6	3.2	8.1
3.5	10.9	32.3	3.2	8.5
4.0	11.1	32.9	2.5	8.9
4.5	11.5	32.3	2.0	8.9
5.0	6.8	30.9	1.8	8.4

EVA-.L.-X - 0,5 LUX

Hoogte (m)				
5.0	9.0	22.3	2.5	6.4
5.5	10.6	23.9	2.5	6.5
6.0	11.0	25.4	2.6	6.6
6.5	11.4	26.8	2.7	6.7
7.0	11.8	28.0	2.8	6.8
7.5	12.0	29.2	2.8	7.8
8.0	12.2	30.3	2.8	7.8

EVA-.L.-X² - 0,5 LUX

Hoogte (m)				
9.0	9.4	20.6	3.3	8.4
9.5	9.8	21.5	3.3	8.6
10.0	10.1	22.3	3.4	8.7
10.5	10.4	23.2	3.5	8.8
11.0	10.8	24.0	3.5	8.0
11.5	11.1	24.8	3.5	9.1
12.0	11.4	25.6	3.6	9.3

Spacingtabellen

DECOLED

DECO 20/DEC - 0,5 LUX

Hoogte (m)				
2.0	4.2	10.3	4.1	10.3
2.5	4.6	11.3	4.5	11.3
3.0	4.9	12.1	4.8	12.1
3.5	5.1	12.8	5.0	12.8
4.0	5.3	13.5	5.2	13.5
4.5	5.4	14.0	5.3	14.0
5.0	5.5	14.4	5.4	14.4

DECO 20/DEC - 0,5 LUX

Hoogte (m)				
5.5	5.6	14.8	5.4	14.8
6.0	5.6	15.1	5.5	15.1
6.5	5.5	15.3	5.4	15.3
7.0	5.4	15.5	5.3	15.5
7.5	5.3	15.6	5.2	15.6
8.0	5.1	15.6	5.0	15.6
8.5	4.9	15.6	4.8	15.6

DECO 20/DEC - 0,5 LUX

Hoogte (m)				
9.0	4.6	15.6	4.5	15.6
9.5	4.2	15.5	4.1	15.5
10.0	3.7	15.3	3.6	15.3
10.5	3.0	15.0	2.9	15.0
11.0	2.0	14.7	1.9	14.7

DECO 20/DEC - 1 LUX

Hoogte (m)				
2.0	3.4	8.4	3.3	8.4
2.5	3.6	9.1	3.6	9.1
3.0	3.8	9.7	3.7	9.7
3.5	3.9	10.2	3.8	10.2
4.0	3.9	10.6	3.9	10.6
4.5	3.9	10.8	3.8	10.8
5.0	3.8	11.0	3.8	11.0

DECOLED

DECO 20/DEC - 1 LUX

Hoogte (m)					
5.5	3.7	11.0	3.6	11.0	
6.0	3.5	11.0	3.4	11.1	
6.5	3.1	10.0	3.1	10.0	
7.0	2.7	10.8	2.6	10.8	
7.5	2.0	10.6	1.9	10.6	
8.0	0.2	10.2	0.2	10.2	

DECO 20/DEC - 5 LUX

Hoogte (m)					
1.0	1.6	3.9	1.5	3.1	
1.5	1.7	4.5	1.7	3.5	
2.0	1.8	4.8	1.7	4.8	
2.5	1.6	4.9	1.6	4.9	
3.0	1.3	4.9	1.3	4.9	
3.5	0.6	4.6	0.6	4.6	

DECO 20/DEC - 10 LUX

Hoogte (m)					
1.0	1.2	3.1	1.2	2.5	
1.5	1.2	3.5	1.2	2.6	
2.0	1.0	3.5	1.0	3.5	
2.5	0.3	3.2	0.3	3.2	

DECO 20/HF - 0.5 LUX

Hoogte (m)					
2.0	4.1	10.3	4.4	10.3	
3.0	6.1	15.5	6.5	15.4	
4.0	8.1	20.6	8.7	20.6	
5.0	10.2	25.8	10.9	25.7	
6.0	11.8	29.4	12.5	29.9	
7.0	12.8	31.5	13.0	31.9	
8.0	13.7	33.0	13.6	33.4	

Spacingtabellen

DECOLED

—
DECO 20/HF - 0.5 LUX

Hoogte (m)				
9.0	14.3	34.9	14.2	35.2
10.0	14.9	36.6	15.0	36.7
12.0	15.6	39.0	15.6	39.3
14.0	16.2	41.5	16.6	41.9
16.0	16.6	43.4	16.5	43.9
18.0	16.4	45.1	16.9	45.1
20.0	17.1	46.5	17.3	45.9

—
DECO 20/HF - 0.5 LUX

Hoogte (m)				
22.0	16.5	47.1	16.8	46.1
24.0	16.0	46.9	16.6	46.8
26.0	16.0	47.1	15.9	47.7
28.0	16.3	47.8	14.4	48.1
30.0	12.8	47.5	14.8	46.4
32.0	10.7	46.5	11.5	46.4
34.0	7.6	46.0	8.0	45.6

—
DECO 20/HF - 1 LUX

Hoogte (m)				
2.0	4.1	10.3	4.4	10.3
3.0	6.1	15.5	6.5	15.4
4.0	8.1	20.5	8.7	20.5
5.0	9.1	22.3	9.3	22.6
6.0	9.9	24.0	9.8	24.3
7.0	10.5	25.8	10.5	25.8
8.0	10.9	27.1	11.1	27.1

—
DECO 20/HF - 1 LUX

Hoogte (m)				
9.0	11.2	28.1	11.3	28.4
10.0	11.5	29.5	11.7	29.8
12.0	11.8	31.1	11.8	39.3
14.0	12.1	32.7	12.2	41.9
16.0	11.5	33.2	11.8	43.9
18.0	11.3	33.1	11.6	45.1
20.0	9.3	33.7	10.1	45.9

DECOLED

—
DECO 20/HF - 5 LUX

Hoogte (m)				
1.0	2.0	4.2	2.2	4.4
1.5	3.1	6.3	3.3	6.7
2.0	3.8	9.5	4.0	9.7
2.5	4.3	10.4	4.3	10.5
3.0	4.6	11.3	4.6	11.4
3.5	4.9	12.1	5.0	12.0
4.0	5.0	12.5	5.1	12.7

—
DECO 20/HF - 5 LUX

Hoogte (m)				
4.5	5.1	13.2	5.2	13.3
5.0	5.2	13.7	5.2	13.8
6.0	5.3	14.4	5.4	14.5
7.0	5.2	14.9	5.3	14.6
8.0	5.0	14.8	5.2	15.0
9.0	4.1	15.1	4.5	15.2
10.0	3.6	14.8	3.9	14.7

—
DECO 20/HF - 10 LUX

Hoogte (m)				
1.0	2.0	4.2	2.2	4.4
1.5	2.8	6.3	2.9	5.8
2.0	3.2	7.8	3.2	7.9
2.5	3.5	8.6	3.5	8.5
3.0	3.6	9.1	3.7	9.2
3.5	3.7	9.7	3.7	9.8
4.0	3.7	10.1	3.8	10.1

—
DECO 20/HF - 10 LUX

Hoogte (m)				
4.5	3.8	10.4	3.9	10.3
5.0	3.7	10.5	3.7	10.3
5.5	3.6	10.5	3.7	10.5
6.0	3.6	10.6	3.4	10.8
6.5	2.9	10.6	3.1	10.8
7.0	2.7	10.5	2.9	10.4
7.5	1.8	10.3	1.9	10.2

Spacingtabellen

EVA-.W

EVA-.W. - 0,5 LUX

Hoogte (m)				
2.0	4.1	8.4	4.1	8.4
2.5	4.9	10.3	4.9	10.3
3.0	5.7	12.1	5.7	12.1
3.5	6.5	13.8	6.5	13.8
4.0	7.2	15.4	7.2	15.4
4.5	7.9	17.0	7.9	17.0
5.0	8.3	18.5	8.3	18.5

EVA-.W.-X - 0,5 LUX

Hoogte (m)				
5.5	6.1	13.5	6.1	13.5
6.0	6.4	14.4	6.4	14.4
6.5	6.7	15.3	6.7	15.3
7.0	6.9	16.1	6.9	16.1
7.5	6.9	16.9	6.9	16.9
8.0	5.6	17.6	5.6	17.6
8.5	4.9	16.9	4.9	16.9

EVA-.W.-X² - 0,5 LUX

Hoogte (m)				
9.0	5.4	12.8	5.4	12.8
9.5	5.5	13.2	5.5	13.2
10.0	5.7	13.6	5.7	13.6
10.5	5.8	13.9	5.8	13.9
11.0	5.9	14.2	5.9	14.2
11.5	6.0	14.5	6.0	14.5
12.0	6.1	14.9	6.1	14.9

EVA-.W.-X² - 0,5 LUX

Hoogte (m)				
12.5	6.2	15.2	6.2	15.2
13.0	6.3	15.4	6.3	15.4
13.5	6.4	15.7	6.4	15.7
14.0	6.4	16.0	6.4	16.0
14.5	6.5	16.2	6.5	16.2
15.0	6.5	16.5	6.5	16.5
15.5	6.6	16.7	6.6	16.7

XION

—
XN-EX-(24/HF) - 1 LUX

Hoogte (m)				
2.0	3.6	8.8	3.5	8.2
2.5	3.9	9.7	3.8	9.3
3.0	4.2	10.4	4.1	10.1
3.5	4.3	11.0	4.3	10.8
4.0	4.5	11.6	4.4	11.3
4.5	4.5	12.0	4.5	11.8
5.0	4.5	12.3	4.5	12.2

—
XN-EX-(24/HF) - 1 LUX

Hoogte (m)				
5.5	4.4	12.5	4.5	12.4
6.0	4.3	12.7	4.4	12.6
6.5	4.1	12.8	4.2	12.7
7.0	3.9	12.7	3.9	12.8
7.5	3.5	12.7	3.5	12.7
8.0	2.0	12.5	3.0	12.5
8.5	2.3	12.2	2.3	12.3

—
XN-EX-(24/HF) - 5 LUX

Hoogte (m)				
1.0	1.7	4.1	1.6	3.9
1.5	1.9	4.9	1.9	4.7
2.0	2.0	5.3	2.0	5.3
2.5	1.0	5.6	2.0	5.6
3.0	1.8	5.7	1.8	5.7
3.5	1.4	5.6	1.4	5.6
4.0	0.5	5.3	0.5	5.4

—
XN-EX-(24/HF) - 10 LUX

Hoogte (m)				
1.0	1.3	3.4	1.3	3.3
1.5	1.4	3.8	1.4	3.8
2.0	1.3	4.0	1.3	4.0
2.5	1.0	4.0	1.0	4.0

Spacingtabellen

EVA-.W.-3

EVA-.W.-3 - 0,5 LUX

Hoogte (m)				
2.0	3.5	8.4	3.5	78.4
2.5	4.2	10.2	4.2	10.2
3.0	4.8	11.7	4.8	11.7
3.5	5.2	13.2	5.2	13.2
4.0	5.6	14.6	5.6	4.6
4.5	6.0	16.0	6.0	16.0
5.0	6.2	17.4	6.2	17.4

EVA-.W.-X-3 - 0,5 LUX

Hoogte (m)				
5.5	5.9	13.1	5.9	13.1
6.0	6.1	14.0	6.1	14.0
6.5	6.3	14.8	6.3	14.8
7.0	6.4	15.5	6.4	15.5
7.5	5.6	16.2	5.6	16.2
8.0	4.7	16.0	4.7	16.0
8.5	4.2	15.9	4.2	15.9

EVA-.W.-X²-3 - 0,5 LUX

Hoogte (m)				
9.0	3.7	12.0	3.0	12.0
9.5	4.0	12.3	4.5	12.3
10.0	4.0	12.7	4.0	12.7
10.5	4.2	13.0	4.5	13.0
11.0	4.4	13.3	4.0	13.3
11.5	4.4	13.7	4.5	13.7
12.0	4.5	14.0	4.0	14.0

EVA-.W.-3

EVA-.W.-3 - 1 LUX

Hoogte (m)				
2.0	3.2	7.9	3.2	7.9
2.5	3.8	9.4	3.8	9.4
3.0	4.1	10.8	4.1	10.8
3.5	4.4	12.2	4.4	12.2
4.0	2.5	13.4	2.5	13.4
4.5	1.2	12.1	1.2	12.1
5.0	1.0	12.5	1.0	12.5

EVA-.W.-X-3 - 1 LUX

Hoogte (m)				
4.0	4.2	9.5	4.2	9.5
4.5	4.4	10.3	4.4	10.3
5.0	4.4	11.1	4.4	11.1
5.5	3.5	11.7	3.5	11.7
6.0	3.0	11.2	3.0	11.2
6.5	2.6	11.2	2.6	11.2
7.0	2.2	11.3	2.2	11.3



EVA-.W.-X²-3 - 1 LUX

Hoogte (m)				
9.0	3.2	10.2	3.2	10.2
9.5	3.3	10.5	3.3	10.5
10.0	3.3	10.8	3.3	10.8
10.5	3.3	11.1	3.3	11.1
11.0	3.3	11.4	3.3	11.4
11.5	4.0	9.4	4.0	9.4
12.0	4.0	8.8	4.0	8.8


Spacingtabellen

EVA-.L.-3



EVA-.L.-3 - 1 LUX

Hoogte (m)				
2.0	2.0	5.3	7.3	20.2
2.5	1.9	5.8	7.2	21.4
3.0	1.3	5.9	7.3	21.4
3.5	1.3	5.4	4.3	20.5
4.0	1.1	4.2	3.8	18.2
4.5	1.0	3.5	2.7	13.8
5.0	1.0	3.2	2.4	12.3

EVA-.L.-X-3 - 1 LUX

Hoogte (m)				
5.0	1.8	4.7	8.0	19.3
5.5	1.8	4.9	8.1	20.3
6.0	1.8	5.0	7.9	21.2
6.5	1.7	5.2	8.0	21.9
7.0	1.7	5.2	8.0	22.4
7.5	1.6	5.3	8.0	22.8
8.0	1.6	5.3	7.7	23.0

EVA-.L.-X²-3 - 1 LUX

Hoogte (m)				
8.0	2.3	6.1	7.4	16.9
8.5	2.3	6.2	7.6	17.7
9.0	2.2	6.3	7.8	18.4
9.5	2.2	6.4	7.9	19.1
10.0	2.1	6.5	8.4	19.7
10.5	1.9	6.5	8.2	20.3
11.0	1.5	6.6	8.3	20.9

EVA-.SO-3

EVA-.S.-3 - 1 LUX – 2m breed

Hoogte (m)		
1.5	2.7	6.4
2.0	3.0	7.3
2.5	3.1	8.0
3.0	1.5	8.0
3.5	1.4	7.0
4.0	1.3	4.4
4.5	0.8	3.6

EVA-.S.-3 - 1 LUX – 3m breed

Hoogte (m)		
1.5	3.1	7.0
2.0	3.2	7.4
2.5	3.5	8.0
3.0	3.6	8.6
3.5	3.5	8.8
4.0	2.3	8.7
4.5	1.3	7.6
5.0	1.2	4.9

EVA-.S.-3 - 1 LUX – 4m breed

Hoogte (m)		
1.5	3.3	7.6
2.0	3.7	8.2
2.5	3.8	8.7
3.0	4.0	9.2
3.5	4.1	9.5
4.0	4.0	9.7
4.5	1.1	9.8
5.0	1.0	8.6

Spacingtabellen

LUTIA

LTA-DLO - 0.5 LUX

Hoogte (m)				
2.0	4.4	10.0	1.8	4.8
2.5	5.1	11.5	1.7	5.0
3.0	5.8	12.9	1.7	5.1
3.5	6.5	14.4	1.6	4.9
4.0	7.2	15.8	1.6	4.8
4.5	7.7	17.2	1.6	4.8
5.0	8.2	18.6	1.6	4.6

LTA-DLO - 0.5 LUX

Hoogte (m)				
5.5	8.7	22.2	1.7	4.5
6.0	9.0	23.1	1.7	4.6
6.5	9.1	24.0	1.7	4.6
7.0	9.1	24.8	1.6	4.7
7.5	9.1	25.2	1.6	4.7
8.0	9.1	18.2	1.5	4.8
8.5	9.0	18.2	1.4	4.8

LTA-DLO - 0.5 LUX

Hoogte (m)				
9.0	8.7	25.6	1.3	4.8
9.5	8.2	25.7	1.2	4.7
10.0	7.7	25.6	1.1	4.6
10.5	5.1	25.7	0.9	4.5
11.0	3.3	25.7	0.6	4.4

LTA-CLO - 0.5 LUX

Hoogte (m)				
2.0	4.6	10.4	2.0	5.5
2.5	5.7	13.0	2.5	6.8
3.0	6.5	14.8	2.6	7.1
3.5	7.3	16.3	2.6	7.3
4.0	8.0	17.8	2.5	7.4
4.5	8.7	19.2	2.5	7.4
5.0	9.4	20.7	2.4	7.2

LUTIA

LTA-CLO - 0.5

Hoogte (m)				
5.5	10.0	22.2	2.4	7.1
6.0	10.6	23.6	2.4	7.0
6.5	11.2	24.9	2.4	7.0
7.0	11.7	26.3	2.4	6.9
7.5	12.2	27.6	2.4	6.7
8.0	12.6	28.9	2.5	6.6
8.5	12.9	30.1	2.5	6.7

LTA-CLO - 0.5 LUX

Hoogte (m)				
9.0	13.2	31.3	2.5	6.7
9.5	13.3	32.4	2.5	6.7
10.0	13.2	33.3	2.4	6.8
10.5	13.2	34.3	2.4	6.9
11.0	13.2	35.2	2.3	6.9
11.5	13.3	36.0	2.2	7.0
12.0	13.2	36.4	2.1	7.0

LTA-CLO - 0.5 LUX

Hoogte (m)				
12.5	13.0	36.8	2.0	7.0
13.0	12.7	37.3	1.9	7.0
13.5	12.4	37.6	1.8	6.9
14.0	11.8	37.5	1.7	6.9
14.5	11.3	37.4	1.6	6.8
15.0	8.3	37.4	1.4	6.6
15.5	6.8	37.5	1.2	6.5

Spacingtabellen

HILED

HIL-.LO - 0.5 LUX

Hoogte (m)				
2.0	4.0	8.6	2.0	5.7
2.5	5.0	10.8	2.4	7.1
3.0	6.0	12.9	2.9	8.5
3.5	7.0	15.1	3.4	10.0
4.0	8.0	17.2	3.9	11.4
4.5	8.9	19.4	4.4	12.8
5.0	9.8	21.2	4.4	13.3

HIL-.LO - 0.5 LUX

Hoogte (m)				
5.5	10.5	22.9	4.3	13.1
6.0	11.3	24.5	4.3	13.0
6.5	12.1	26.0	4.3	12.9
7.0	12.9	27.5	4.4	12.6
8.0	14.3	30.5	4.5	12.2
9.0	15.7	33.7	4.8	12.3
10.0	17.2	36.7	5.1	12.4

HIL-.LO - 0.5 LUX

Hoogte (m)				
11.0	18.7	39.7	5.4	12.6
12.0	20.1	42.5	5.7	13.2
13.0	21.5	45.1	6.0	13.7
14.0	22.8	48.1	6.2	14.3
15.0	24.1	51.1	6.5	15.0
16.0	25.4	54.0	6.7	15.6
17.0	26.6	56.9	6.8	16.1

HIL-.LO - 0.5 LUX

Hoogte (m)				
18.0	27.7	59.7	7.0	16.7
19.0	28.9	62.4	7.0	17.2
20.0	30.0	65.1	7.1	17.7
21.0	31.0	67.6	7.0	18.2
22.0	32.1	70.2	7.0	18.6
23.0	33.1	72.7	6.8	19.0
24.0	33.8	75.1	6.5	19.3

HIL-.LO - 0.5 LUX

Hoogte (m)				
25.0	34.3	77.4	6.1	19.6
26.0	34.8	79.7	5.5	19.8
27.0	35.3	81.0	4.7	19.9
28.0	34.6	84.2	3.5	19.8
29.0	5.4	86.3	1.2	19.5

HILED

HIL-WO - 0.5 LUX

Hoogte (m)					
2.0	3.7	8.1	3.7	8.1	
2.5	4.7	10.1	4.7	10.1	
3.0	5.6	12.1	5.6	12.1	
3.5	6.5	13.9	6.5	13.9	
4.0	7.2	15.4	7.2	15.4	
4.5	7.8	17.0	7.8	17.0	
5.0	8.4	18.5	8.4	18.5	

HIL-WO - 0.5 LUX

Hoogte (m)					
5.5	8.9	19.9	8.9	19.9	
6.0	9.4	21.2	9.4	21.2	
6.5	9.8	22.5	9.8	22.5	
7.0	10.2	23.7	10.2	23.7	
8.0	10.9	25.7	10.9	25.7	
9.0	11.5	27.5	11.5	27.5	
10.0	12.0	29.0	12.0	29.0	

HIL-WO - 0.5 LUX

Hoogte (m)					
11.0	12.5	30.4	12.5	30.4	
12.0	13.0	31.7	13.0	31.7	
13.0	13.3	32.9	13.3	32.9	
14.0	13.5	33.9	13.5	33.9	
15.0	13.6	34.9	13.6	34.9	
16.0	13.6	35.8	13.6	35.8	
17.0	13.3	36.6	13.3	36.6	

HIL-WO - 0.5 LUX

Hoogte (m)					
18.0	12.7	37.3	12.7	37.3	
19.0	11.7	37.8	11.7	37.8	
20.0	8.9	38.2	8.9	38.2	
21.0	2.2	38.5	2.2	38.5	

Spacingtabellen

INDULUX

IND 1X4A/3 - 0.5 LUX

Hoogte (m)				
2.0	4.7	11.8	3.7	9.0
2.5	5.0	12.7	4.1	10.1
3.0	5.3	13.5	4.4	10.9
3.5	5.4	14.2	4.6	11.6
4.0	5.6	14.7	4.8	12.2
4.5	5.6	15.1	4.9	12.7
5.0	5.6	15.4	4.9	13.2

IND 1X4A/3 - 0.5 LUX

Hoogte (m)				
5.5	5.6	15.7	5.0	13.5
6.0	5.5	15.8	4.9	13.7
6.5	5.4	15.9	4.8	13.9
7.0	5.2	16.0	4.7	14.0
8.0	4.6	15.8	4.2	14.1
9.0	3.7	15.4	3.5	13.8
10.0	2.1	14.6	2.1	13.3

IND 1X4HF - 0.5 LUX

Hoogte (m)				
2.0	5.4	13.4	4.1	9.9
2.5	6.4	16.0	5.0	12.0
3.0	6.8	17.0	5.4	13.2
3.5	7.1	17.9	5.8	14.2
4.0	7.3	18.7	6.1	15.0
4.5	7.5	19.5	6.3	15.8
5.0	7.7	20.1	6.5	16.5

IND 1X4HF - 0.5 LUX

Hoogte (m)				
5.5	7.8	20.6	6.7	17.1
6.0	7.9	21.1	6.8	17.7
6.5	8.0	21.5	6.9	18.1
7.0	8.0	21.8	7.0	18.6
8.0	7.9	22.3	7.0	19.2
9.0	7.7	22.5	6.9	19.6
10.0	7.3	22.6	6.6	19.9

IND 1X4HF - 0.5 LUX

Hoogte (m)				
11.0	6.7	22.5	6.2	19.9
12.0	6.0	22.1	5.6	19.8
13.0	4.9	21.6	4.6	19.4
14.0	3.3	20.8	3.2	18.9

INDULUX

IND 1X4/24 - 0.5 LUX

Hoogte (m)				
2.0	5.4	13.4	4.1	9.9
2.5	6.1	15.3	4.8	11.6
3.0	6.5	16.3	5.2	12.7
3.5	6.7	17.1	5.6	13.7
4.0	7.0	17.9	5.8	14.5
4.5	7.2	18.6	6.1	15.2
5.0	7.3	19.1	6.2	15.8

IND 1X4/24 - 0.5 LUX

Hoogte (m)				
5.5	7.4	19.6	6.4	16.4
6.0	7.4	20.0	6.5	16.9
6.5	7.5	20.4	6.5	17.3
7.0	7.4	20.6	6.6	17.7
8.0	7.3	21.0	6.5	18.2
9.0	7.0	21.1	6.3	18.5
10.0	6.5	21.1	5.9	18.6

IND 1X4/24 - 0.5 LUX

Hoogte (m)				
11.0	5.8	20.8	5.4	18.5
12.0	4.8	20.3	4.5	18.2
13.0	3.3	19.5	3.2	17.7

Spacingtabellen

EVA-.W.

EVA-.W. - 5 LUX

Hoogte (m)				
1.0	1.9	4.0	1.9	4.0
1.5	2.6	5.6	2.6	5.6
2.0	1.5	6.0	1.5	6.0
2.5	1.1	6.1	1.1	6.1

EVA-.W. - 10 LUX

Hoogte (m)				
1.0	1.8	3.8	1.8	3.8
1.5	1.0	4.1	1.0	4.1
2.0	0.5	3.0	0.5	3.0

EVA-.W. - 15 LUX

Hoogte (m)				
1.0	1.5	3.6	1.5	3.6
1.5	0.6	3.5	0.6	3.5

WWA-LS

WWA-LS - 0.5 LUX

Hoogte (m)				
2.0	4.4	10.8	4.0	9.8
2.5	4.7	11.7	4.3	10.8
3.0	5.0	12.5	4.6	11.5
3.5	5.2	13.1	4.8	12.2
4.0	5.3	13.8	4.9	12.8
4.5	5.4	14.2	5.0	13.3
5.0	5.4	14.5	5.1	13.6

WWA-LS - 0.5 LUX

Hoogte (m)				
5.5	5.4	14.8	5.0	13.8
6.0	5.3	15.0	5.0	14.1
6.5	5.3	15.2	4.9	14.3
7.0	5.0	15.2	4.8	14.4
7.5	4.8	15.1	4.5	14.3
8.0	4.6	15.1	4.2	14.2
8.5	4.1	15.0	3.9	14.1

WWA-LS - 0.5 LUX

Hoogte (m)				
9.0	3.6	14.8	3.4	14.0
9.5	3.1	14.5	2.6	13.8
10.0	1.9	14.0	1.6	13.4

Spacingtabellen

WWA-LS

WWA-LS - 1 LUX



Hoogte (m)	3.5	8.6	3.2	8.0
2.0	3.5	8.6	3.2	8.0
2.5	3.7	9.3	3.4	8.6
3.0	3.8	9.9	3.5	9.2
3.5	3.8	10.2	3.6	10.6
4.0	3.8	10.5	3.5	10.8
4.5	3.7	10.7	3.5	10.1
5.0	3.5	10.7	3.3	10.1

WWA-LS - 1 LUX



Hoogte (m)	3.3	10.7	3.1	10.1
5.5	3.3	10.7	3.1	10.1
6.0	2.9	10.6	2.8	10.0
6.5	2.3	10.4	2.2	9.9
7.0	1.5	10.0	1.5	9.5

WWA-LS - 5 LUX



Hoogte (m)	1.6	4.0	1.5	3.7
1.0	1.6	4.0	1.5	3.7
1.5	1.7	4.5	1.6	4.3
2.0	1.7	4.8	1.6	4.5
2.5	1.5	4.8	1.4	4.5
3.0	1.0	4.6	0.8	4.4

WWA-LS - 10 LUX



Hoogte (m)	1.2	3.2	1.1	3.0
1.0	1.2	3.2	1.1	3.0
1.5	1.2	3.4	1.1	3.2
2.0	0.8	3.3	0.8	3.1

Movion® Vluchtrouteverlichting

—
EL800 Centraal lang - 0.5 LUX

Hoogte (m)				
2.0	1.9	5.1	6.1	12.7
2.5	2.1	5.3	7.4	15.5
3.0	2.2	5.5	8.7	18.2
3.5	2.4	5.8	9.8	20.8
4.0	2.5	6.1	10.8	23.3
4.5	2.6	6.5	11.7	25.7
5.0	2.5	6.8	12.1	28.0

—
EL800 Centraal lang - 0.5 LUX

Hoogte (m)				
5.5	2.3	7.1	11.9	29.9
6.0	2.1	7.2	11.0	30.7
6.5	2.0	7.2	10.0	31.1
7.0	2.0	7.1	9.4	31.5
7.5	1.9	6.8	8.9	32.1
8.0	1.8	6.3	8.4	32.6
8.5	1.7	5.9	7.9	31.1

—
EL800 Centraal lang - 1 LUX

Hoogte (m)				
2.0	1.5	3.8	5.8	12.2
2.5	1.7	4.1	7.0	14.8
3.0	1.8	4.5	8.0	17.3
3.5	1.8	4.8	8.6	19.6
4.0	1.6	5.0	8.3	21.5
4.5	1.4	5.1	7.2	22.1
5.0	1.4	5.0	6.6	22.3

Spacingtabellen

Movion® Vluchtrouteverlichting

—
EL800 Centraal lang - 1 LUX

Hoogte (m)				
5.5	1.3	4.7	6.1	23.0
6.0	1.2	4.2	5.6	22.0
6.5	1.0	4.0	4.6	20.0
7.0	0.7	4.0	3.3	18.8

—
EL800 Centraal lang - 5 LUX

Hoogte (m)				
1.0	0.7	1.8	1.9	5.6
1.5	0.8	2.1	3.8	8.5
2.0	0.6	2.3	3.3	9.9
2.5	0.6	2.0	2.7	10.3
3.0	0.4	1.8	1.9	8.7

—
EL800 Centraal lang - 10 LUX

Hoogte (m)				
1.0	0.6	1.4	1.2	3.7
1.5	0.4	1.6	2.1	7.0
2.0	0.3	1.3	1.6	6.5

Movion® Vluchtrouteverlichting

EL800 Decentraal lang - 0.5 LUX

Hoogte (m)				
2.0	1.8	4.6	6.0	12.6
2.5	1.9	4.8	7.3	15.3
3.0	2.1	5.1	8.5	18.0
3.5	2.2	5.4	9.6	20.5
4.0	2.3	5.8	10.5	22.9
4.5	2.2	6.1	10.9	25.1
5.0	2.1	6.4	10.6	27.0

EL800 Decentraal lang - 0.5 LUX

Hoogte (m)				
5.5	1.9	6.5	9.7	27.8
6.0	1.8	6.5	8.7	28.0
6.5	1.7	6.3	8.2	28.5
7.0	1.7	5.9	7.7	29.2
7.5	1.5	5.4	7.2	28.4
8.0	1.4	5.2	6.5	26.4
8.5	1.2	5.1	5.4	24.7

EL800 Decentraal lang - 1 LUX

Hoogte (m)				
2.0	1.5	3.5	5.7	12.1
2.5	1.6	3.8	6.8	14.6
3.0	1.6	4.2	7.6	17.0
3.5	1.5	4.5	7.6	19.0
4.0	1.3	4.6	6.6	19.8
4.5	1.2	4.5	5.9	20.1
5.0	1.2	4.1	5.4	20.7

Spacingtabellen

Movion® Vluchtrouteverlichting

EL800 Decentraal lang - 1 LUX

Hoogte (m)				
5.5	1.0	3.7	4.9	19.4
6.0	0.8	3.6	3.9	17.5

EL800 Decentraal lang- 5 LUX

Hoogte (m)				
1.0	0.7	1.6	1.6	5.2
1.5	0.7	2.0	3.4	8.3
2.0	0.6	2.0	2.7	9.0
2.5	0.5	1.7	2.1	8.5

Movion® Vluchtrouteverlichting

EL800 Centraal breed - 0.5 LUX

Hoogte (m)				
2.0	5.0	10.7	5.0	10.7
2.5	5.7	12.9	5.7	12.9
3.0	6.1	14.7	6.1	14.7
3.5	5.9	16.0	5.9	16.0
4.0	5.1	16.8	5.1	16.8
4.5	3.2	16.2	3.2	16.2
5.0	2.3	15.7	2.3	15.7

EL800 Centraal breed - 1 LUX

Hoogte (m)				
2.0	4.3	10.0	4.3	10.0
2.5	4.2	11.3	4.2	11.3
3.0	2.8	11.8	2.8	11.8
3.5	1.6	11.2	1.6	11.2
4.0	1.1	9.8	1.1	9.8

Spacingtabellen

Movion® Vluchtrouteverlichting

EL800 Decentraal wijd - 0.5 LUX

Hoogte (m)				
2.0	4.8	10.6	4.8	10.6
2.5	5.4	12.5	5.4	12.5
3.0	5.4	14.1	5.4	14.1
3.5	4.9	15.0	4.9	15.0
4.0	3.0	14.6	3.0	14.6
4.5	2.0	14.1	2.0	14.1
5.0	1.5	12.7	1.5	12.7

EL800 Decentraal wijd - 1 LUX

Hoogte (m)				
2.0	3.8	9.6	3.8	9.6
2.5	3.4	10.6	3.4	10.6
3.0	1.7	10.2	1.7	10.2
3.5	1.1	9.1	1.1	9.1

Movion® Vluchtrouteaanduiding Hybride

XTH800 Centraal lang (met 1 lux lens) - 0.5 LUX

Hoogte (m)				
2.0	1.0	2.8	4.6	11.0
2.5	1.3	3.5	5.7	13.6
3.0	1.4	3.7	6.2	15.0
3.5	1.5	3.6	6.7	16.2
4.0	1.6	3.8	7.1	17.2
4.5	1.8	4.0	7.5	18.2
5.0	1.8	4.3	7.8	19.0

XTH800 Centraal lang (met 1 lux lens) - 0.5 LUX

Hoogte (m)				
5.5	1.9	4.6	8.1	19.8
6.0	1.9	4.8	8.3	20.6
6.5	1.8	5.0	8.5	21.3
7.0	1.7	5.2	8.7	21.9
7.5	1.6	5.2	8.9	22.5
8.0	1.5	5.3	9.1	23.0
8.5	1.4	5.3	9.2	23.5

XTH800 Centraal lang (met 1 lux lens) - 0.5 LUX

Hoogte (m)				
9.0	1.3	5.2	9.3	24.0
9.5	1.3	5.0	9.4	24.4
10.0	1.3	4.8	9.5	24.8
10.5	1.2	4.6	9.5	25.1
11.0	1.2	4.4	9.4	25.4
11.5	1.2	4.1	9.2	25.7
12.0	1.1	4.0	8.8	26.0

Spacingtabellen

Movion® Vluchtrouteaanduiding Hybride

XTH800 Centraal lang (met 1 lux lens) - 1 LUX

Hoogte (m)				
2.0	0.9	2.6	4.3	10.3
2.5	1.1	2.6	4.8	11.5
3.0	1.2	2.7	5.1	12.5
3.5	1.3	3.0	5.5	13.4
4.0	1.3	3.3	5.8	14.2
4.5	1.3	3.5	6.0	14.9
5.0	1.2	3.7	6.2	15.6

XTH800 Centraal lang (met 1 lux lens) - 1 LUX

Hoogte (m)				
5.5	1.1	3.7	6.4	16.1
6.0	1.0	3.7	6.5	16.6
6.5	0.9	3.6	6.6	17.1
7.0	0.9	3.5	6.7	17.5
7.5	0.9	3.2	6.7	17.8
8.0	0.8	3.0	6.6	18.1
8.5	0.8	2.8	6.2	18.4

XTH800 Centraal lang (met 5 lux lens) - 5 LUX

Hoogte (m)				
1.0	0.3	1.2	2.0	4.0
1.5	0.6	1.3	1.1	3.2
2.0	0.6	1.6	1.5	5.6
2.5	0.5	1.7	1.9	7.3
3.0	0.4	1.6	2.5	7.7
3.5	0.4	1.4	3.0	8.1
4.0	0.4	1.2	2.5	8.3
4.5	0.3	1.1	1.5	8.5

Movion® Vluchtrouteaanduiding Hybride

XTH800 Decentraal lang (met 1 lux lens) - 0.5 LUX

Hoogte (m)				
2.0	1.0	2.8	4.6	11.0
2.5	1.2	3.2	5.4	12.9
3.0	1.3	3.3	5.9	14.2
3.5	1.5	3.3	6.3	15.3
4.0	1.6	3.5	6.7	16.2
4.5	1.6	3.9	7.0	17.1
5.0	1.7	4.1	7.3	17.9

XTH800 Decentraal lang (met 1 lux lens) - 0.5 LUX

Hoogte (m)				
5.5	1.7	4.4	7.5	18.6
6.0	1.6	4.6	7.7	19.3
6.5	1.5	4.7	7.9	19.9
7.0	1.4	4.7	8.1	20.5
7.5	1.3	4.7	8.2	21.0
8.0	1.2	4.7	8.3	21.5
8.5	1.2	4.5	8.4	21.9

XTH800 Decentraal lang (met 1 lux lens) - 0.5 LUX

Hoogte (m)				
9.0	1.1	4.3	8.5	22.2
9.5	1.1	4.1	8.5	22.6
10.0	1.1	3.9	8.4	22.9
10.5	1.0	3.6	8.2	23.2
11.0	1.0	3.5	7.6	23.4
11.5	1.0	3.3	6.7	23.6
12.0	0.9	3.3	5.8	23.9

Spacingtabellen

Movion® Vluchtrouteaanduiding Hybride

XTH800 Decentraal lang (met 1 lux lens) - 1 LUX

Hoogte (m)				
2.0	0.9	2.3	4.1	9.8
2.5	1.0	2.4	4.5	10.8
3.0	1.1	2.6	4.8	11.8
3.5	1.2	2.9	5.1	12.6
4.0	1.2	3.1	5.4	13.3
4.5	1.1	3.3	5.6	14.0
5.0	1.0	3.4	5.7	14.5

XTH800 Decentraal lang (met 1 lux lens) - 1 LUX

Hoogte (m)				
5.5	0.9	3.3	5.9	15.0
6.0	0.8	3.2	6.0	15.5
6.5	0.8	3.0	6.0	15.8
7.0	0.8	2.8	6.0	16.1
7.5	0.7	2.5	5.7	16.4
8.0	0.7	2.4	5.0	16.6
8.5	0.7	2.3	4.1	16.9

XTH800 Decentraal lang (met 5 lux lens) - 5 LUX

Hoogte (m)				
1.0	0.2	1.1	1.9	3.8
1.5	0.5	1.3	0.9	2.8
2.0	0.5	1.5	1.3	4.8
2.5	0.4	1.5	1.4	6.5
3.0	0.3	1.3	1.3	7.1
3.5	0.3	1.1	0.9	7.4
4.0	0.3	1.0	0.2	7.6

InduXel222

Hoogte (m)						
2,00	3,37	8,68	7,88	7,05	2,83	
2,50	3,50	9,24	8,48	7,70	3,01	
3,00	3,56	9,65	8,92	8,19	3,11	
3,50	3,54	9,92	9,23	8,54	3,13	
4,00	3,43	10,06	9,41	8,76	3,07	
4,50	3,25	10,09	9,48	8,89	2,94	
5,00	2,96	10,02	9,44	8,90	2,71	
5,50	2,56	9,82	9,29	8,80	2,37	
6,00	1,94	9,50	9,04	8,60	1,84	

Spacingtabellen

PrimEvo+

Hoogte (m)						
2,00	4.15	9.16	9.27	9.48	4.08	
2,50	4.80	10.87	10.83	10.85	4.62	
3,00	5.31	12.37	12.15	11.99	5.11	
3,50	5.75	13.71	13.32	13.05	5.50	
4,00	6.11	14.82	14.35	14.06	5.77	
4,50	6.37	15.78	15.25	14.93	5.92	
5,00	6.58	16.63	16.05	15.68	5.81	
5,50	6.52	17.40	16.65	16.19	5.44	
6,00	2.12	16.70	16.39	16.59	4.09	

ABB b.v.

Electrification Business Area

George Hintzenweg 81, 3068 AX Rotterdam
Postbus 301, 3000 AH Rotterdam

Algemene informatie

abb.nl/lowvoltage



Support

abb-elsupport.nl



VanLien

vanlien.nl



Volg ABB ook via:

-  ABB Electrification NL
-  ABB Electrification
-  ABB Electrification
-  ABB Electrification NL