



CC 734357

Date: 30 July 2020

CERTIFICATE OF COMPLIANCE

This certificate of compliance validates the following			
TEST REPORT NUMBER 'Assessment Reports' are not acceptable	2193450.50 rev	CERTIFICATE NUMBER	KM 655958
DATE OF ISSUE	18 July 2016	DATE OF ISSUE	28 July 2020
DATE OF EXPIRY	Not applicable	DATE OF EXPIRY	27 July 2023
Manufacturer details			
NAME OF FACTORY / MANUFACTURER	ABB BV	NAME OF THE BRAND	ABB EMERGI-LITE
FACTORY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY)	Kecskemet Plant Kecskemet-Kadafalva Heliport H-6000 Hungary	MODEL / NO	EVAGO PRIMORA GUIDE-WAY SERENGA
WEBSITE	www.abb.com/lowvoltage www.emergi-lite.co.uk	LOGO ON THE PRODUCT	EMERGI-LITE
TEL	+44 0113 281 0600	EMAIL	leeds.tech@gb.abb.com





CC 734357

Product Details From Test Report		Reference Test Report page NO
DESCRIPTION OF THE PRODUCT (TECHNICAL DETAILS FROM TEST REPORT, SUCH AS ACTUAL FIRE RATINGS/DIMENSIONS/THICKNESS/ SENSITIVITY ETC)	Emergency luminaire with LED light source Self contained, maintained / Non-maintained, 3 Hr duration, Ceiling / wall surface mounted, Recess Mounted Emergency luminaire. Rated 230-240V 50Hz, Class II, Above ceiling IP20, Below ceiling IP40, Surface IP54. Centrally supplied luminaire, dependent on the supply for duration and operation, Ceiling / wall surface mounted, Recess Mounted Emergency luminaire. Rated 220-240V AC/DC, Class II, Above ceiling IP20, Below ceiling IP40, Surface IP54. See Annex A for full product information	Page 6
TEST STANDARD (SUCH AS ASTM/BS EN/ DN ETC)	EN 60598-1:2015, EN 60598-2-22:2014, EN60598-2-2:2012	Page 1 & 5
TEST DESCRIPTION	Full Type testing of the Self contained maintained and Slave Luminaires Applicable clauses: 22.4 – 22.5 – 22.5 – 22.6 – 22.7 – 22.8 – 22.9 – 22.10 – 22.11 – 22.12 – 22.13 – 22.14 – 22.15 – 22.16 – 22.17 – 22.18 – 22.19 – 22.20 – 22.21 – Annex A – Annex B	Page 5
SPECIFICATION OF TEST SPECIMEN	Emergency Luminaires with LED Light source, Self contained, Maintained / Non-maintained / Slave	Page 4





CC 734357

TEST RESULT (SUCH AS PASSED CRITERIA ___/ COMPLIED TO ___/ DURATION ___/OBSERVATION_/ETC)	PASSED all requirements	Page 18 to 67
PRODUCT APPLICATION GUIDELINE (END USE) (CLEARLY STATE THE END USE WITH SPECIFIC APPLICATION, SUCH AS EXACT FIRE RATING/TO BE INSTALLED IN ___/TO BE INSTALLED AT ___/TO BE CONNECTED WITH ___/TO BE INSTALLED WITH ___ ETC ALONG WITH ANY WARNINGS SUCH AS NOT TO BE USED IN ___/NOT TO BE INSTALLED AT ___/ NOT TO BE INSTALLED WITH ___ ETC.	This section of EN 60598-2-22 specifies requirements for emergency lighting luminaires for use with electrical light sources on emergency power supplies not exceeding 1 000 V. The Luminaire must be installed by qualified person. The luminaire should be connected to a mains voltage equivalent to that indicated on the product rating label. It is recommended to test the self contained luminaire for a brief period at least every month and a full rated duration every 12 months. For this purpose, the batteries must be charged for 24 Hours prior to the test.	





CC 734357

Laboratory and Certification body details

NAME OF CERTIFICATION BODY	BSI Assurance UK Limited bsi.	NAME OF TEST FACILITY	DEKRA Certification B.V.
CERTIFICATION BODY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY)	Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes, MK5 8PP, United Kingdom	TEST FACILITY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY)	Meander 1051, 6825 MJ Arnhem Netherlands
WEBSITE	www.bsigroup.com	WEBSITE	www.dekra-certification.com
TEL	+44 (0) 845 0809000	TEL	+31 889683000
EMAIL	product.certification@bsigroup.com	EMAIL	Ess.nl@dekra.com
ACCREDITED BY (NAME OF ACCREDITATION BODY WHICH ISSUED ACCREDITATION TO THE CERTIFICATION BODY, ALONG WITH WEBSITE)	UKAS 21-47 High Street Feltham Middlesex TW13 4UN www.ukas.com	ACCREDITED BY (NAME OF ACCREDITATION BODY WHICH ISSUED ACCREDITATION TO THE LABORATORY, ALONG WITH WEBSITE)	Dutch Accreditation Council RVA www.rva.nl
AS PER (STANDARD TO WHICH THE CERTIFICATION BODY IS ACCREDITED TO)	ISO 17065:2012	AS PER (STANDARD TO WHICH YOUR ORGANIZATION IS ACCREDITED TO)	ISO/IEC17025
VALIDITY (EXPIRY DATE OF CERTIFICATION BODY ACCREDITATION)	Not applicable (no expiry date for UKAS accreditation)	VALIDITY (EXPIRY DATE OF LABORATORY ACCREDITATION)	1 March 2018
REFERENCE NUMBER: (CERTIFICATION BODY ACCREDITATION REFERENCE NUMBER TO VERIFY ON THE ACCREDITOR'S WEBSITE)	0003	REFERENCE NUMBER: (THE LABORATORY ACCREDITATION REFERENCE NUMBER TO VERIFY ON THE ACCREDITOR'S WEBSITE)	L022
CERTIFICATION MARK			





CC 734357

(ENDORSEMENT) TO BE SIGNED BY MANUFACTURER			
NAME OF MANUFACTURER'S SIGNATORY	Mr Darren Birch	SIGNATURE	
EMAIL / TEL	darren.birch@gb.abb.com	FACTORY OFFICIAL SEAL	ABB b.v. Oostelinde 3, 2991 LG Barendrecht PO Box 32, 2990 AA Barendrecht The Netherlands Phone: +31 (0) 180 641 888 Telefac: +31 (0) 180 641 887 
NOTES: I Undertake that all data and information provided are genuine and accurate			

(ENDORSEMENT) TO BE SIGNED BY CERTIFICATION BODY			
NAME OF CERTIFICATION BODY SIGNATORY	Holly Rossington	SIGNATURE (Confirmed correct at date of issue)	
EMAIL / TEL	Holly.Rossingtons@bsigroup.com +44 8450809000	CERTIFICATION BODY OFFICIAL SEAL	
NOTES: I Undertake that all data and information provided are genuine and accurate			

ATTACHMENTS:

- COPY OF 'CERTIFICATE OF COMPLIANCE' ISSUED BY CERTIFICATION BODY (OLD OR NEW)



CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
VAN LIEN			
EVA-DLO	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO-X	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO-X	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO-X/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO-X/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO-X/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO-X/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO/CIS	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO/CIS	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO-X/CIS	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO-X/CIS	(Non)-Maintained	1 hour	Emergency - Surface mount
VAN LIEN			
EVA-DLO/CIS/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO/CIS/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO-X/CIS/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO-X/CIS/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO/CIS/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO/CIS/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO-X/CIS/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DWO-X/CIS/LB400	(Non)-Maintained	1 hour	Emergency - Surface mount
EVA-DLO/CIS/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO/CIS/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DLO-X/CIS/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DWO-X/CIS/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/LB400	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/CIS	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/CIS/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/CIS/LB400	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-DSO/CIS/LB400/3	(Non)-Maintained	3 hours	Emergency - Surface mount
EVA-R-DLI	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DWI	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DLI-X	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DWI-X	(Non)-Maintained	1 hour	Emergency - Recess mounted





CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
VAN LIEN			
EVA-V-DLI	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DWI	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DLI-X	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DWI-X	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DSI-X	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DSI-X	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DLI/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DWI/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DLI-X/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DWI-X/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DLI/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DWI/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DLI-X/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DWI-X/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DSI-X/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DSI-X/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DLI/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DWI/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DLI-X/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DWI-X/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DLI/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DWI/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DLI-X/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DWI-X/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted





CC 734357

VAN LIEN

EVA-R-DSI-X/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-V-DSI-X/LB400	(Non)-Maintained	1 hour	Emergency - Recess mounted
EVA-R-DLI/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DWI/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DLI-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DWI-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DLI/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DWI/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DLI-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DWI-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-V-DSI-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-R-DSI-X/LB400/3	(Non)-Maintained	3 hours	Emergency - Recess mounted
EVA-CLO	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CWO	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CLO-X	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CWO-X	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CLO/LBS	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CWO/LBS	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CLO-X/LBS	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CWO-X/LBS	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CLO/LTC	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CWO/LTC	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CLO-X/LTC	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CWO-X/LTC	Slave / Mains	3 hours*	Emergency - Surface mount

* Dependent on power system configuration





CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
VAN LIEN			
EVA-CSO	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CSO/LBS	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-CSO/LTC	Slave / Mains	3 hours*	Emergency - Surface mount
EVA-R-CLI	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CWI	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CLI-X	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CWI-X	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CLI	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CWI	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CLI-X	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CWI-X	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CSI-X	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CSI-X	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CLI/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CWI/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CLI-X/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CWI-X/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
VAN LIEN			
EVA-V-CLI/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CWI/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CLI-X/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CWI-X/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CSI-X/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CSI-X/LBS	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CLI/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CWI/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CLI-X/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CWI-X/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CLI/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CWI/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CLI-X/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CWI-X/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-R-CSI-X/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted
EVA-V-CSI-X/LTC	Slave / Mains	3 hours*	Emergency - Recess mounted

* Dependent on power system configuration





CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
ABB-KAUFEL			
SERENGA 73L A M3 SUE	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 75L A M3 SUE	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 73H A M3 SUE	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 75H A M3 SUE	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 73L A M3 BUS	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 75L A M3 BUS	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 73H A M3 BUS	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 75H A M3 BUS	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 76L W M3 SUE	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 76L W M3 BUS	(Non)-Maintained	3 hours	Emergency - Surface mount
SERENGA 73L E-R M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75L E-R M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73H E-R M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75H E-R M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73L E-S M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75L E-S M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73H E-S M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75H E-S M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 76L E-S M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 76L E-R M3 SUE	(Non)-Maintained	3 hours	Emergency - Recess mounted
ABB-KAUFEL			
SERENGA 73L E-R M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75L E-R M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73H E-R M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75H E-R M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73L E-S M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75L E-S M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73H E-S M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 75H E-S M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 76L E-S M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 76L E-R M3 BUS	(Non)-Maintained	3 hours	Emergency - Recess mounted
SERENGA 73L A EVG220	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 75L A EVG220	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 73H A EVG220	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 75H A EVG220	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 73L A FLX	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 75L A FLX	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 73H A FLX	Slave / Mains	3 hours*	Emergency - Surface mount
SERENGA 75H A FLX	Slave / Mains	3 hours*	Emergency - Surface mount

* Dependent on power system configuration





CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
ABB-KAUFEL			
SERENGA 73L E-R EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75L E-R EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73H E-R EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75H E-R EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73L E-S EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75L E-S EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73H E-S EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75H E-S EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 76L E-R EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 76L E-S EVG220	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73L E-R FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75L E-R FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73H E-R FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75H E-R FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73L E-S FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75L E-S FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 73H E-S FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 75H E-S FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 76L E-R FLX	Slave / Mains	3 hours*	Emergency - Recess mounted
SERENGA 76L E-S FLX	Slave / Mains	3 hours*	Emergency - Recess mounted





CC 734357

EMERGI-LITE

SFC M3 AUTOTST ESC-L4M WH (SR2-SEM3-A1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 AUTOTST OA-L4M WH (SR2-SAM3-D1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 AUTOTST ESC-MH12M WH (SR2-SEM3-BC1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 AUTOTST OA-MH12M WH (SR2-SAM3-EF1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 CT-NAVEO ESC-L4M WH (CTSR2-SEM3-A1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 CT-NAVEO OA-L4M WH (CTSR2-SAM3-D1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 CT-NAVEO ESC-MH12M WH (CTSR2-SEM3-BC1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 CT-NAVEO OA-MH12M WH (CTSR2-SAM3-EF1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 AUTOTST WALL - W3M WH (SR2-SWM3-G1)	(Non)-Maintained	3 hours	Emergency - Surface mount
SFC M3 CT-NAVEO WALL - W3M WH (CTSR2-SWM3-G1)	(Non)-Maintained	3 hours	Emergency - Surface mount

* Dependent on power system configuration





CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
EMERGI-LITE			
REC M3 AUTOTST ESC-4MH WH (SR2-DEA-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC M3 AUTOTST OA-L4M WH (SR2-DAD-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC-SQ M3 AUTOTST ESC-L4M WH (SR2Q-DEA-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC-SQ M3 AUTOTST OA-L4M WH (SR2Q-DAD-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC M3 CT-NAVEO ESC-L4M WH (CTSR2-DEA-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC M3 CT-NAVEO OA-L4M WH (CTSR2-DAD-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC-SQ M3 CT-NAVEO ESC-L4M WH (CTSR2Q-DEA-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
REC-SQ M3 CT-NAVEO OA-L4M WH (CTSR2Q-DAD-M3)	(Non)-Maintained	3 hours	Emergency - Recess mounted
SFC 230V ESC-L4M WH (SR2-SE230-A1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V OA-L4M WH (SR2-SA230-D1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V ESC-MH12M WH (SR2-SE230-BC1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V OA-MH12M WH (SR2-SA230-EF1)	Slave / Mains	3 hours*	Emergency - Surface mount

* Dependent on power system configuration





CC 734357

Annex A

Model number	Operation	Duration	Luminaire type
EMERGI-LITE			
SFC 230V EMEX ESC-L4M WH (SR2-SE230LT-A1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V EMEX OA-L4M WH (SR2-SA230LT-D1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V EMEX ESC-MH12M WH (SR2-SE230LT-BC1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V EMEX OA-MH12M WH (SR2-SA230LT-EF1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V WALL -W3M WH (SR2-SW230-G1)	Slave / Mains	3 hours*	Emergency - Surface mount
SFC 230V EMEX WALL -W3M WH (SR2-SW230LT-G1)	Slave / Mains	3 hours*	Emergency - Surface mount
REC 230V ESC-L4M WH (SR2-DEA-230)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC 230V OA-L4M WH (SR2-DAD-230)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC-SQ 230V ESC-L4M WH (SR2Q-DEA-230)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC-SQ 230V OA-L4M WH (SR2Q-DAD-230)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC 230V EMEX ESC-L4M WH (SR2-DEA-230LT)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC 230V EMEX OA-L4M WH (SR2-DAD-230LT)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC 230V EMEX 230V ESC-L4M WH (SR2-DEA-230LT)	Slave / Mains	3 hours*	Emergency - Recess mounted
REC 230V EMEX 230V OA-L4M WH (SR2-DAD-230LT)	Slave / Mains	3 hours*	Emergency - Recess mounted

* Dependent on power system configuration

