


Product End of Life Instructions

ComPacT NSX500 DC 1500V Circuit Breaker



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1,2	PA46, FR(17)	4.07	Plastic with FR(17)

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider-Electric
Product function	The ComPacT NSX500 DC 4 pole circuit breaker equipped with Thermal-magnetic (TM-D) trip units is designed to provide protection against overloads and short-circuits for industrial and commercial electrical distribution systems with assigned voltage upto 1500VDC and rated current of 500A.
Product reference	C50F4TM500D3
Total representative product mass	7500 g
Representative product dimensions	225mm x 185mm x 110mm
Date of information release	11/2021



Additional information

Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential

53%

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2106002_V1

© 2019 - Schneider Electric – All rights reserved

11/2021