



36 608 661

- Rosette Ø 60 mm
- Oberteil mit ablängbarer Spindel und Hülse



Dark Platinum gebürstet	36 608 661-99
Chrom	36 608 661-00
Platin gebürstet	36 608 661-06
Dark Chrome	36 608 661-19
Light Gold	36 608 661-26
Light Gold gebürstet	36 608 661-27
Schwarz matt	36 608 661-33
Bronze gebürstet	36 608 661-42
Champagne gebürstet (22kt Gold)	36 608 661-46
Champagne (22kt Gold)	36 608 661-47
Chrom gebürstet	36 608 661-93

Benötigtes Zubehör

UP-Ventil 3/4" -

35 608 970 90

Max. Einbautiefe 145 mmMin. Einbautiefe 85 mm






36 608 661

mm [inches]





Codes & Standards

ASME A112.18.1 cUPC Scottish Water **UK Water Supply Byelaws** Regulations

Zertifikate


IAPMO_4976

WRAS_2010



36 608 661

Produktversion von 7/1/2023







36 608 661

Ersatzteilstückliste

Produktversion von 7/1/2023

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
	90 20 66 014 04-99	Griff - Dark Platinum gebürstet	3	30