

36 501 979 Product version up to 2/2/2021



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Chrome | 36 501 979-00 |
|  | Brushed Platinum | 36 501 979-06 |
|  | Platinum | 36 501 979-08 |
|  | Dark Chrome | 36 501 979-19 |
|  | Light Gold (PVD) | 36 501 979-26 |
|  | Brushed Light Gold (PVD) | 36 501 979-27 |
|  | Brushed Durabrass (23kt Gold) | 36 501 979-28 |
|  | Matte Black | 36 501 979-33 |
|  | Brushed Gold (PVD) | 36 501 979-37 |
|  | Brushed Dark Brass (PVD) | 36 501 979-39 |
|  | Brushed Bronze (PVD) | 36 501 979-42 |
|  | Brushed Dark Bronze (PVD) | 36 501 979-43 |
|  | Brushed Champagne (22kt Gold) | 36 501 979-46 |
|  | Champagne (22kt Gold) | 36 501 979-47 |
|  | Brushed Chrome | 36 501 979-93 |
|  | Brushed Dark Platinum | 36 501 979-99 |

Required miscellaneous

xGRID Installation track 555 mm - 12 360 970 90



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90



Required miscellaneous


xTOOL Concealed thermostat module without volume control - 35 503 970 90




- min. recess depth 85 mm
- max. recess depth 110 mm

36 501 979 Product version up to 2/2/2021

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



xTOOL Concealed thermostat without volume control 1/2" - Chrome


SERIES SPECIFIC

36 501 979 Product version up to 2/2/2021

Certificates and sustainability

| | | | | |
|-----------|-----------------|--------|--------|--------|
| WRAS_2011 | DVGW_DW-6512DN0 | LGA_29 | LGA_29 | LGA_29 |
|-----------|-----------------|--------|--------|--------|

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|--|---------------|---------------|
| 4 | 90 14 10 049 00 90 | O-Ring 45,69 x 2,62 mm - | 1.00 | 14 |
| 2 | 90 31 09 095 00 90 | Rod - | 1.00 | 14 |
| 7 | 90 21 33 011 00-13 | Repair kit for thermostat handle - black | 1.00 | 14 |
| 3 | 09 11 02 162-00 | xTOOL Rosette Modern Ø 124 x 10 mm - Chrome | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 091102537-00 | xTOOL Rosette Ø 124 x 10 mm - Chrome | | |
| 5 | 90 21 02 112 00-00 | Sleeve - Chrome | 1.00 | 20 |
| 8 | 90 16 02 027 00 90 | Spring Ø 4,5 x 7,5 mm - | 1.00 | 14 |
| 11 | 12 178 970 90 | Extension 46 mm - | 1.00 | 14 |
| 9 | 90 30 30 136 00 90 | Bolt - | 1.00 | 14 |
| 1 | 90 15 02 065 00 90 | Thermostat cartridge with control unit Ø 44 x 147 mm - | 1.00 | 14 |
| 6 | 90 17 33 004 00-00 | Handle for thermostat Ø 46 x 48 mm - Chrome | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 90173302000-00 | Handle for thermostat Ø 46 x 48 mm - Chrome | | |
| 10 | 90 31 20 049 00-00 | Plug - Chrome | 1.00 | 20 |