

# Concord

## MYRIAD HOUSING 2700K DALI 2057922



### Features

- MYRIAD HOUSING 2700K DALI




### Product Overview

Product name	MYRIAD HOUSING 2700K DALI
Technology	LED
Cap/Base	N/A
Environment	Interior
Fixture luminous flux (lm)	791
Luminaire efficacy (lm/W)	79
LOR (%)	100
Colour temperature (K)	2700
Light colour	Candlelight
CRI (Ra)	85
Colour Variation Initial (SDCM)	3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
IP rating	IP44/20
IK rating	IK02
Product EAN number	5025768579228
Warranty	5 years

# Concord

## MYRIAD HOUSING 2700K DALI 2057922

### Photometry




0.5	0.33	E(0°) E(C0)	18.5°	5141 2202
1.0	0.67	E(0°) E(C0)	18.5°	1235 550
1.5	1.00	E(0°) E(C0)	18.5°	571 245
2.0	1.34	E(0°) E(C0)	18.5°	321 138
2.5	1.67	E(0°) E(C0)	18.5°	206 88
3.0	2.01	E(0°) E(C0)	18.5°	143 61

Distance [m]      Cone diameter [m]      Illuminance [lx]

— C0 - C180 (Half beam angle: 37.0°)

### Technical drawings



Dimensions (mm)

### Data table

#### GENERAL DATA

Product name

MYRIAD HOUSING 2700K DALI

# Concord

## MYRIAD HOUSING 2700K DALI 2057922

Technology	LED
Cap/Base	N/A
Environment	Interior
Warranty	5 years

### OPTICAL DATA

Fixture luminous flux (lm)	791
Luminaire efficacy (lm/W)	79
LOR (%)	100
Colour temperature (K)	2700
Light colour	Candlelight
CRI (Ra)	85
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

### ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Electrical protection	Class II
Control gear required	No
Drive current (mA)	350
Energy Efficiency Class (A->G) of contained light source	E

### LIFETIME DATA

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

### PHYSICAL DATA

IP rating	IP44/20
IK rating	IK02

# Concord

## MYRIAD HOUSING 2700K DALI 2057922

Weight (kg)	0.37
-------------	------

Recessed Depth (mm)	72
---------------------	----

### PACKAGING

Single packaging type	Carton
-----------------------	--------

Product EAN number	5025768579228
--------------------	---------------

Packaging single width (cm)	15.0
-----------------------------	------

Packaging single depth (cm)	17.5
-----------------------------	------

DUN14 (outer)	05025768579228
---------------	----------------

Packaging outer length / height (cm)	17.5
--------------------------------------	------

### SAFETY DATA

Special purpose lamp	No
----------------------	----

Dry applications use only	No
---------------------------	----

Suitable for household illumination	No
-------------------------------------	----