# **Product Environmental Profile**

#### **Harmony XVS Editable Electronic Voice Alarm**





ENVPEP2506029\_V1 06-2025


#### General information

Reference product	Harmony XVS Editable Electronic Voice Alarm - XVSV9MBN
Description of the product	The product is an audible signaling units designed for long distance indication of the operating status or sequences of a machine or installation. They are used mainly in the factory applications, construction sites, safety applications and in public areas.
Description of the range	Single product
Functional unit	To monitor an event by providing audible signaling/voice for safety alarm in public areas and factory applications. This editable electronic alarm is an accessory designed as an audible and signaling unit for custom assembly. It has a voice signal and its sound acoustic level is adjustable.
Specifications are:	Standards: IEC 60947-5-1  Ambient air temperature for storage: -2060 °C  IP degree of protection:  Panel mounted: IP65 conforming to IEC 60529  Wall mounted: IP20  Noise level: 097 dB (stop or suppress) at 1 m

## <u>&</u>

#### Constituent materials

Reference product mass 591 g including the product, its packaging, additional elements and accessories



 Metals
 7.7%

 Others
 65.4%

 Plastics
 26.9%

#### Substance assessment

 $\label{lem:condition} \mbox{Details of ROHS and REACH substances information are available on the Schneider-Electric website <math display="block">\mbox{$\underline{$https://www.se.com}$}$ 

ENVPEP2506029\_V1 06-2025

### (19) Additional environmental information

End Of Life

Recyclability potential:

19%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

### **T** Environmental impacts

Reference service life time	10 years								
Product category	Other equipments - Active product								
Life cycle of the product	The manufacturing, the distribution, the installation	n, the use and the end of life w	ere taken into consideration in the	nis study					
Electricity consumtion	The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption								
Installation elements	The product does not require any installation ope	rations							
Use scenario	The product is in active mode 2% with a power use of 10W and off mode 98% with a power use of 0W during 10 years of lifetime.								
Time representativeness	The collected data are representative of the year 2025								
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are similar and representative of the actual type of technologies used to make the product.								
Geographical	Final assembly site Use phase End-of-life								
representativeness	Batam, Indonesia Global Global								
Energy model used	[A1 - A3] Electricity Mix; High voltage; 2020; Indonesia, ID								

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.se.com/contact

Mandatory Indicators	Harmony XVS Editable Electronic Voice Alarm - XVSV9MBN									
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads		
Contribution to climate change	kg CO2 eq	1.76E+01	7.79E+00	4.17E-01	1.74E-02	8.49E+00	8.40E-01	-2.29E-01		
Contribution to climate change-fossil	kg CO2 eq	1.77E+01	8.09E+00	4.17E-01	1.74E-02	8.40E+00	7.95E-01	-2.23E-01		
Contribution to climate change-biogenic	kg CO2 eq	-1.69E-01	-3.04E-01	0*	0*	0*	0*	-5.59E-03		
Contribution to climate change-land use and land use change	kg CO2 eq	1.60E-04	1.60E-04	0*	0*	0*	3.53E-08	0.00E+00		
Contribution to ozone depletion	kg CFC-11 eq	2.29E-06	1.88E-06	3.68E-07	3.12E-10	3.57E-08	5.91E-09	-4.56E-08		
Contribution to acidification	mol H+ eq	9.52E-02	4.85E-02	1.78E-03	1.05E-04	4.36E-02	1.22E-03	-5.32E-03		
Contribution to eutrophication, freshwater	kg P eq	4.06E-05	2.44E-05	4.89E-08	3.81E-08	1.31E-05	3.03E-06	-3.67E-07		
Contribution to eutrophication, marine	kg N eq	1.36E-02	7.18E-03	8.17E-04	4.92E-05	5.22E-03	3.71E-04	-1.61E-04		
Contribution to eutrophication, terrestrial	mol N eq	1.57E-01	7.66E-02	8.86E-03	5.04E-04	6.73E-02	4.16E-03	-1.88E-03		
Contribution to photochemical ozone formation - human health	kg COVNM eq	4.58E-02	2.46E-02	2.92E-03	1.21E-04	1.71E-02	1.05E-03	-8.84E-04		
Contribution to resource use, minerals and metals	kg Sb eq	1.10E-03	1.10E-03	0*	0*	1.80E-06	0*	-9.29E-05		
Contribution to resource use, fossils	MJ	2.99E+02	1.12E+02	5.19E+00	9.05E-02	1.79E+02	2.99E+00	-4.74E+00		
Contribution to water use	m3 eq	3.50E+00	2.88E+00	2.12E-02	1.90E-02	5.18E-01	6.14E-02	-2.85E-01		

ENVPEP2506029\_V1 06-2025

Inventory flows Indicators		Harmony XVS Editable Electronic Voice Alarm - XVSV9MBN							
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads	
Contribution to renewable primary energy used as energy	MJ	3.52E+01	5.95E+00	0*	0*	2.91E+01	1.04E-01	-1.41E-01	
Contribution to renewable primary energy used as raw material	MJ	6.11E-01	6.11E-01	0*	0*	0*	0*	0.00E+00	
Contribution to total renewable primary energy	MJ	3.58E+01	6.57E+00	0*	0*	2.91E+01	1.04E-01	-1.41E-01	
Contribution to non renewable primary energy used as energy	MJ	2.91E+02	1.03E+02	5.19E+00	9.05E-02	1.79E+02	2.99E+00	-4.74E+00	
Contribution to non renewable primary energy used as raw material	MJ	8.67E+00	8.67E+00	0*	0*	0*	0*	0.00E+00	
Contribution to total non renewable primary energy	MJ	2.99E+02	1.12E+02	5.19E+00	9.05E-02	1.79E+02	2.99E+00	-4.74E+00	
Contribution to use of secondary material	kg	1.90E-01	1.90E-01	0*	0*	0*	0*	0.00E+00	
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00	
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00	
Contribution to net use of fresh water	m³	8.12E-02	6.66E-02	4.93E-04	4.43E-04	1.21E-02	1.55E-03	-6.63E-03	
Contribution to hazardous waste disposed	kg	1.75E+01	1.72E+01	0*	0*	1.98E-01	8.89E-02	-7.24E+00	
Contribution to non hazardous waste disposed	kg	6.22E+00	4.37E+00	0*	2.02E-01	1.34E+00	3.05E-01	-1.34E-01	
Contribution to radioactive waste disposed	kg	2.01E-03	1.65E-03	8.30E-05	2.68E-07	2.67E-04	1.15E-05	-6.33E-05	
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00	
Contribution to materials for recycling	kg	7.36E-02	3.65E-03	0*	0*	0*	6.99E-02	0.00E+00	
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00	
Contribution to exported energy	MJ	4.66E-04	3.88E-05	0*	0*	0*	4.28E-04	0.00E+00	
* represents less than 0.01% of the total life cycle of the reference	ce flow								
Contribution to biogenic carbon content of the product	kg of C	0.00E+00							

Contribution to biogenic carbon content of the associated kg of C 5.56E-02

packaging

\* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Impact indicators Unit [B1 - B7] - Use [B1] [B2] [B3] [B4] [B5] [B6]	
	Impact indicators
tribution to climate change kg CO2 eq 8.49E+00 0* 0* 0* 0* 0* 0* 8.49E+00	limate change
ntribution to climate change-fossil kg CO2 eq 8.40E+00 0* 0* 0* 0* 0* 0* 8.40E+00	elimate change-fossil
ntribution to climate change-biogenic kg CO2 eq 0* 0* 0* 0* 0* 0* 0*	limate change-biogenic
ntribution to climate change-land use and land use change kg CO2 eq 0* 0* 0* 0* 0* 0* 0*	limate change-land use and land use chang
tribution to ozone depletion kg CFC-11 3.57E-08 0* 0* 0* 0* 0* 3.57E-08 eq	ozone depletion
ntribution to acidification mol H+ eq 4.36E-02 0* 0* 0* 0* 0* 0* 4.36E-02	acidification
ntribution to eutrophication, freshwater $kg P eq$ 1.31E-05 $0^*$ $0^*$ $0^*$ $0^*$ $0^*$ $0^*$ 1.31E-05	eutrophication, freshwater
ntribution to eutrophication marine kg N eq 5.22E-03 0* 0* 0* 0* 0* 5.22E-03	eutrophication marine
ntribution to eutrophication, terrestrial mol N eq 6.73E-02 0* 0* 0* 0* 0* 6.73E-02	eutrophication, terrestrial
tribution to photochemical ozone formation - human health kg COVNM eq 1.71E-02 0* 0* 0* 0* 0* 0* 1.71E-02	photochemical ozone formation - human hea
ntribution to resource use, minerals and metals kg Sb eq 1.80E-06 0* 0* 0* 0* 0* 0* 1.80E-06	esource use, minerals and metals
ntribution to resource use, fossils MJ 1.79E+02 0* 0* 0* 0* 0* 1.79E+02	esource use, fossils
ntribution to water use m3 eq 5.18E-01 0* 0* 0* 0* 0* 5.18E-01	vater use

ENVPEP2506029\_V1 06-2025

Inventory flows Indicators	Harmony XVS Editable Electronic Voice Alarm - XVSV9MBN								
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.91E+01	0*	0*	0*	0*	0*	2.91E+01	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	2.91E+01	0*	0*	0*	0*	0*	2.91E+01	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.79E+02	0*	0*	0*	0*	0*	1.79E+02	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	1.79E+02	0*	0*	0*	0*	0*	1.79E+02	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	1.21E-02	0*	0*	0*	0*	0*	1.21E-02	0*
Contribution to hazardous waste disposed	kg	1.98E-01	0*	0*	0*	0*	0*	1.98E-01	0*
Contribution to non hazardous waste disposed	kg	1.34E+00	0*	0*	0*	0*	0*	1.34E+00	0*
Contribution to radioactive waste disposed	kg	2.67E-04	0*	0*	0*	0*	0*	2.67E-04	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*
*									

<sup>\*</sup> represents less than 0.01% of the total life cycle of the reference flow

The components of the present PEP may not be compared with components from any other program.

Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"

Life cycle assessment performed with EIME version v6.3.0.1-17, database version 2024-01 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2506029_V1	Drafting rules	PEP-PCR-ed4-2021 09 06						
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08						
Date of issue	06-2025	Information and reference documents	www.pep-ecopassport.org						
		Validity period	5 years						
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016									
Internal X External									
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)									
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022									

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

Head Office

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2506029\_V1

©2024 - Schneider Electric - All rights reserved

06-2025

ENVPEP2506029\_V1 06-2025