

Concord

MYRIAD ADJ SQUARE BLACK 2700K DALI WHITE BZ 2058042



Features

- The Myriad Adjustable Square recessed spotlight is a high efficient accent downlight, fixture color Black, correlated colour temperature of 2700K, color rendering index Ra157, fixture lumen 567lm, total power consumption 10W, luminaire efficacy 68 lm/W, nominal light beam angle 24°, mains voltage 230-240V~ AC, control technology type: DALI, product length 76mm, width 76mm, height 115mm, cut-out dimension 72x72mm, IP rating IP20, 5 years warranty.

Product Overview


Product name	MYRIAD ADJ SQUARE BLACK 2700K DALI WHITE BZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting
Environment	Indoor
Fixture luminous flux (lm)	567
Luminaire efficacy (lm/W)	68
LOR (%)	100
Colour temperature (K)	2700
Light colour	Candlelight
CRI (Ra)	85
Colour Variation Initial (SDCM)	3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Housing colour	Black

Concord


MYRIAD ADJ SQUARE BLACK 2700K DALI WHITE BZ 2058042

IP rating	IP20
IK rating	IK02
Product EAN number	5025768580422
Warranty	5 years

Photometry



Technical drawings



Dimensions (mm)

Concord

MYRIAD ADJ SQUARE BLACK 2700K DALI WHITE BZ 2058042

Data table

GENERAL DATA

Product name	MYRIAD ADJ SQUARE BLACK 2700K DALI WHITE BZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting
Environment	Indoor
Performance ambient temperature Tq (°C)	25
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	567
Luminaire efficacy (lm/W)	68
LOR (%)	100
Colour temperature (K)	2700
Light colour	Candlelight
CRI (Ra)	85
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Electrical protection	Class II
Control gear required	No
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E

Concord

MYRIAD ADJ SQUARE BLACK 2700K DALI WHITE BZ 2058042

Nominal Frequency (Hz)	50/60Hz
------------------------	---------

LIFETIME DATA

Lifespan L70 B50	100000
------------------	--------

Lifespan L80 B20	100000
------------------	--------

Lifespan L90 B10	68500
------------------	-------

PHYSICAL DATA

Housing colour	Black
----------------	-------

IP rating	IP20
-----------	------

IK rating	IK02
-----------	------

Nominal Product Width (mm)	72
----------------------------	----

Max. Lamp Diameter (mm) - D	90
-----------------------------	----

Weight (kg)	0.838
-------------	-------

Recessed Depth (mm)	115
---------------------	-----

PACKAGING

Single packaging type	Carton
-----------------------	--------

Product EAN number	5025768580422
--------------------	---------------

Packaging single width (cm)	15.0
-----------------------------	------

Packaging single depth (cm)	17.5
-----------------------------	------

DUN14 (outer)	05025768580422
---------------	----------------

Packaging outer length / height (cm)	17.5
--------------------------------------	------

SAFETY DATA

Special purpose lamp	No
----------------------	----

Dry applications use only	No
---------------------------	----

Suitable for household illumination	No
-------------------------------------	----