



xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabross SERIES SPECIFIC (23kt Gold)

36 503 780 Product version up to 12/31/2021



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

| | | |
|--|-------------------------------|---------------|
| | Brushed Durabross (23kt Gold) | 36 503 780-28 |
| | Chrome | 36 503 780-00 |
| | Brushed Platinum | 36 503 780-06 |
| | Platinum | 36 503 780-08 |
| | Dark Chrome | 36 503 780-19 |
| | Brushed Light Gold (PVD) | 36 503 780-27 |
| | Matte Black | 36 503 780-33 |
| | Brushed Dark Brass (PVD) | 36 503 780-39 |
| | Brushed Bronze (PVD) | 36 503 780-42 |
| | Brushed Dark Bronze (PVD) | 36 503 780-43 |
| | Brushed Champagne (22kt Gold) | 36 503 780-46 |
| | Champagne (22kt Gold) | 36 503 780-47 |
| | Brushed Chrome | 36 503 780-93 |
| | Brushed Dark Platinum | 36 503 780-99 |

Required miscellaneous

| | | |
|--|--|---------------|
| | xGRID Installation track 555 mm - | 12 360 970 90 |
|--|--|---------------|

Required miscellaneous

| | | |
|--|---|---------------|
| | xTOOL Concealed thermostat module without volume control - | 35 503 970 90 |
| | •min. recess depth 115 mm | |
| | •max. recess depth 155 mm | |


Recommended miscellaneous

| | | |
|--|--|---------------|
| | xGRID Attachment set for integrating in the dry wall construction - | 12 340 970 90 |
|--|--|---------------|




xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronze (23kt Gold) SERIES SPECIFIC

36 503 780 Product version up to 12/31/2021
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronze SERIES SPECIFIC (23kt Gold)

36 503 780 Product version up to 12/31/2021

Certificates and sustainability

WRAS_2011

DVGW_DW-
6512DN0

LGA_29

LGA_29

LGA_29


EPD-DOR-20230287

-IBA1-EN

Environmental.prod
uct-declarat

xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabross SERIES SPECIFIC (23kt Gold)

36 503 780 Product version up to 12/31/2021



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--|--|---------------|---------------|
| | 3 90 14 10 049 00 90 | O-Ring 45,69 x 2,62 mm - | 1.00 | 14 |
| | 4 90 21 02 112 00-28 | Sleeve - Brushed Durabross (23kt Gold) | 1.00 | 40 |
| | 2 09 11 02 196-28 | xTOOL Rosette 120 x 120 x 8,5 mm - Brushed Durabross (23kt Gold) | 1.00 | - |
| | Spare part can no longer be ordered, please order the replacement item | | | |
| | 091102533-28 | Cover for xTOOL - Brushed Durabross (23kt Gold) | | |
| | 7 90 16 02 027 00 90 | Spring Ø 4,5 x 7,5 mm - | 1.00 | 14 |
| | 5 90 17 33 004 00-28 | Handle for thermostat Ø 46 x 48 mm - Brushed Durabross (23kt Gold) | 1.00 | - |
| | Spare part can no longer be ordered, please order the replacement item | | | |
| | 90173302000-28 | Handle for thermostat Ø 46 x 48 mm - Brushed Durabross (23kt Gold) | | |
| | 10 12 178 970 90 | Extension 46 mm - | 1.00 | 14 |
| | 9 90 31 20 049 00-13 | Plug - black | 1.00 | 40 |
| | 8 90 30 30 136 00 90 | Bolt - | 1.00 | 14 |
| | 6 90 21 33 011 00-13 | Repair kit for thermostat handle - black | 1.00 | 14 |
| | 1 90 15 02 063 00 90 | Thermostat cartridge with control unit Ø 44 x 147 mm - | 1.00 | 14 |