


Data Sheet | Item Number: 831-1038

Mounting adapter; for DIN-35 rail/panel mounting; fixed on DIN-rail 35; Pin spacing 7.62 mm; light gray

<https://www.wago.com/831-1038>



Color: ■ light gray



M = Locking plate for axial locking on the mounting rail

Physical data

Width	15.1 mm / 0.594 inches
Height	11.2 mm / 0.441 inches
Height from upper-edge of DIN-rail	6.6 mm / 0.26 inches
Depth	88.4 mm / 3.48 inches

Mechanical data

Mounting type	Snap-in with locking plate
Mounting type	Panel mounting DIN-35 rail

Material data

Note (material data)	Information on material specifications can be found here
Color	light gray
Material group	I
Insulation material (main housing)	Polybutylene terephthalate (PBT)
Flammability class per UL94	V0
Fire load	0.232 MJ
Weight	6.5 g

Environmental requirements

Limit temperature range	-60 ... +105 °C
Processing temperature	-35 ... +60 °C

Commercial data

PU (SPU)	12 pcs
Packaging type	Box
Country of origin	DE
GTIN	4066966112412
Customs tariff number	39269097900

Product Classification

UNSPSC	39121702
ETIM 9.0	EC002848
ETIM 8.0	EC002848
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 831-1038



Documentation

Additional Information

Technical Section

03.04.2019

pdf

2027.26 KB



CAD/CAE-Data

CAD data

2D/3D Models
831-1038

