



Color:  gray

Electrical data

Ratings per IEC/EN

Rated current	309 A
---------------	-------

Physical data

Jumper assignment	1-2
-------------------	-----

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0 MJ
Weight	97 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	25 (5) pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143067003
Customs tariff number	85366990990



Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

General approvals			Approvals for hazardous areas		
					
Approval	Standard	Certificate Name	Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2	154112	AEx Underwriters Laboratories Inc.	UL 60079	E185892 (AEx eb II C resp. Ex eb II C)
UL Underwriters Laboratories Inc.	UL 1059	E45172			

Downloads

Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 285-1171	

Documentation


Additional Information			Bid Text		
Technical Section	pdf 2240.62 KB		285-1171	19.02.2019	xml 2.56 KB 
			285-1171	04.01.2018	doc 22.50 KB 

CAD/CAE-Data


CAD data		CAE data	
2D/3D Models 285-1171		EPLAN Data Portal 285-1171	
		ZUKEN Portal 285-1171	

Installation Notes

Commoning



Commoning with an adjacent jumper: insert the jumper above the conductor entry hole – prior to conductor termination. The nominal cross-section remains unchanged.



Removing jumper via operating tool.