

# TRUCKSTAR PRO R5W

Brightest OSRAM truck light



### Excellent brightness

More light allows to see farther and therefore react sooner



### More than double the service life

Reduced downtime and fleet costs compared to standard lamps



### Very high vibration resistance

Suitable for heavy duty applications



### The most powerful halogen truck light from OSRAM

Discover TRUCKSTAR PRO signal lamps - the brightest truck light from OSRAM with excellent value for money. With up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and more than double the service life compared to standard lamps, the lamps improve your safety while driving on the road.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	5627TSP
------------------------	---------


Electrical Data

Power input	7 W
Nominal voltage	24.0 V
Nominal wattage	5 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BA15s
Length	37.5 mm
Diameter	16.0 mm
Product weight	6.02 g

Lifetime Data

Lifespan B3	500 hr
Lifespan Tc	1000 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	R5W
--------------	-----

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172158367   4008321821201
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172158367	TRUCKSTAR PRO R5W	Unpacked 1	37 mm x 16 mm x 16 mm	0.01 dm³	6.00 g
4062172158381	TRUCKSTAR PRO R5W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm³	429.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

