


Data Sheet | Item Number: 831-321
Lockout pin; for male connectors; 2 parts; light gray

<https://www.wago.com/831-321>



Color: ■ light gray



Dimensions in mm

Physical data

Width	8.3 mm / 0.327 inches
Height	9.3 mm / 0.366 inches
Depth	24 mm / 0.945 inches

Mechanical data

Mounting type	Snap-in flange
Mounting type	Feed-through mounting
Suitable	for snap-in frame, 831 Series
Suitable for through-panel applications	Yes

Material data

Note (material data)	Information on material specifications can be found here
Color	light gray
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.026 MJ
Weight	0.8 g

Commercial data

PU (SPU)	100 pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143564939
Customs tariff number	39269097900

Product Classification

UNSPSC	39121703
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 10.0	EC002848
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 831-321



Documentation

Additional Information

Technical Section 03.04.2019 pdf 2027.26 KB



CAD/CAE-Data

CAD data

2D/3D Models 831-321



CAE data

ZUKEN Portal 831-321



Installation Notes

Installation



Inserting a female connector without lateral locking levers
– lockout pins are inserted on both sides of the snap-in frame.