


## Data Sheet | Item Number: 773-332

Mounting carrier; 773 Series - 2.5 mm<sup>2</sup> / 4 mm<sup>2</sup> / 6 mm<sup>2</sup>; for DIN-35 rail mounting/  
screw mounting; orange

<https://www.wago.com/773-332>



Color: ■ orange

### Physical data

Width	18 mm / 0.709 inches
Height	78.2 mm / 3.079 inches
Depth from upper-edge of DIN-rail	25.3 mm / 0.996 inches
Depth	30.5 mm / 1.201 inches

### Mechanical data

Mounting type	DIN-35 rail Screw mount
Suitable	for all PUSH WIRE® junction box connectors (773 Series)

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	orange
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.255 MJ
Weight	8.5 g

### Environmental requirements

Continuous operating temperature	105 °C
----------------------------------	--------

**Commercial data**

Product Group	7 (Push Wire Conn.)
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918526524
Customs tariff number	39269097900

**Product Classification**

UNSPSC	39121702
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 8.0	EC002848
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Downloads**

**Environmental Product Compliance**

<b>Compliance Search</b>	
Environmental Product Compliance 773-332	↓

**Documentation**

<b>Bid Text</b>			
773-332	19.02.2019	xml 2.55 KB	↓
773-332	17.05.2017	doc 23.50 KB	↓
ausschreiben.de 773-332			↓

**CAD/CAE-Data**

<b>CAD data</b>	
2D/3D Models 773-332	↓

<b>CAE data</b>	
EPLAN Data Portal 773-332	↓
WSCAD Universe 773-332	↓
ZUKEN Portal 773-332	↓

## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Marking

##### 1.1.1.1 Marking strip

**Item No.: 210-834**

Marking strips; on reel; 5 mm wide; plain;  
Self-adhesive; white

## Installation Notes

### Installation



Snap the mounting carrier onto the DIN-rail.



Use the cover as an end plate.



Remove the mounting carrier from the DIN-rail.

## Application



A mounting carrier (see accessories) suits applications where the connectors must be marked and secured in position. The DIN-35 rail-mount carrier fits up to two connectors and can also be mounted on a flat surface using two screws.

Using this connector carrier, a large range of wiring applications can be achieved in distribution or junction boxes. To mention just a few: potential multiplication and changing from or to 6 mm<sup>2</sup> (10 AWG) conductor size.