


Data Sheet | Item Number: 897-2005

Protective cap; Type4; for sockets and plugs; PVC; red

<https://www.wago.com/897-2005>



Color: ■ red



Cover WINSTA®

The cover from the WINSTA® product line guarantees you the greatest possible flexibility in electrical installation. You can rely on the quality of WINSTA® components from WAGO for your electrical installation accessories too.

Lower costs through fast commissioning and elimination of service expenses – solutions from WINSTA®

WINSTA® is the pluggable connection system that is optimally tailored to the strict requirements of electrical installation. It ensures fast, secure and, above all, error-free installation of components and cables. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismating from WAGO.

- saves time, since no wiring is required at the construction site
- rapid, structured electrical installation

Notes

General safety information

NOTICE: Observe installation and safety instructions!

- Nur von Elektrofachkraft oder einer für die Tätigkeit elektrisch unterwiesenen Person (EUP nach DIN VDE 0105-100) anzuwenden!
- Nicht unter Spannung/Last installieren!
- Nur für bestimmungsgemäßen Gebrauch einsetzen!
- Nationale Vorschriften/Normen/Richtlinien beachten!
- Technische Daten der Produkte beachten!
- Auf die richtige Polbelegung achten!
- Keine beschädigten/verschmutzten Komponenten verwenden!
- Leiterarten, -querschnitte, Abisolierlängen und Leitungsdurchmesser beachten!
- Leiter bis zum Anschlag einführen!
- Nur mit Verriegelungsklinke und Zugentlastung verwenden!
- Originalzubehör verwenden!

To be sold only with installation instructions!

Physical data

Width	40.9 mm
Height	40.9 mm
Depth	39.4 mm
Diameter	38.1 mm

Material data

Note (material data)	Information on material specifications can be found here
Color	red
Fire load	0 MJ
Weight	13.8 g
Material	Polyvinyl chloride

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +176 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

PU (SPU)	25 pcs
Packaging type	Box
Country of origin	DE
GTIN	4055144084856
Customs tariff number	39269097900

Product Classification

UNSPSC	39121721
ETIM 9.0	EC002863
ETIM 10.0	EC002863
ECCN	NO US CLASSIFICATION



Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 897-2005	

Documentation

System Description		
System description protection caps 897 series	pdf 58.18 KB	

Installation Notes

Application



Application example