

Report No. 48.400.25.0145.01-00/01
Dated 2025-02-24



Technical Report

Client: Zhejiang Aiko Solar Technology Co., Ltd.
No.655, Haopai Road, Suxi Town, Yiwu 322009 Zhejiang, P.R.China

Contact person: Su Xiong

Test object: The submitted samples were received and described by client as:
Product: PV Module
Product model refer to the APPENDIX I.

Tested sample description: Refer to next page(s).

Test specification:

- 1. Perfluorooctane Sulfonate (PFOS) Content According to Regulation (EU) 2019/1021 of the European Parliament and of the Council on persistent organic pollutants**
Test with reference to EN 17681-1:2022 & EN 17681-2:2022
- 2. Perfluorooctanoic Acid (PFOA) and PFOA-related compounds Content According to Regulation (EU) 2019/1021 of the European Parliament and of the Council on persistent organic pollutants**
Test with reference to EN 17681-1:2022 & EN 17681-2:2022
- 3. Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds Content According to Regulation (EU) 2019/1021 of the European Parliament and of the Council on persistent organic pollutants**
Test with reference to EN 17681-1:2022 & EN 17681-2:2022

Conclusion:

1. Perfluorooctane Sulfonate (PFOS) Content	Pass
2. Perfluorooctanoic Acid (PFOA) and PFOA-related compounds Content	Pass
3. Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds Content	Pass

Test results: Refer to next page(s).

Remarks:

1. The tested samples were identified and appointed by client.
2. Sample was tested as received.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China

Tel.: +86-21-6037-6501

Page 1 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



1. Order

1.1 Date of Purchase Order

2025-02-05

1.2 Customer's Reference

Nil

1.3 Receipt Date of Test Sample

2025-01-24

1.4 Date of Testing

2025-02-17 – 2025-02-21

1.5 Location of Testing

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, SHA Chemical Lab.



Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China




Tel.: +86-21-6037-6501

Page 2 of 25



2. Description of the tested specimen

Sample No.	Description	Photograph/Location
01	White glue	
02	Silvery label	
03	Silvery label	
04	Blue solar cell	

Sample No.	Description	Photograph/Location
05	Translucent plastic inner film	
06	White glue	
07	Black plastic junction box housing	
08	Black plastic cable jacket	

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Sample No.	Description	Photograph/Location
09	Black plastic plug	
10	Red plastic sealing ring	
11	Black plastic sleeve	
12	Black plastic sleeve	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China

Tel.: +86-21-6037-6501

Page 5 of 25



Sample No.	Description	Photograph/Location
13	Black plastic sleeve	



TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



3. Test Result

3.1 Perfluorooctane Sulfonate (PFOS) content test

Test Item	MDL	Unit	Result		Maximum Permissible Limit
			01	02	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Bis2(hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	N.D.	
1-decanaminium, N-decyl-N,N,dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 7 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Item	MDL	Unit	Result		Maximum Permissible Limit
			03	04	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Bis(2-hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	N.D.	
1-decanaminium, N-decyl-N,N,dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 8 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Item	MDL	Unit	Result		Maximum Permissible Limit
			05	06	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Bis(2-hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	N.D.	
1-decanaminium, N-decyl-N,N-dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 9 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Item	MDL	Unit	Result		Maximum Permissible Limit
			07	08	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Bis(2-hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	N.D.	
1-decanaminium, N-decyl-N,N,dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

TEC_WUX_F_25.03E - Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 10 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Item	MDL	Unit	Result		Maximum Permissible Limit
			09	10	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Bis(2-hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	N.D.	
1-decanaminium, N-decyl-N,N,dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 11 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Item	MDL	Unit	Result		Maximum Permissible Limit
			11	12	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Bis(2-hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	N.D.	
1-decanaminium, N-decyl-N,N,dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 12 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Item	MDL	Unit	Result	Maximum Permissible Limit
			13	
Perfluorooctansulfonate (PFOS)	0.025	mg/kg	N.D.	Sum < 1000
Potassium perfluorooctane sulfonate	0.025	mg/kg	N.D.	
Lithium perfluorooctane sulfonate	0.025	mg/kg	N.D.	
Ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	
Bis(2-hydroxyethyl)ammonium perfluorooctane sulfonate	0.025	mg/kg	N.D.	
Tetraethylammonium heptadecafluorooctane sulfonate	0.025	mg/kg	N.D.	
Perfluorooctane sulfonamide (PFOSA)	0.025	mg/kg	N.D.	
N-Methylperfluoro-1-octanesulfonamide(N-Me-FOSA)	0.025	mg/kg	N.D.	
N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	0.025	mg/kg	N.D.	
2-(N-methylperfluoro-1-octanesulfonamideo)-ethanol (N-Me-FOSE)	0.025	mg/kg	N.D.	
2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol (N-Et-FOSE)	0.025	mg/kg	N.D.	
Heptadecafluorooctanesulfonyl fluoride (PFOSF)	0.025	mg/kg	N.D.	
1-decanaminium, N-decyl-N,N-dimethyl-0,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate	0.025	mg/kg	N.D.	
Conclusion:			Pass	

Remark:

1. MDL=Method Detection Limit.
2. N.D.=Not Detected (<MDL)
3. "mg/kg" denotes "milligram per kilogram"
4. The limit was quoted from Regulation (EU) 2019/1021 of the European Parliament and of the Council on persistent organic pollutants.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 13 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



3.2 Perfluorooctanoic Acid (PFOA) and PFOA-related compounds Content test

Tested Items	MDL	Unit	Result		Maximum Permissible Limit
			01	02	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China

Tel.: +86-21-6037-6501

Page 14 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Tested Items	MDL	Unit	Result		Maximum Permissible Limit
			03	04	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 15 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Tested Items	MDL	Unit	Result		Maximum Permissible Limit
			05	06	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 16 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Tested Items	MDL	Unit	Result		Maximum Permissible Limit
			07	08	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 17 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Tested Items	MDL	Unit	Result		Maximum Permissible Limit
			09	10	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 18 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Tested Items	MDL	Unit	Result		Maximum Permissible Limit
			11	12	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	N.D.	
Conclusion:			Pass	Pass	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 19 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Tested Items	MDL	Unit	Result	Maximum Permissible Limit
			13	
Perfluorooctane Acid (PFOA)	0.025	mg/kg	N.D.	Sum ≤ 0.025
Ammonium Pentadecafluorooctanoate(APFO)	0.025	mg/kg	N.D.	
Sodium perfluorooctanoate (Na-PFO)	0.025	mg/kg	N.D.	
Potassium perfluorooctanoate (K-PFO)	0.025	mg/kg	N.D.	
Silver perfluorooctanoate (Ag-PFO)	0.025	mg/kg	N.D.	
Perfluorooctanoate fluoride (F-PFO)	0.025	mg/kg	N.D.	
Methyl pentadecafluorooctanoate (Me- PFOA)	<0.025	mg/kg	N.D.	Sum ≤ 1
Ethyl pentadecafluorooctanoate (Et-PFOA)	<0.025	mg/kg	N.D.	
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	<0.2	mg/kg	N.D.	
1H,1H,2H,2H-Heptadecafluorodecyl acrylate (8:2 FTA)	<0.2	mg/kg	N.D.	
2-(Perfluorooctyl)ethyl methacrylate (8:2 FTMA)	<0.2	mg/kg	N.D.	
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecanesulphonic acid (8:2 FTS)	<0.025	mg/kg	N.D.	
Conclusion:			Pass	

Remark:

1. MDL=Method Detection Limit.
2. N.D.=Not Detected (<MDL)
3. "mg/kg" denotes "milligram per kilogram"
4. The limit was quoted from Regulation (EU) 2019/1021 of the European Parliament and of the Council on persistent organic pollutants.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 20 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



3.5 Perfluorohexane Sulfonic Acid (PFHxS), It's Salts and PFHxS-related Compounds Content Test

Test Items	Unit	MDL	Result		Maximum Permissible Limit
			01	02	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH ₄)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	N.D.	
Conclusion			Pass	Pass	

Test Items	Unit	MDL	Result		Maximum Permissible Limit
			03	04	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH ₄)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	N.D.	
Conclusion			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 21 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Items	Unit	MDL	Result		Maximum Permissible Limit
			05	06	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH4)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	N.D.	
Conclusion			Pass	Pass	

Test Items	Unit	MDL	Result		Maximum Permissible Limit
			07	08	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH4)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	N.D.	
Conclusion			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 22 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Items	Unit	MDL	Result		Maximum Permissible Limit
			09	10	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH4)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	N.D.	
Conclusion			Pass	Pass	

Test Items	Unit	MDL	Result		Maximum Permissible Limit
			11	12	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH4)	mg/kg	0.01	N.D.	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	N.D.	
Conclusion			Pass	Pass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic

And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab

No. 1999 Du Hui Rd, Minhang District, Shanghai

201108 P.R. China

Tel.: +86-21-6037-6501

Page 23 of 25

Report No. 48.400.25.0145.01-00/01

Dated 2025-02-24



Test Items	Unit	MDL	Result	Maximum Permissible Limit
			13	
Perfluorohexane Sulphonic acid (PFHxS)	mg/kg	0.01	N.D.	0.025
Perfluorohexane Sulfonic acid potassium salt (PFHxS-K)	mg/kg	0.01	N.D.	0.025
Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	mg/kg	0.01	N.D.	0.025
Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH4)	mg/kg	0.01	N.D.	0.025
Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	mg/kg	0.01	N.D.	0.025
N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	mg/kg	0.01	N.D.	Sum<1
Perfluorohexane sulfonamide (PFHxSA)	mg/kg	0.01	N.D.	
Conclusion			Pass	

Remark:

1. MDL=Method Detection Limit.
2. N.D.=Not Detected (<MDL)
3. "mg/kg" denotes "milligram per kilogram"
4. The limit was quoted from Regulation (EU) 2019/1021 of the European Parliament and of the Council on persistent organic pollutants.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Prepared by:



Mr. Jialong HAN

Checked by:



Mr. Feng ZHANG

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China

Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn info@tuv-sud.cn


Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China

Tel.: +86-21-6037-6501

Page 24 of 25



APPENDIX I: Product Model

Product: PV Module	Model: AIKO-A-GRH66Dw
	
Additional model: AIKO-A-MAH78Dw, AIKO-A-MAE78Dw, AIKO-A-MAH72Dw, AIKO-A-MAH72Db, AIKO-A-MAE72Dw, AIKO-A-MDE72Dw, AIKO-G-MCH72Dw, AIKO-A-MAH60Dw, AIKO-A-MAH60Db, AIKO-A-MAE60Dw, AIKO-A-MCE60Dw, AIKO-A-MCE60Db, AIKO-A-MDE60Dw, AIKO-G-MCH60Dw, AIKO-A-MAH54Dw, AIKO-A-MAH54Db, AIKO-A-MCE54Dw, AIKO-A-MCE54Db, AIKO-A-MDE54Dw, AIKO-G-MCH54Dw	

- Remark:
1. The report covers material testing on specified samples.
 2. The tested materials covered by the report were declared by the manufacturer to be used on the additional model.

-END OF REPORT