



### Features




- The energy distribution of the BL368 lamp is concentrated around the spectral peak at 368nm which is the most important frequency for the attraction of flying insects.

### Product Overview

Product name	F25W T8 BL368 18"
Technology	Special applications
Cap/Base	G13
Fixture rating	Enclosed
Wattage (W)	25.00
Product EAN number	5410288021669

F25W T8 BL368 18"  
0002166

## Technical drawings



## Data table

### GENERAL DATA

Product name	F25W T8 BL368 18"
Technology	Special applications

## F25W T8 BL368 18" 0002166

Cap/Base	G13
Fixture rating	Enclosed
Operating temperature range (°C)	-15°C...+40°C

### OPTICAL DATA

Ambient temperature for maximum luminous flux (°C)	25
Adjustable chromaticity	N

### ELECTRICAL DATA

Wattage (W)	25.00
Current (A)	0.6
Primary Supply/Product voltage - min (V)	230
Control gear required	No

### PHYSICAL DATA

Nominal Product Length (mm)	450.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	437.4
Length base to pin Min-Max (mm) - B	442.1-444.5
Max. Lamp Length (mm) - C/L	451.6
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.063

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288021669
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288021666
Packaging outer length / height (cm)	48.0

### SAFETY DATA

## F25W T8 BL368 18" 0002166

Lamp mercury content (mg)	2.80
Optimal operating condition (°C)	-15-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not suitable for household