

## Data Sheet | Item Number: 790-114

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps; gray

<https://www.wago.com/790-114>



Color: ■ gray

### Dimensions in mm

| Item No.       | A  | B  | C  | D  | E   | F  |
|----------------|----|----|----|----|-----|----|
| <b>790-108</b> | 51 | 15 | 8  | 16 | 55  | 42 |
| <b>790-116</b> | 53 | 15 | 16 | 16 | 57  | 45 |
| <b>790-124</b> | 78 | 15 | 24 | 16 | 83  | 58 |
| <b>790-140</b> | 97 | 15 | 40 | 16 | 100 | 73 |

### Material data

|           |          |
|-----------|----------|
| Color     | gray     |
| Fire load | 0.113 MJ |
| Weight    | 25.5 g   |

### Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| eCl@ss 10.0           | 27-14-11-92                    |
| eCl@ss 9.0            | 27-14-11-92                    |
| ETIM 8.0              | EC002848                       |
| ETIM 7.0              | EC002848                       |
| PU (SPU)              | 25 pcs                         |
| Packaging type        | Box                            |
| Country of origin     | DE                             |
| GTIN                  | 4045454352912                  |
| Customs tariff number | 85369095000                    |

### Environmental Product Compliance

|   |                                      |
|---|--------------------------------------|
| CAS-No.                                   | 7439-92-1                            |
| REACH Candidate List Substance            | Lead                                 |
| RoHS Compliance Status                    | Compliant,With Exemption             |
| RoHS Exemption                            | 7(a)<br>7(c)-I<br>7(c)-II            |
| SCIP notification number (Austria)        | 6c55020c-658a-4734-a7fb-513ac97a639e |
| SCIP notification number (Belgium)        | d449eace-d9bc-4ef1-a698-6a28eef33e10 |
| SCIP notification number (Bulgaria)       | d589ea89-2246-4ad4-bf6e-b4ac87f3d920 |
| SCIP notification number (Czech Republic) | 29d65d92-910a-4480-bd0b-31e39a3e1590 |
| SCIP notification number (Denmark)        | 9e70f241-c25b-4879-927c-f7a4cfde11b6 |
| SCIP notification number (Finland)        | 9181c677-8e1d-4a3c-8278-5732434262ac |
| SCIP notification number (France)         | c3ab7b9f-0a8a-437a-9acb-ad45a35e4df9 |
| SCIP notification number (Germany)        | 20f8007a-820d-4bec-bcb6-d8d77ff0314e |
| SCIP notification number (Hungary)        | c74d7418-9496-4a95-9d64-e59d4e03be86 |
| SCIP notification number (Italy)          | fa349186-59e0-4eb2-851e-4ab3ca36eb4a |
| SCIP notification number (Netherlands)    | 78d1124f-5c22-4350-b0bf-165113f983a1 |
| SCIP notification number (Poland)         | 06838737-dc41-4c68-9cbf-ce0db7094abb |

### Environmental Product Compliance

|                                    |                                      |
|------------------------------------|--------------------------------------|
| SCIP notification number (Romania) | 4c5b3219-2441-4ccc-bcf8-da15c4db2a9d |
| SCIP notification number (Sweden)  | 0e1fb8c8-53b8-43ad-a25f-44d2da574214 |

### Downloads

#### Environmental Product Compliance

|  |  |
|--|--|
| Compliance Search                        |  |
| Environmental Product Compliance 790-114 |  |

### Documentation

|          |            |                 |  |
|----------|------------|-----------------|--|
| Bid Text |            |                 |  |
| 790-114  | 19.02.2019 | xml<br>2.71 KB  |  |
| 790-114  | 28.11.2018 | doc<br>23.50 KB |  |

### CAD/CAE-Data

|                      |  |
|----------------------|--|
| CAD data             |  |
| 2D/3D Models 790-114 |  |

|                           |  |
|---------------------------|--|
| CAE data                  |  |
| EPLAN Data Portal 790-114 |  |
| WSCAD Universe 790-114    |  |
| ZUKEN Portal 790-114      |  |

### 1 Compatible Products


#### 1.1 Optional Accessories

##### 1.1.1 Shield termination

##### 1.1.1.1 Shield clamping saddles

|   |  |  |   |
|---|--|--|---|
|   |  |  |   |
| <p><b>Item No.: 790-108</b></p> <p>Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm</p> | <p><b>Item No.: 790-116</b></p> <p>Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm</p> | <p><b>Item No.: 790-124</b></p> <p>Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm</p> | <p><b>Item No.: 790-140</b></p> <p>Shield clamping saddle; diameter of compatible conductor</p> |

## Installation Notes



Carrier with grounding foot\* (790-114), 45 mm long, busbar parallel to the DIN-rail  
\*for all shield clamping saddle sizes