

Data Sheet | Item Number: 281-667/281-515

Component terminal block; 4-conductor; for DIN-rail 35 x 15 and 35 x 7.5; 4 mm²;
CAGE CLAMP®; gray

<https://www.wago.com/281-667/281-515>



Notes

Safety Information

- Installation must be performed by qualified personnel only.
- The DIN-rail must be grounded.
- The input current must be protected by a suitable fuse.
- Protection against contact with stored charges must be ensured.
- Do not insert or remove pluggable modules when energized.
- The IP20 protection rating must be maintained in the assembled state or when using an end/intermediate plate compatible with the rail-mount terminal block.

Electrical data

Operating voltage	250 VAC
Power (max.)	0.75 W
Resistor	100K0
Tolerance	±10 %
Resistor type/design	DIN 0207

Safety and protection

Rated impulse withstand voltage	4 kV
Pollution degree	3

Safety Information

- Installation must be performed by qualified personnel only.
- The DIN-rail must be grounded.
- The input current must be protected by a suitable fuse.
- Protection against contact with stored charges must be ensured.
- Do not insert or remove pluggable modules when energized.
- The IP20 protection rating must be maintained in the assembled state or when using an end/intermediate plate compatible with the rail-mount terminal block.

Protection type	IP20
-----------------	------

Connection Data

Clamping units	4
Number of levels	1

Physical data

Width	6 mm / 0.236 inches
-------	---------------------

Material data

Color	gray
Insulation material (main housing)	Polyamide (PA66)
Material group	I
Flammability class per UL94	V0
Fire load	0.207 MJ
Weight	13.5 g

Environmental requirements

Ambient temperature (operation)	-25 ... +70 °C
---------------------------------	----------------

Standards and Specifications

Standards/specifications	EN 60947-7-1 EN 60664-1 EN 60529
--------------------------	--

Commercial data

PU (SPU)	50 pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143538121
Customs tariff number	85369010000

Product Classification

UNSPSC	39121410
ETIM 9.0	EC000903
ETIM 10.0	EC000903
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

CAS-No.	1317-36-8 7439-92-1
REACH Candidate List Substance	Lead Lead monoxide
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c) 7(c)-I
SCIP notification number (Austria)	dfe68101-9bfe-494e-bd13-9e872498488c
SCIP notification number (Belgium)	e8a3b61f-3631-4147-9814-95ab8711dcbb
SCIP notification number (Bulgaria)	3b86c6e5-6cf1-4228-adfb-e12b50874289
SCIP notification number (Czech Republic)	99270d16-3157-4f5c-a2c7-4d8fa0316726
SCIP notification number (Denmark)	27e992d7-8e09-44eb-a16a-a948fb87f0fa
SCIP notification number (Finland)	f961fa3e-d8a0-4aa2-9839-ff92c58338c1
SCIP notification number (France)	fd1f31d9-a72b-4477-b2ea-d99df8f5b9e8
SCIP notification number (Germany)	9c2471e5-f816-4e4f-807d-3a35edfc7f60
SCIP notification number (Hungary)	2f8fe396-8252-4ac6-981f-1ace2f362306
SCIP notification number (Italy)	25aa9667-c3f4-4d51-bffe-ef8ad2b52883
SCIP notification number (Netherlands)	4b780412-24b0-46d1-8d94-372674c051b8
SCIP notification number (Poland)	f4665379-04ba-430f-a4f9-f8ea50e150d2
SCIP notification number (Romania)	67cecf3a-045c-4fd1-9576-6c55b2f99a2a
SCIP notification number (Sweden)	abf686fa-9e6a-4271-89cb-3104b338e8f0

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com