


Data Sheet | Item Number: 770-623


Mounting plate; 3-pole; for distribution connectors; Plastic; black

<https://www.wago.com/770-623>



Color: ■ black

Dimensions in mm



Dimensions in mm

Mounting accessories WINSTA® MIDI 3-pole

The mounting accessories from the WINSTA® MIDI product line guarantees you the maximum flexibility in electrical installation. You can rely on the quality of WINSTA® components from WAGO for your electrical installation accessories too. The WINSTA® MIDI product line allows maximum flexibility for the installation of applications. Through its Push-in CAGE CLAMP® spring pressure connection technology, it guarantees error-free, time-saving installation and offers customization and flexibility for meeting an enormous variety of installation requirements.

Lower costs through fast commissioning and elimination of service expenses – solutions from WINSTA® MIDI

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This significantly reduces the need for servicing and lowers costs. Choose durability and quality – with protection against mismatching from WAGO makes the electrical installation of electrical components visibly easier.

- for automation controllers
- fast, secure installation

Notes

General safety information

NOTICE: Observe installation and safety instructions!

- Nur von Elektrofachkraft oder einer für die Tätigkeit elektrisch unterwiesenen Person (EUP nach DIN VDE 0105-100) anzuwenden!
- Nicht unter Spannung/Last installieren!
- Nur für bestimmungsgemäßen Gebrauch einsetzen!
- Nationale Vorschriften/Normen/Richtlinien beachten!
- Technische Daten der Produkte beachten!
- Auf die richtige Polbelegung achten!
- Keine beschädigten/verschmutzten Komponenten verwenden!
- Leiterarten, -querschnitte, Abisolierlängen und Leitungsdurchmesser beachten!
- Leiter bis zum Anschlag einführen!
- Nur mit Verriegelungsklinke und Zugentlastung verwenden!
- Originalzubehör verwenden!

To be sold only with installation instructions!

Connection Data

Connection 1

Pole number 3

Mechanical data

Mounting type Screw mount
 Suitable for distribution connectors (except T-distribution connectors); 3-pole

Material data

Note (material data) [Information on material specifications can be found here](#)
 Color black
 Insulation material (main housing) Polyamide (PA66)
 Flammability class per UL94 V0
 Fire load 0.137 MJ
 Weight 4.6 g

Environmental requirements

Processing temperature -5 ... +40 °C
 Continuous operating temperature -35 ... +85 °C
 Note on continuous operating temperature Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group 20 (Winsta)
 PU (SPU) 25 pcs
 Packaging type Box
 Country of origin DE
 GTIN 4017332755382
 Customs tariff number 39269097900



Product Classification	
UNSPSC	39121311
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 9.0	EC002863
ETIM 10.0	EC002863
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 770-623	↓

Documentation

Bid Text			
770-623	19.02.2019	xml 2.55 KB	↓
770-623	14.01.2015	doc 22.50 KB	↓
ausschreiben.de 770-623			↓

CAD/CAE-Data

CAD data	
2D/3D Models 770-623	↓

CAE data	
WSCAD Universe 770-623	↓
ZUKEN Portal 770-623	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories



Item No.: 890-601

Fixing pin; 5 mm Ø, for 1.5 ... 2.5 mm mounting plates; Plastic; black

Item No.: 770-601

Fixing pin; 6 mm Ø, for 2.5 ... 4.0 mm mounting plates; Plastic; black