
Product Environmental Profile

ACTASSI CAT7 S/FTP LAN CABLE








General information

Reference product	Copper LAN cable, Actassi, S/FTP, 4P, Cat7, Dca, LSZH, 500 m - VDICD657218
Description of the product	The main purpose of the Actassi Copper LAN Cable product is to cover needs for the transmission of Gigabit over Ethernet protocols over a LAN (Local Area Network) cabling installations within Buildings.
Description of the range	Single product
Functional unit	To transmit 1 communication signal on 1m, at a frequency of αHz, during X years and a Y% use rate for an application Z, in accordance with the standards ISO/CEI 11801, EN 50173-1, EN 50174-1, ANSI/TIA/EIA-568-C.2, CEI 61156-5 and EN 50288-4-1
Specifications are:	α, frequency = 600MHz X, years = 10 Y, use rate = 100% Z, application = Data centers

Constit

Constituent materials

Reference product mass 71.5 g including the product, and its packaging





Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website $\frac{\text{https://www.se.com}}{\text{https://www.se.com}}$

(1) Additional environmental information

End Of Life

Recyclability potential:

56%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Environmental impacts

Reference service life time	10 years									
Product category	Communication and data wires and cables									
Life cycle of the product	he manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study									
Electricity consumption	The electricity consumed during manufacturing pagenerates a negligible consumption	he electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly enerates a negligible consumption								
Installation elements	This product does not require a special installation procedure and requires little to no energy to install. The disposal of the packaging materials is accounted for during the installation phase (including transport to disposal). The material constituents of the packaging are wood (57%), cardboard (24.7%), and steel (18.3%)									
Use scenario	Load rate = 100% Use rate = 100% RLT									
Time representativeness	The collected data are representative of the year 2024									
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product.									
Geographical	Final assembly site Use phase End-of-life									
representativeness	Slovak Republic Europe Europe									
	[A1 - A3] [A5] [B6] [C1 - C									
Energy model used	Electricity Mix: Slovak Republic, SK Electricity Mix; Europe, RER Electricity Mix; Global, GLO	Electricity Mix; Europe, RER	Electricity Mix; Low voltage; 2020; Europe, EU-27	Global, European and French datasets are used.						

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.se.com/contact

Mandatory Indicators	FTP LAN CABL	E - VDICD657218						
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	7.09E-01	4.49E-01	6.12E-02	2.08E-02	4.83E-02	1.30E-01	-1.58E-01
Contribution to climate change-fossil	kg CO2 eq	6.83E-01	4.39E-01	6.12E-02	1.13E-02	4.73E-02	1.24E-01	-1.56E-01
Contribution to climate change-biogenic	kg CO2 eq	2.59E-02	9.55E-03	0*	9.43E-03	1.07E-03	5.81E-03	-2.61E-03
Contribution to climate change-land use and land use change	e kg CO2 eq	1.00E-07	3.84E-09	0*	0*	0*	9.64E-08	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	2.58E-07	2.01E-07	5.41E-08	4.61E-11	2.07E-10	3.26E-09	-3.17E-08
Contribution to acidification	mol H+ eq	8.73E-03	7.43E-03	2.69E-04	2.44E-05	2.53E-04	7.52E-04	-5.26E-03
Contribution to eutrophication, freshwater	kg P eq	1.92E-04	9.72E-06	0*	1.26E-07	1.16E-07	1.82E-04	-4.80E-07
Contribution to eutrophication marine	kg N eq	7.69E-04	5.09E-04	1.24E-04	7.10E-06	2.96E-05	9.93E-05	-1.26E-04
Contribution to eutrophication, terrestrial	mol N eq	8.77E-03	5.58E-03	1.34E-03	6.17E-05	4.75E-04	1.31E-03	-1.43E-03
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.19E-03	2.33E-03	4.39E-04	1.93E-05	9.39E-05	3.10E-04	-7.24E-04
Contribution to resource use, minerals and metals	kg Sb eq	5.09E-05	4.49E-05	0*	0*	1.57E-08	5.90E-06	-3.98E-05
Contribution to resource use, fossils	MJ	1.17E+01	8.53E+00	7.63E-01	3.42E-01	1.16E+00	8.70E-01	-2.45E+00
Contribution to water use	m3 eq	5.49E-01	3.80E-01	3.11E-03	2.19E-03	3.66E-03	1.60E-01	-2.46E-01

Inventory flows Indicators	ACTASSI CAT7 S/FTP LAN CABLE - VDICD657218									
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads		
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	7.10E-01	2.67E-01	0*	3.05E-02	2.71E-01	1.42E-01	-1.70E-01		
Contribution to use of renewable primary energy resources used as raw material	MJ	1.57E-01	1.57E-01	0*	0*	0*	0*	-7.37E-02		
Contribution to total use of renewable primary energy resources	MJ	8.67E-01	4.23E-01	0*	3.05E-02	2.71E-01	1.42E-01	-2.44E-01		
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.04E+01	7.26E+00	7.63E-01	3.42E-01	1.16E+00	8.70E-01	-2.45E+00		
Contribution to use of non renewable primary energy resources used as raw material	MJ	1.27E+00	1.27E+00	0*	0*	0*	0*	0.00E+00		
Contribution to total use of non-renewable primary energy resources	MJ	1.17E+01	8.53E+00	7.63E-01	3.42E-01	1.16E+00	8.70E-01	-2.45E+00		
Contribution to use of secondary material	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00		
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00		
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00		
Contribution to net use of freshwater	m³	1.28E-02	8.84E-03	7.24E-05	5.11E-05	8.56E-05	3.73E-03	-5.73E-03		
Contribution to hazardous waste disposed	kg	4.12E+00	4.12E+00	0*	0*	1.33E-03	0*	-3.64E+00		
Contribution to non hazardous waste disposed	kg	3.62E-01	3.18E-01	6.24E-05	6.18E-03	7.29E-03	3.03E-02	-1.68E-01		
Contribution to radioactive waste disposed	kg	2.49E-04	2.33E-04	1.22E-05	3.10E-07	1.72E-06	1.37E-06	-1.32E-04		
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00		
Contribution to materials for recycling	kg	4.10E-02	2.60E-03	0*	3.34E-03	0*	3.50E-02	0.00E+00		
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00		
Contribution to exported energy	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00		
* represents less than 0.01% of the total life cycle of the refe	erence flow									
Contribution to biogenic carbon content of the product	kg of C	0.00E+00								
Contribution to biogenic carbon content of the associated packaging	kg of C	3.10E-03								

^{*} The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Mandatory Indicators			ACTASS	SI CAT7 S/	FTP LA	N CABLE	- VDICD657218		
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	4.83E-02	0*	0*	0*	0*	0*	4.83E-02	0*
Contribution to climate change-fossil	kg CO2 eq	4.73E-02	0*	0*	0*	0*	0*	4.73E-02	0*
Contribution to climate change-biogenic	kg CO2 eq	1.07E-03	0*	0*	0*	0*	0*	1.07E-03	0*
Contribution to climate change-land use and land use chang	e kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	2.07E-10	0*	0*	0*	0*	0*	2.07E-10	0*
ontribution to acidification	mol H+ eq	2.53E-04	0*	0*	0*	0*	0*	2.53E-04	0*
ntribution to eutrophication, freshwater	kg P eq	1.16E-07	0*	0*	0*	0*	0*	1.16E-07	0*
ontribution to eutrophication marine	kg N eq	2.96E-05	0*	0*	0*	0*	0*	2.96E-05	0*
ntribution to eutrophication, terrestrial	mol N eq	4.75E-04	0*	0*	0*	0*	0*	4.75E-04	0*
ntribution to photochemical ozone formation - human alth	kg COVNM eq	9.39E-05	0*	0*	0*	0*	0*	9.39E-05	0*
ontribution to resource use, minerals and metals	kg Sb eq	1.57E-08	0*	0*	0*	0*	0*	1.57E-08	0*
ntribution to resource use, fossils	MJ	1.16E+00	0*	0*	0*	0*	0*	1.16E+00	0*
ontribution to water use	m3 eq	3.66E-03	0*	0*	0*	0*	0*	3.66E-03	0*

Inventory flows Indicators					FTP LAI	N CABLE	- VDICD657218	3
Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
MJ	2.71E-01	0*	0*	0*	0*	0*	2.71E-01	0*
MJ	0*	0*	0*	0*	0*	0*	0*	0*
MJ	2.71E-01	0*	0*	0*	0*	0*	2.71E-01	0*
MJ	1.16E+00	0*	0*	0*	0*	0*	1.16E+00	0*
MJ	0*	0*	0*	0*	0*	0*	0*	0*
MJ	1.16E+00	0*	0*	0*	0*	0*	1.16E+00	0*
kg	0*	0*	0*	0*	0*	0*	0*	0*
MJ	0*	0*	0*	0*	0*	0*	0*	0*
MJ	0*	0*	0*	0*	0*	0*	0*	0*
m³	8.56E-05	0*	0*	0*	0*	0*	8.56E-05	0*
kg	1.33E-03	0*	0*	0*	0*	0*	1.33E-03	0*
kg	7.29E-03	0*	0*	0*	0*	0*	7.29E-03	0*
kg	1.72E-06	0*	0*	0*	0*	0*	1.72E-06	0*
kg	0*	0*	0*	0*	0*	0*	0*	0*
kg	0*	0*	0*	0*	0*	0*	0*	0*
kg	0*	0*	0*	0*	0*	0*	0*	0*
MJ	0*	0*	0*	0*	0*	0*	0*	0*
	MJ MJ MJ MJ MJ MJ MJ kg MJ MJ kg kg kg kg kg	MJ 2.71E-01 MJ 0* MJ 1.16E+00 MJ 0* MJ 1.16E+00 kg 0* MJ 0* MJ 0* m³ 8.56E-05 kg 1.33E-03 kg 7.29E-03 kg 0* kg 0* kg 0 7.89E-06 kg 0 1.72E-06 kg 0 0*	MJ 2.71E-01 0° MJ 0° 0° MJ 2.71E-01 0° MJ 1.16E+00 0° MJ 0° 0° kg 0° 0° MJ 0° 0° kg 1.33E-03 0° kg 7.29E-03 0° kg 0° 0°	Unit [B1 - B7] - Use [B1] [B2] MJ 2.71E-01 0° 0° MJ 2.71E-01 0° 0° MJ 1.16E+00 0° 0° MJ 0° 0° 0° kg 1.33E-05 0° 0° kg 7.29E-03 0° 0° kg 0° 0° 0°	Unit [B1 - B7] - Use [B1] [B2] [B3] MJ 2.71E-01 0° 0° 0° MJ 2.71E-01 0° 0° 0° MJ 1.16E+00 0° 0° 0° MJ 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° kg 0° 0° 0° 0° MJ 0° 0° 0° 0° kg 1.33E-05 0° 0° 0° kg 7.29E-03 0° 0° 0° kg 0° 0° 0°	Unit [B1 - B7] - Use [B1] [B2] [B3] [B4] MJ 2.71E-01 0° 0° 0° 0° MJ 2.71E-01 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° 0° kg 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° kg 1.33E-05 0° 0° 0° 0° kg 7.29E-03 0° 0° 0° 0° kg 0° 0° 0° 0° 0° kg <t< td=""><td>Unit [B1 - B7] - Use [B1] [B2] [B3] [B4] [B5] MJ 2.71E-01 0° 0° 0° 0° 0° MJ 2.71E-01 0° 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° 0° 0° kg 0° 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° 0° kg 1.33E-03 0° 0° 0° 0° 0° kg 0° 0°</td><td>MJ 2.71E-01 0° 0° 0° 0° 0° 2.71E-01 MJ 0° 0° 0° 0° 0° 0° 0° 0° MJ 2.71E-01 0° 0° 0° 0° 0° 2.71E-01 MJ 1.16E+00 0° 0° 0° 0° 0° 1.16E+00 MJ 0° 0° 0° 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° 0° 0° 0° 0° MJ 0°</td></t<>	Unit [B1 - B7] - Use [B1] [B2] [B3] [B4] [B5] MJ 2.71E-01 0° 0° 0° 0° 0° MJ 2.71E-01 0° 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° 0° MJ 1.16E+00 0° 0° 0° 0° 0° kg 0° 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° 0° kg 1.33E-03 0° 0° 0° 0° 0° kg 0° 0°	MJ 2.71E-01 0° 0° 0° 0° 0° 2.71E-01 MJ 0° 0° 0° 0° 0° 0° 0° 0° MJ 2.71E-01 0° 0° 0° 0° 0° 2.71E-01 MJ 1.16E+00 0° 0° 0° 0° 0° 1.16E+00 MJ 0° 0° 0° 0° 0° 0° 0° 0° MJ 0° 0° 0° 0° 0° 0° 0° 0° 0° MJ 0°

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.4, database version 2024-02 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01380-V01.01-EN	Drafting rules	PEP-PCR-ed4-2021 09 06						
		Supplemented by	PSR-0001-ed4-2022 11 16						
Verifier accreditation N°	VH42	Information and reference documents	www.pep-ecopassport.org						
Date of issue	03-2025	Validity period	5 years						
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006									
Internal External X									

The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)

PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022

The components of the present PEP may not be compared with components from any other program.

Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

Head Office

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com SCHN-01380-V01.01-EN Published by Schneider Electric

©2024 - Schneider Electric - All rights reserved

03-2025

PEP

eco

PASS PORT®