

VIZA7.EX4689 - Fittings, Grooved and Plain End Certified for Canada

Fittings, Grooved and Plain End Certified for Canada

Aalberts integrated piping systems APAC Inc

295 SEC 3 WANDAN RD
WANDAN TOWNSHIP
PINGTUNG HSIEN, 913 Taiwan

EX4689

The following fittings are intended for use with Aalberts integrated piping systems APAC Inc (EX4688) Listed rubber gasketed fittings.

Model	Type	Size In.	Rated Pressure (kPa)
899	Grooved by Female	1-1/4 x 1/2, 3/4, 1;	2070
	NPT 90 degree elbow	1-1/2 x 1/2, 3/4, 1;	
		2 x 1/2, 3/4, 1;	
		2-1/2 x 1/2, 3/4, 1	
901	90 Degree Elbow	2, 2-1/2, 3, 4, 5, 6, 8;	2070
	(Short Radius)	3.0 OD, 6.5 OD	
903	Tee	2, 2-1/2, 3, 4, 5, 6, 8;	2070
	(Short Radius)	3.0 OD, 6.5 OD	
7110	90 Degree Elbow	20, 24	1730
		1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18	2070
		76.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm, 318.5 mm	
7110DR	Drain Elbow	2, 2-1/2, 3, 4, 6	2070
7110LR	Elbow (Long Radius)	2, 2-1/2, 3, 4, 6, 8	2070
7111	45 Degree Elbow	20, 24	1730
		1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18	2070
		76.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm, 318.5 mm	
7112	22-1/2 Elbow	1-1/2	3460
		2, 2-1/2, 3.0 OD, 3, 4, 5, 6, 6.5 OD, 8	2070
7113	11-1/4 Elbow	2, 2-1/2, 3.0 OD, 3, 4, 5, 6, 6.5 OD, 8	2070

7120	Tee	20, 24	1730	
		1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18	2070	
		776.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm, 318.5 mm		
7121	Reducing Tee	2 x 1-1/2;	2070	
		2-1/2 x 2;		
		3 x 2, 2-1/2;		
		4 x 2, 2-1/2, 3;		
		6 x 2, 2-1/2, 3, 4;		
		8 x 2, 3, 4, 6;		
		10 x 4, 6, 8;		
		12 x 3, 4, 6, 8, 10		
7125	Bullhead Tee	2 x 2-1/2;	2070	
		2-1/2 x 3, 4;		
		4 x 6;		
		5 x 8;		
		6 x 8		
7127	Standpipe Tee	4 x 2-1/2;	2070	
		6 x 2-1/2		
7130	45 Lateral	2, 2-1/2, 3, 3.0 OD, 4, 5, 6, 6.5 OD, 8	2070	
7135	Cross	2, 2-1/2, 3, 4, 5, 6, 8	2070	
7150	Concentric Reducers (Groove Type A)	4 x 2, 2-1/2, 3;	2070	
		6 x 2, 2-1/2, 3, 4		
	(Groove Type B)	2 x 1-1/2;		
		8 x 3, 4, 6;		
		10 x 4, 6, 8;		
		12 x 8, 10;		
		14 x 8, 10, 12;		
		16 x 8, 10, 12, 14;		
		18 x 12, 14, 16		
	(Groove Type C)	2-1/2 x 2;		
		3 x 2, 2-1/2		
	(Groove Type B)	20 x 16, 18;		1730
		24 x 12, 14, 16, 18, 20		

7150F	Reducing Socket Adapter	1-1/2 x 1;	2070
		2 x 1-1/4, 1-1/2;	
		2-1/2 x 1-1/4, 1-1/2, 2;	
		3 x 1-1/4, 1-1/2, 2;	
		4 x 1-1/2, 2, 2-1/2;	
		5 x 1-1/2;	
		6 x 1-1/2, 2, 2-1/2, 4	
7150M	Reducing Nipple	1-1/2 x 1;	2070
		2 x 1-1/4, 1-1/2;	
		2-1/2 x 1-1/4, 1-1/2, 2;	
		3 x 1-1/4, 1-1/2, 2;	
		4 x 1-1/2, 2, 2-1/2;	
		5 x 1-1/2;	
		6 x 1-1/2, 2, 2-1/2, 4	
7151	Eccentric Reducer (Groove Type A)	6 x 2	2070
	(Groove Type B)	2-1/2 x 2;	
		3 x 2, 2-1/2;	
		4 x 2, 2-1/2, 3;	
		6 x 3, 4;	
		8 x 4, 6	
7160H	Cap	10, 12, 14, 16, 18	2070
		20, 24	1730
7160	Cap	1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10	2070
		12	1210
		2 x 1, 1-1/4;	2070
		2-1/2 x 1, 1-1/4, 1-1/2;	
		3 x 1, 1-1/4, 1-1/2, 2;	
		4 x 1, 1-1/4, 1-1/2, 2;	
		6 x 1, 1-1/4, 1-1/2, 2;	
		76.1 mm, 139.7 mm, 165.1 mm, 216.3 mm, 267.4 mm	2070
318.5 mm	1210		
7170	Flange Adapter	2-1/2, 3, 4, 5, 6	1210
7180	Flange Adapter	2, 2-1/2, 3, 4, 5, 6, 8	2070

55	Nipple Adapter	1-1/2, 2	2070
850	Sprinkler Hub	2 x 1 (3 outlets); 2-1/2 x 1 (3 outlets); 76.1mm x 1 (3 outlets)	2070
851	Reducing Sprinkler Hub	2 x 1-1/2 x 1 (3 outlets); 2-1/2 x 1-1/2 x 1 (3 outlets); 2-1/2 x 2 x 1 (3 outlets); 76.1 mm x 2 x 1 (3 outlets)	2070
853	Sprinkler Hub	1-1/2 x 1 (4 outlets); 2 x 1 (4 outlets); 2-1/2 x 1 (4 outlets); 76.1 mm x 1 (4 outlets)	2070
SS-10	90 Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-11	45 Elbows	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-20	Tee	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-21	Tee	3 x 2-1/2;	2070
		4 x 2-1/2	
SS-21F	Tee	3 x 2;	2070
		4 x 2	
SS-50	Tee	3 x 2-1/2;	2070
		4 x 2-1/2	
SS-50F	Concentric Reducer	2-1/2 x 2;	2070
		3 x 2;	
		4 x 2	
SS-60	Cap	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8	2070
SS-80	Flange Adapter	2, 2-1/2, 3, 4, 5, 6, 8	2070
C10	90 Elbow	2, 2-1/2, 3, 4	1210
C11	45 Elbow	2, 2-1/2, 3, 4	1210
C20	Tee	2, 2-1/2, 3, 4, 6	1210
C21	Reducing Tee	2-1/2 x 2;	1380
		3 x 2, 2-1/2;	
		4 x 2, 2-1/2, 3;	
		5 x 3, 4;	
		6 x 2-1/2, 3, 4, 5	
C26	Reducing Tee	2 x 3/4, 1, 1-1/4, 1-1/2;	1380
		2-1/2 x 3/4, 1, 1-1/4, 1-1/2;	
		3 x 3/4, 1, 1-1/4, 1-1/2;	

		4 x 3/4, 1, 1-1/4, 1-1/2	
C50	Concentric Reducer	2-1/2 x 2;	1380
		3 x 2, 2-1/2;	
		4 x 2, 2-1/2, 3;	
		5 x 3, 4;	
		6 x 2-1/2, 3, 4, 5	
C52	Concentric Reducer	2 x 1, 1-1/4, 1-1/2;	1380
		2-1/2 x 1, 1-1/4, 1-1/2, 2;	
		3 x 1-1/2, 2;	
		4 x 2	
C60	Cap	2, 2-1/2, 3, 4	1380

Trademark and/or Tradename:  **SHURJOINT** , "SJ", "SHURJOINT"

Last Updated on 2021-10-18

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"