

28 508 980



- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:


- 200-mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2" connection

Notes:

	Brushed Gold (PVD)	28 508 980-37
	Chrome	28 508 980-00
	Brushed Platinum	28 508 980-06
	Platinum	28 508 980-08
	Dark Chrome	28 508 980-19
	Brushed Light Gold (PVD)	28 508 980-27
	Brushed Durabronze (23kt Gold)	28 508 980-28
	Matte Black	28 508 980-33
	Brushed Dark Brass (PVD)	28 508 980-39
	Brushed Bronze (PVD)	28 508 980-42
	Brushed Dark Bronze (PVD)	28 508 980-43
	Brushed Champagne (22kt Gold)	28 508 980-46
	Champagne (22kt Gold)	28 508 980-47
	Brushed Chrome	28 508 980-93
	Brushed Dark Platinum	28 508 980-99

28 508 980

mm [inches]



Flow rate chart



28 508 980

Parts for other
finishes can be found
here: [Chrome](#)

