





Electrical data	
Operating voltage	≤35 VAC; ≤50 VDC
Nominal current	2.1 A
Insulation resistance	≥ 500 MΩ
Specialty functions	With power jumper contacts Crossover

Safety and protection	
Dielectric strength (contact/contact) (AC, 1 min)	1 kVrms

Connection data	
Mating cycles	1000
Transmission length (max.)	100 m
Connection cable	Cat. 5 (min.)

Connection 1	
Connector	RJ-45 (shielded); with two additional power contacts
Pole number 1	10
Connection type 1	System

Connection 2	
Connector 2	RJ-45 (shielded); with two additional power contacts
Pole number 2	10
Connection type 2	System



Physical data		
Width		30 mm / 1.181 inches
Height		85 mm / 3.346 inches
Depth from upper-edge of DIN-rail		43 mm / 1.693 inches

Mechanical data		
Mounting type		DIN-35 rail
Housing design		Mounting carrier
Mating cycles		1000

Material data		
Fire load		0.772 MJ
Weight		17.5 g

Environmental requirements		
Ambient temperature (operation)		-40 ... +85 °C
Ambient temperature (storage)		-40 ... +85 °C
Relative humidity		≤ 85% (non-condensing)

Commercial data		
Product Group		6 (INTERFACE ELECTRONIC)
eCl@ss 10.0		19-17-90-01
eCl@ss 9.0		19-17-90-01
ETIM 8.0		EC001121
ETIM 7.0		EC001121
PU (SPU)		15 (1) pcs
Packaging type		Box
Country of origin		DE
GTIN		4045454326135
Customs tariff number		85366990990

Environmental Product Compliance		
RoHS Compliance Status		Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 289-177

↓



Documentation				
Bid Text			Instruction Leaflet	
289-177	19.02.2019	xml 3.43 KB	pdf 1246.19 KB	
289-177	09.02.2015	doc 26.00 KB		

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 289-177	EPLAN Data Portal 289-177
	WSCAD Universe 289-177
	ZUKEN Portal 289-177

1 Compatible Products
1.1 Optional Accessories
1.1.1 Marking
1.1.1.1 Marking strip



Item No.: 709-196
Marking strips; for laser printer; translucent



Item No.: 709-177
Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; translucent



Item No.: 709-178
Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; white