



Dimensions in mm

### Technical data

Memory	8 GB (pSLC)
Write/read cycles (max.)	45 MB/s / 50 MB/s
MTBF	> 2 million h
Service life	20,000 write cycles (per cell)

### Physical data

Width	24 mm
Height	32 mm
Depth	2.1 mm

### Material data

Fire load	0 MJ
Weight	1.7 g

### Environmental requirements

Ambient temperature (operation)	-40 ... +90 °C
Ambient temperature (storage)	-40 ... +90 °C
Relative humidity (without condensation)	95 %
Vibration resistance	15g
Shock resistance	50g

**Commercial data**

PU (SPU)	1 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4055143904834
Customs tariff number	85235110000

**Product Classification**

UNSPSC	43202005
ETIM 9.0	EC001068
ETIM 10.0	EC001068
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates**

General approvals			Declarations of conformity and manufacturer's declarations		
			<b>Approval</b>	<b>Standard</b>	<b>Certificate Name</b>
			EU-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-
Approval	Standard	Certificate Name	UK-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-
EAC	TP TC 020/2011	EAC CoC 03083			
GZO Almaty Standart					

**Downloads**

**Environmental Product Compliance**

Compliance Search	
Environmental Product Compliance 758-879/000-2108	<a href="#">↓</a>

**Documentation**

Bid Text		
758-879/000-2108	xml 3.14 KB	<a href="#">↓</a>
758-879/000-2108	docx 13.56 KB	<a href="#">↓</a>
ausschreiben.de 758-879/000-2108		<a href="#">↓</a>

### Application Notes

#### Application Note e!COCKPIT

eCOCKPIT Application	1.0.3	pdf	
Note WagoAppDatalog-ger	06.12.2021	1353.81 KB	