

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of March 6, 2024

File Number:

5361

Issued To:

J. VAN WALRAVEN HOLDING B.V.

PO BOX 15 NL-3640 AA MIJDRECHT , NETHERLANDS

Product:

Pipe Alignment & Secondary Support Systems

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

International Plumbing Code (IPC®)

Products are certified to the following standard(s)

IAPMO PS 42-2022

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: J. VAN WALRAVEN HOLDING B.V.

File Number: 5361

Product: Pipe Alignment & Secondary Support Systems

This IAPMO R&T Listing is current as of March 6, 2024

Identification:

The product shall bear the manufacturer's name or trademark; and part or model number. Markings shall be permanent, legible, and visible after installation, when practicable. The product shall also bear the UPC® certification mark.

Characteristics:

A pipe positioning system using a combination of straps, brackets, clips, clamps, bushings, plumbers tape or isolation devices. The exact configuration of the positioning system is dependent on the design of the plumbing system. To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Models

Starquick™

Model Number	Length
SQ-10	10-12 mm
SQ-12	12-14 mm
SQ-15	14-16 mm
SQ-17	16-20 mm
SQ-20	20-23 mm

Model Number	Length
SQ-25	24-28 mm
SQ-28	28-32 mm
SQ-32	32-35 mm
SQ-36	35-40 mm
SQ-40	40-44 mm
SQ-47	44-50 mm
SQ-51	48-55 mm
SQ-59	59-65 mm

Model Number	Description
6353991	Quick Hanger Bolt zp male, Size: 3/8"x11/2"
6353992	Quick Hanger Bolt zp female, Size: 3/8"x1"
6519106	Square nut, Size: 25x25 1/4"
59490950	RSWB 4+USVP 2+screws individually bagged
59490960	RSWB 3+USVP 1+screws individually bagged
59490961	RSWB 4+USVP 1+screws individually bagged
59490962	RSWB 3+USVP 1+sq.nuts,bolts,screws
59490963	RSWB 4+USVP 1+sq.nuts,bolts,screws
59490964	Silent Nut ass. SOB and USVP, Size: 1/4"x3/4"
59490965	Silent Nut ass. f. Showerhead #8x3/4"
59490971	RSWB 3 PEX stub-out, Size: 1/2"
59490972	RSWB 4 PEX hot and cold, Size: 1/2"
59490973	Rigid PEX bend support, Size: 1/2"
59490981	RSWB 3 CTS stub-out, Size: 1/2"
59490982	RSWB 4 CTS hot and cold, Size: 1/2"
59490990	Plate for adjustable Shower Valve
59491220	Rapid Sliding Wall Bracket RSWB3, Size: 12-20"
59491827	Rapid Sliding Wall Bracket RSWB4, Size: 16-26"
59492000	Insert MPTS 1/2, Size: 8"x.75"x.5"
59492001	Multi Purp. Telescop.Supp.MPTS1, Size: 12"-20"
59492002	Multi Purp. Telescop.Supp.MPTS2, Size: 18"-26"
59493001	Light Angled Wall Bracket LAWB1, Size: 12"-20"
59493002	Light Angled Wall Bracket LAWB2, Size: 18"-26"
59494001	Heavy Angled Wall Bracket HAWB1, Size: 12"-20"
59494002	Heavy Angled Wall Bracket HAWB2, Size: 18"-26"
59495111	HAWB 1 PEX Hot and Cold Stubout, Size: 1/2"
59495112	HAWB 2 PEX hot and cold, Size: 1/2"
59495211	HAWB 1 CTS hot and cold, Size: 1/2"
59495212	HAWB 2 CTS hot and cold, Size: 1/2"
59496111	LAWB 1 PEX hot and cold, Size: 1/2"
59496112	LAWB 2 PEX hot and cold, Size: 1/2"
59496211	LAWB1 CTS hot and cold, Size: 1/2"
59496212	LAWB 2 CTS hot and cold, Size: 1/2"
59497112	Stub out clamp RSWB PEX, Size: 1/2"
59497212	Stub out clamp RSWB copper, Size: 1/2"
59497216	Stub out clamp RSWB copper, Size: 3/4"

Model Number	Description
59498112	Stub out clamp AWB PEX, Size: 1/2"
59498212	Stub out clamp AWB copper, Size: 1/2"
59498216	Stub out clamp AWB copper, Size: 3/4"
59499982	1" flush valve support
61739612	Phillips pan head machine scrw. Size: 1/4"x1/2"
61839412	Phillips mod.trs/waf.hd.tap.scrw #8x1/2"
61839425	Phillips mod.trs/waf.hd.tap.scrw #8x1"
61839441	Phillips trs/waf.hd.tap.scrw #8x1-5/8
64599333	BIS Stud Connector zp, Size: 3/8"x1"
65197015	Silent Nut, Size: 8-32
65197022	Silent Nut, Size: 1/4"
66090110	Cantilever USA 0 flat plate hor. 8"
66090210	Double Cast-In place Anchor
66090710	Cantilever USA 0 + nail plate vert, Size: 8"
66190110	Wall Plate for in-Wall Strut WM0
650509000	USA In Wall Strut WM0, Size: 7ft
650509008	USA In Wall Strut WM0, Size: 8"
650509012	USA In Wall Strut WM0, Size: 12"
650509018	USA In Wall Strut WM0, Size: 18"
650509022	USA In Wall Strut WM0, Size: 22"
650509032	USA In Wall Strut WM0, Size: 32"
650509922	MPHS, Size: 12"-20"
650509923	MPHS, Size: 22"-30"
650509924	MPHS, Size: 32"-40"
0830017	BIS Suspension Band pg box, Size: 10m 17x1.0mm
0831012	BIS Suspension Band pg/L box, Size: 10m 12x0.8mm
0832714	BIS Susp.Band pg plast.Roll, Size: 10m 14x3.0mm
0854015S	sQ CT1/2" V0 fire rated, Size: 14-16
0854022S	sQ CT3/4"&IP1/2" V0 fire rated 20-23mm
0854332S	sQ Rail Adapter V0 fire-rated RS/RR
08549922	Grommet for wood and metal, Size: 1/2"&3/4"
08549922S	Gromm.f.wood/metal fire ratedV0, Size: 1/2"&3/4"
0854999	starQuick Silent Nut assembly #8x1"
0856016	Rabbit Clamp HV, Size: 1/2"
0856016N	Rabbit Clamp with rubber, Size: 1/2"
0856016S	Rabbit Clamp V0 fire rated, Size: 1/2"
0856022	Rabbit Clamp HV, Size: 3/4"
0856022N	Rabbit Clamp with rubber insert, Size: 3/4"
0856022S	Rabbit Clamp V0 fire rated, Size: 3/4"
0856028N	Rabbit Clamp with rubber insert, Size: 1"
0856035	Rabbit Clamp with insert, Size: 1"- 1-1/4"
0856054	Rabbit Clamp with insert, Size: 1-1/2"-2"