

Ivy 2 Recessed- Bright Louvre - Electronic ballast
IVY 2 3 x 14W 840 T5 EB BR MPM
0055739



PRODUCT OVERVIEW

Product name	IVY 2 3 x 14W 840 T5 EB BR MPM
Technology	Fluorescent
Housing	Steel
Environment	Interior
E-number SE	7010367
Warranty	2 years
Luminaire efficacy (lm/W)	65
LOR (%)	81
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	85
Light source included	0002871
Total power consumption (W)	42
Electrical protection	Class I
Control gear type	Electronic ballast
Housing colour	RAL 9003 - Signal white
IP rating	IP20
Product EAN number	5410288557397

DATA TABLE

General data	
Product name	IVY 2 3 x 14W 840 T5 EB BR MPM
Technology	Fluorescent
Housing	Steel
Environment	Interior
E-number SE	7010367
Warranty	2 years
Optical data	
Luminaire efficacy (lm/W)	65
LOR (%)	81

Ivy 2 Recessed- Bright Louvre - Electronic ballast
IVY 2 3 x 14W 840 T5 EB BR MPM
0055739

Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	85
Adjustable chromaticity	N

Electrical data

Light source included	0002871
Total power consumption (W)	42
Electrical protection	Class I
Control gear type	Electronic ballast
Glow Wire Test (°C)	850


Physical data

Housing colour	RAL 9003 - Signal white
IP rating	IP20
Nominal Product Length (mm)	596
Nominal Product Width (mm)	596
Weight (kg)	2.845

Packaging

Single packaging type	Carton
Product EAN number	5410288557397
Packaging single width (cm)	60.3
Packaging single depth (cm)	5.5
DUN14 (outer)	05410288557397
Packaging outer length / height (cm)	60.3

PHOTOMETRY



TECHNICAL DRAWINGS



Ivy 2 Recessed- Bright Louvre - Electronic ballast
IVY 2 3 x 14W 840 T5 EB BR MPM
0055739

Dimensions (mm)



	L	W	H	H1
Dimensions (mm) (without ballast)				
3 x 14W T5	300	86	57.5	100
4 x 14W T5	300	86	57.5	100
5 x 14W T5 (L)	300	86	57.5	100
5 x 14W T5 (L)	300	86	57.5	100
Dimensions (mm) (with ballast)				
3 x 14W T5	300	86	57.5	100
4 x 14W T5	300	86	57.5	100
5 x 14W T5 (L)	300	86	57.5	100
5 x 14W T5 (L)	300	86	57.5	100