

IVY 2 4 x 14W 840 T5 EB BR MPM  
0055744



Features

- IVY 2 4 x 14W 840 T5 EB BR MPM




Product Overview


|                             |                                |
|-----------------------------|--------------------------------|
| Product name                | IVY 2 4 x 14W 840 T5 EB BR MPM |
| Technology                  | Fluorescent                    |
| Housing                     | Steel                          |
| Light source included       | 0002871                        |
| Environment                 | Interior                       |
| E-number SE                 | 7010368                        |
| Luminaire efficacy (lm/W)   | 65                             |
| LOR (%)                     | 79                             |
| Colour temperature (K)      | 4000                           |
| Light colour                | Neutral White                  |
| CRI (Ra)                    | 85                             |
| Total power consumption (W) | 56                             |
| Electrical protection       | Class I                        |
| Control gear type           | Electronic ballast             |
| Housing colour              | RAL 9003 - Signal white        |
| IP rating                   | IP20                           |
| Product EAN number          | 5410288557441                  |
| Warranty                    | 2 years                        |

IVY 2 4 x 14W 840 T5 EB BR MPM  
0055744

Photometry



Technical drawings



Data table

GENERAL DATA

|              |                                |
|--------------|--------------------------------|
| Product name | IVY 2 4 x 14W 840 T5 EB BR MPM |
| Technology   | Fluorescent                    |
| Housing      | Steel                          |
| Environment  | Interior                       |

## IVY 2 4 x 14W 840 T5 EB BR MPM 0055744

|             |         |
|-------------|---------|
| E-number SE | 7010368 |
| Warranty    | 2 years |

### OPTICAL DATA

|                           |               |
|---------------------------|---------------|
| Luminaire efficacy (lm/W) | 65            |
| LOR (%)                   | 79            |
| Colour temperature (K)    | 4000          |
| Light colour              | Neutral White |
| CRI (Ra)                  | 85            |
| Adjustable chromaticity   | N             |

### ELECTRICAL DATA

|                             |                    |
|-----------------------------|--------------------|
| Light source included       | 0002871            |
| Total power consumption (W) | 56                 |
| Electrical protection       | Class I            |
| Control gear required       | No                 |
| Control gear type           | Electronic ballast |
| Glow Wire Test (°C)         | 850                |

### PHYSICAL DATA

|                             |                         |
|-----------------------------|-------------------------|
| Housing colour              | RAL 9003 - Signal white |
| IP rating                   | IP20                    |
| Nominal Product Length (mm) | 596                     |
| Nominal Product Width (mm)  | 596                     |
| Weight (kg)                 | 2.928                   |

### PACKAGING

|                                      |                |
|--------------------------------------|----------------|
| Single packaging type                | Carton         |
| Product EAN number                   | 5410288557441  |
| Packaging single width (cm)          | 60.3           |
| Packaging single depth (cm)          | 5.5            |
| DUN14 (outer)                        | 05410288557441 |
| Packaging outer length / height (cm) | 60.3           |



IVY 2 4 x 14W 840 T5 EB BR MPM  
0055744

SAFETY DATA

|                                     |    |
|-------------------------------------|----|
| Special purpose lamp                | No |
| Dry applications use only           | No |
| Suitable for household illumination | No |