



28 450 370 Product version up to 7/6/2018




- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS


Intrinsic protection against back flow.

	Durabronz (23kt Gold)	28 450 370-09
	Chrome	28 450 370-00
	Brushed Platinum	28 450 370-06
	Platinum	28 450 370-08
	Brushed Durabronz (23kt Gold)	28 450 370-28
	Brushed Dark Brass (PVD)	28 450 370-39
	Brushed Bronze (PVD)	28 450 370-42
	Brushed Dark Platinum	28 450 370-99


**Recommended miscellaneous**

- |  |                               |               |
|--|-------------------------------|---------------|
|  | <b>Concealed wall elbow -</b> | 35 085 970 90 |
|  | • min. recess depth 90 mm     |               |
|  | • max. recess depth 163 mm    |               |

28 450 370 Product version up to 7/6/2018



Flow rate chart



Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations




## MADISON Wall elbow - Durabronz (23kt Gold)

MADISON

28 450 370 Product version up to 7/6/2018

Certificates and sustainability

Belgaqua\_21-381-2 WRAS\_240502



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	09 11 03 021-09	Connection 93,5 x 42,5 x 21 mm - Durabronz (23kt Gold)	1.00	54
1	09 27 37 003-09	Rosette Ø 60,6 x 17,3 mm - Durabronz (23kt Gold)	1.00	54
2	90 14 10 026 00 90	O-Ring 20,5 x 3,5 mm -	1.00	14
4	90 23 01 040 00 90	Back-flow preventer Check valve cartridge, DW15 -	1.00	14