

28 029 979



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 5 l/min
- 1/2" connection
- with anti-scale system
- inherently safe from back flow


Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Gold (PVD)	28 029 979-37 0010
	Chrome	28 029 979-00 0010
	Brushed Platinum	28 029 979-06 0010
	Platinum	28 029 979-08 0010
	Dark Chrome	28 029 979-19 0010
	Light Gold (PVD)	28 029 979-26 0010
	Brushed Light Gold (PVD)	28 029 979-27 0010
	Brushed Durabrass (23kt Gold)	28 029 979-28 0010
	Matte Black	28 029 979-33 0010
	Brushed Dark Brass (PVD)	28 029 979-39 0010
	Brushed Dark Bronze (PVD)	28 029 979-43 0010
	Brushed Champagne (22kt Gold)	28 029 979-46 0010
	Champagne (22kt Gold)	28 029 979-47 0010
	Brushed Chrome	28 029 979-93 0010
	Brushed Dark Platinum	28 029 979-99 0010

28 029 979

mm [inches]



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen

Certificates and sustainability

LGA_38	WRAS_250102
--------	-------------

28 029 979

Parts for other
finishes can be found
here: [Chrome](#)

