


### Features

- Recessed fire rated housing frame to use with RefLED GU10 spotlight lamp Ø50mm - GU10 spotlight not included. Steel body, round bezel ring in white RAL9016 finish, fixed (not adjustable), IP65 (frontal) degree of protection, class II, outer dimensions (including wiring box): Ø88\*122mm, cut-out Ø72mm. Fire rated 30, 60, 90 minutes. Suitable for internal environment only.

### Product Overview

Product name	SylFire GU10 IP65 Fixed WHT
Technology	LED/Halogen
Light source included	Fixture without Lightsource
Light colour	N/A
Electrical protection	Class II
Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP65/20
IK rating	IK03
Product EAN number	5410288597782
Warranty	3 years

### Technical drawings



### Data table

#### GENERAL DATA

Product name	SylFire GU10 IP65 Fixed WHT
Technology	LED/Halogen
Warranty	3 years

#### OPTICAL DATA

Light colour	N/A
--------------	-----

#### ELECTRICAL DATA

Light source included	Fixture without Lightsource
Primary Supply/Product voltage - min (V)	220
Electrical protection	Class II
Control gear required	No
Nominal Frequency (Hz)	50/60Hz
Connectable conductor cross section - Min (mm <sup>2</sup> )	0.75

## SylFire GU10 IP65 Fixed WHT 0059778

Connectable conductor cross section - 1.5  
Max (mm<sup>2</sup>)

### PHYSICAL DATA

Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP65/20
IK rating	IK03
Nominal Product Diameter (mm)	88
Weight (kg)	0.254
Recessed Depth (mm)	122

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288597782
Packaging single width (cm)	10.0
Packaging single depth (cm)	13.5
DUN14 (outer)	15410288597789
Packaging outer length / height (cm)	62.0

### SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No