



Features

- IVY 2 3 x 14W 840 T5 EB BR MPM




Product Overview


Product name	IVY 2 3 x 14W 840 T5 EB BR MPM
Technology	Fluorescent
Housing	Steel
Light source included	0002871
Environment	Interior
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002892
E-number SE	7010367
Luminaire efficacy (lm/W)	65
LOR (%)	81
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	85
Total power consumption (W)	42
Electrical protection	Class I
Control gear type	Electronic ballast
Housing colour	RAL9003
IP rating	IP20
Product EAN number	5410288557397
Warranty	2 years

IVY 2 3 x 14W 840 T5 EB BR MPM
0055739

Photometry



Technical drawings



Data table

GENERAL DATA

Product name	IVY 2 3 x 14W 840 T5 EB BR MPM
Technology	Fluorescent
Housing	Steel
Environment	Interior

IVY 2 3 x 14W 840 T5 EB BR MPM 0055739

General application	Education, Hospitality, Office, Retail
ETIM Class	EC002892
E-number SE	7010367
Warranty	2 years

OPTICAL DATA

Luminaire efficacy (lm/W)	65
LOR (%)	81
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	85
Adjustable chromaticity	N

ELECTRICAL DATA

Light source included	0002871
Total power consumption (W)	42
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	230
Electrical protection	Class I
Control gear required	No
Control gear type	Electronic ballast

PHYSICAL DATA

Housing colour	RAL9003
IP rating	IP20
Nominal Product Length (mm)	596
Nominal Product Width (mm)	596
Nominal Product Height (mm)	52
Weight (kg)	2.845

PACKAGING

Product EAN number	5410288557397
Packaging single length / height (cm)	60.3



IVY 2 3 x 14W 840 T5 EB BR MPM
0055739

Packaging single width (cm)	60.3
Packaging single depth (cm)	5.5
DUN14 (inner)	05410288557397
Units per outer package	1
Packaging outer length / height (cm)	60.3
Packaging outer width (cm)	60.3
Packaging outer depth (cm)	5.5

SAFETY DATA

Glow Wire Test (°C)	850
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No