

ORIGINAL - METAL BASE RY10W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Product datasheet

Technical data

Product information

Order reference	5009
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	75 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	16.0 mm
Product weight	5.50 g
Length	37.5 mm

Lifespan

Lifespan B3	350 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	BAU15s
-----------------------------	--------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	RY10W
Approval marks – approval	E1 approval

Country specific categorizations

Order reference	5009
-----------------	------

Country specific information


Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321095442	OSRA5009	-	-	-
4008321095459	OSRA5009	-	-	-
4008321095442	OSRA5009	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095442	ORIGINAL - METAL BASE RY10W	Unpacked 1	23 mm x 15 mm x 18 mm	0.01 dm ³	5.50 g
4008321095459	ORIGINAL - METAL BASE RY10W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	68.00 g
4008321095466	ORIGINAL - METAL BASE RY10W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	402.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 360 Degree Image ORIGINAL RY10W 5009

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM