

# Product End of Life Instructions

Timer, Exxact, electronic, 2-pole, adjustable, white + Frame, Exxact, plastic, 1-compartment, White

Representative of all types of timers, for all types of finishes.






## Potential disassembly risks

“Risk of electric shock due to electrical components containing energy: capacitors”



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	ISOLATION PLATE and SHEET	0.2	
To be dismantled	2	Design parts	14.8	
To be dismantled	3	PCBA Timer AT10AU	37.0	
To be dismantled	4	Bottom Green Case	10.9	
Other	5	Mounting Frame	32.4	

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Exact Electronic timer 2-pole. Adjustable between 15, 30 min and 1, 2, 4, and 8 hrs. Requires neutral conductor. For flush mounting in c/c 60mm device box. For surface mounting, use 35mm box. Complete with optional Exxact frame. Color white + Primo frame for flush or external mounting. The 1-bay frame has a replaceable front. For vertical or horizontal mounting.
Product reference	WDE002471 - WDE002101

Additional similar product references	177030 177100 207214 363404 506D0610 506D6610 506N0002 538000 538200 539014 539019 539060 539214 539219 539260 539319 539419 567425 567519 567525 AAK506D0610 AAK506D6610 AAK506N0002 ELG175314 MEG5754-0319 MEG5754-0325 MEG5754-0414 MEG5754-0419 MEG5754-0460 MEG5755-0319 MEG5755-0325 MEG5755-0414
Total representative product mass	136 g
Representative product dimensions	87 x 87 x 47 (mm)
Accessories	0
Date of information release	01/01/2026

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	0
Recyclability potential	<b>31%</b> The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI101205\_V3

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

46023